European Journal of Biochemistry

Author and keyword indexes
Volumes 251–258 (1998)

Honorary Chairman Frederick Sanger (Cambridge)

Editorial Board
Richard Perham (Cambridge) Chairman
Hugo Fasold (Frankfurt)
Jean Girard (Paris)
Cornelis W. Hilbers (Nijmegen)
Wolfgang Hillen (Erlangen)
Ferdinand Hucho (Berlin) Reviews Editor
Hans Jörnvall (Stockholm)
Claude Liébecq (Liège) Honorary Member
Gösta Pettersson (Lund)
Christopher G. Proud (Dundee)
Masahiro Sugiura (Nagoya)
Johannes F. G. Vliegenthart (Utrecht)
Andrew H.-J. Wang (Urbana, IL)

Advisory Board
S. P. J. Albracht (Amsterdam)
A. Arseniev (Moscow)
S. Atrian (Barcelona)
S. Avrameas (Paris)
A. Bax (Bethesda, MD)
I. Bertini (Firenze)
A. Billiau (Leuven)
W. Birchmeier (Berlin)
M. Bollen (Leuven)
H. R. Bosshard (Zürich)
M. D. Brand (Cambridge)
R. L. C. Brimacombe (Berlin)
B. Bukau (Freiburg)
M. Chabre (Valbonne)
K. J. Clemetson (Bern)
A. J. Cornish-Bowden (Marseille)
M. Crompton (London)
P. Dimroth (Zürich)
V. Dombradi (Debrecen)
R. Duncan (Los Angeles, CA)
W. R. Dunham (Ann Arbor, MI)
A. D. Elbein (Little Rock, AR)
J. Engel (Basel)
S. J. Ferguson (Oxford)
A. Finazzi-Agrò (Roma)
S. Ghisla (Konstanz)
R. Heinrich (Berlin)
J. Hempel (Pittsburgh, PA)
H. P. C. Hogenkamp (Minneapolis, MN)
T. A. Holak (Martinsried)
U. Hübscher (Zürich)
R. C. Hughes (London)
A. Ichihara (Tokushima)
J. Johansson (Stockholm)
P. Jollès (Paris)
T. Kawasaki (Kyoto)
P. M. Kloetzel (Berlin)
W. N. Konings (Haren)
L. Lehle (Regensburg)
G. P. Mannaerts (Leuven)
R. L. Medcalf (Box Hill)
K. Morikawa (Osaka)
S. Morley (Brighton)
Y. Nagai (Tokyo)
S. Natori (Tokyo)
J. Ovadi (Budapest)
X. Parés (Barcelona)
B. Persson (Stockholm)
N. Pfanner (Freiburg)
J. Rétey (Karlsruhe)
M. H. Rider (Bruxelles)
J. F. Riordan (Boston, MA)
H. Rüterjans (Frankfurt)
F. Sakiyama (Osaka)
L. Serrano (Heidelberg)
K. Sobue (Osaka)
P. Srere (Dallas, TX)
B. Svensson (Valby)
R. K. Thauer (Marburg)
R. Timpl (Martinsried)
A. Udvardy (Szeged)
L. M. van Golde (Utrecht)
G. A. Veldink (Utrecht)
P. Venetianer (Szeged)
A. Verbert (Villeneuve-d'Ascq)
G. von Heijne (Stockholm)
G. Vriend (Heidelberg)
W. Wahli (Lausanne)
H. Weiss (Düsseldorf)
S. G. Wilkinson (Hull)
S. Yokoyama (Tokyo)

Editorial Office J. Roscoe, M. Rawlings, K. Richardson, C. Peel
98 Regent Street, Cambridge CB2 1DP, UK

Production Office A. Treiber, A. Zimmermann
Springer-Verlag, Tiergartenstrasse 17, Postfach 10 52 80, D-69042 Heidelberg, Germany

FEBS

Published by Springer on behalf of the Federation of European Biochemical Societies

The exclusive copyright for all languages and countries, including the rights for photographic reproduction, electronic data base, video disks, or any other reproduction of text, figures, or tables from this journal, also in microform, is vested in the Federation of European Biochemical Societies.

The use of general descriptive names, trade names, trade marks, etc., in this publication, even if the former are not specifically identified, is not to be interpreted that such names are exempt from the relevant protective laws and regulations and may accordingly be used freely by anyone.

Individuals may reproduce material published in this journal when writing a review or book as long as they make proper acknowledgement to the origin of the material and obtain the author(s)' permission if this condition applies.

Springer Verlag Berlin Heidelberg New York

Printers: Wiesbadener Graphische Betriebe GmbH, Wiesbaden

Printed in Germany

Copyright © by the Federation of European Biochemical Societies 1998.

Vol. 251–Vol. 258 (1998)

Author index with article titles

Aaskov, J., see Hola-Jamriska, L.
Ab, G., see Smidt, M. P.
Abudu, N., Banjaw, M. Y., Ljones, T.: Kinetic studies on the activation of dopamine β-monooxygenase by copper and vanadium ions 257: 622
Acker, H., see Porwol, T.
Adachi, T., see Iguchi, K.
Adams, M. J., see Scopes, D. A.
Adcock, I. M., see Newton, R.
Ades, L. C., see Gibson, M. A.
Adiga, P. R., see Sooryanarayana, P. P.
Aerts, J. M. F. G., see Renkema, G. H.
Agake, R., see Mukai, K.
Ago, T., see Nakamura, R.
Agudo, M., see Hernández, G.
Aguilar, J., see Obradors, N.
Air, G. M., see Ghate, A. A.
Ajlani, G., Vernotte, C.: Deletion of the PB-loop in the L_{CM} subunit does not affect phycobilisome assembly or energy transfer functions in the cyanobacterium *Synechocystis* sp. PCC6714 257: 154
Akatsuka, H., see Yanaka, N.
Akino, T., see Mikami, T.
Al Kazaz, M., Desseaux, V., Marchis-Mouren, G., Prodanov, E., Santimone, M.: The mechanism of porcine pancreatic α-amylase – Inhibition of maltopentaose hydrolysis by acarbose, maltose and maltotriose 252: 100
Al-Abed, Y., see Kapurniotu, A.
Alakhov, V., see Popkov, M.
Alazard, R., Ebel, C., Venien-Bryan, C., Mourey, L., Samama, J. P., Chandler, M.: Oligomeric structure of the repressor of the bacteriophage Mu early operon 252: 408
Alban, C., see Tissot, G.
Albert, M. J., see Landersjö, C.
Albert, M. J., see Senchenkova, S. N.
Albig, W., see Meergans, T.
Albracht, S. P. J., see Pierik, A. J.
Albrecht, T., Greve, B., Pusch, K., Kossmann, J., Buchner, P., Wobus, U., Steup, M.: Homodimers and heterodimers of Pho1-type phosphorylase isoforms in *Solanum tuberosum* L. as revealed by sequence-specific antibodies 251: 343
Alessi, D. R., see Andjelković, M.
Alexson, S. E. H., see Lindquist, P. J. G.
Al-Hillawi, E., Chilton, D., Trayer, I. P., Cummins, P.: Phosphorylation-specific antibodies for human cardiac troponin-I 256: 535
Alix, A. J. P., see Debelle, L.
Allart, B., Gatel, M., Guillerm, D., Guillerm, G.: The catalytic mechanism of adenosylhomocysteine/methylthioadenosine nucleosidase from *Escherichia coli* – Chemical evidence for a transition state with a substantial oxocarbenium character 256: 155
Alonso, C., see Jiménez-Ruiz, A.
Altendorf, K., see Jäger, H.
Altman, E., see Sadovskaya, I.
Altman, E., see Sadovskaya, I.
Altmann, F., Paschinger, K., Dalik, T., Vorauer, K.: Characterisation of peptide-N^4-(*N*-acetyl-β-glucosaminyl)asparagine amidase A and its N-glycans 252: 118
Alt-Mörbe, J., see Breese, K.
Amblar, M., López, P.: Purification and properties of the 5′-3′ exonuclease D190→A mutant of DNA polymerase I from *Streptococcus pneumoniae* 252: 124
Amici, C., see de Marco, A.
Amler, E., see Linnertz, H.
Ammon, H. P. T., see Sailer, E.-R.
Amontov, S., see Gal, S. W.
Amoruso, G., see Xu, T.
Amrani, A., see Oberg, K. A.
Amrhein, N., see Schönbrunn, E.
An, J. H., Kim, Y. S.: A gene cluster encoding malonyl-CoA decarboxylase (MatA), malonyl-CoA synthetase (MatB) and a putative dicarboxylate carrier protein (MatC) in *Rhizobium trifolii* – Cloning, sequencing, and expression of the enzymes in *Escherichia coli* 257: 395
Andersen, C., Krones, D., Ulmke, C., Schmid, K., Benz, R.: The porin RafY encoded by the raffinose plasmid pRSD2 of *Escherichia coli* forms a general diffusion pore and not a carbohydrate-specific porin 254: 679
Andersen, Ø., Pantopoulos, K., Kao, H.-T., Muckenthaler, M., Youson, J. H., Pieribone, V.: Regulation of iron metabolism in the sanguivore lamprey *Lampetra fluviatilis* – Molecular cloning of two ferritin subunits and two iron-regulatory proteins (IRP) reveals evolutionary conservation of the iron-regulatory element (IRE)/IRP regulatory system 254: 223
Andjelković, M., Suidan, H. S., Meier, R., Frech, M., Alessi, D. R., Hemmings, B. A.: Nerve growth factor promotes activation of the α, β and γ isoforms of protein kinase B in PC12 pheochromocytoma cells 251: 195
Andrä, S., Frey, G., Jaenicke, R., Stetter, K. O.: The thermosome from *Methanopyrus kandleri* possesses an NH_4^+-dependent ATPase activity 255: 93
Andreola, M.-L., see Dufour, E.
Andreoni, C., see Haeuw, J.-F.
Andreu, J. M., see Encinas, M. V.
Annila, A., see Mattinen, M.-L.
Ansaruzzaman, M., see Landersjö, C.
Antalis, T. M., see Mahony, D.
Antalík, M., see Nesper, M.
Antoniewicz-Papis, J., see Kłopocki, A. G.
Antsypovich, S., Kubareva, E., Tashlitsky, V., Oretskaya, T., Shabarova, Z.: Cross-linked DNA duplexes – Exonuclease stability and interaction with the nucleic transcription factor of the κ light-chain enhancer (NF-κB) 255: 414
Aoki, H., see Kudo, K.
Aono, S., Bentrop, D., Bertini, I., Cosenza, G., Luchinat, C.: Solution structure of an artificial Fe_3S_4 ferredoxin: the D13C variant of *Bacillus schlegelii* Fe_3S_4 ferredoxin 258: 502
Aoyama, T., see Souri, M.
Aplin, R., see McAlister, M. S. B.
Apreda, B., see Nardone, E.
Arakaki, A. K., see Dionisi, H. M.
Araki, S., see Masuda, S.
Arata, Y., see Markley, J. L.
Arbatsky, N. P., see Shashkov, A. S.
Archer, D. B., see Spencer, J. A.
Archer, I. V., see Misawa, E.
Arendsen, A. F., see Kröckel, M.
Arija-Mad-Arif, S., see Sowka, S.
Arisawa, M., see Yabe, T.
Armengaud, J., Timmis, K. N.: The reductase RedA2 of the multi-component dioxin dioxygenase system of *Sphingomonas* sp. RW1 is related to class-I cytochrome P_{450}-type reductases 253: 437
Arnfelt, M., see Brosché, M.
Arnhold, S., see Vajna, R.
Arnold, S., Goglia, F., Kadenbach, B.: 3,5-Diiodothyronine binds to subunit Va of cytochrome-*c* oxidase and abolishes the allosteric inhibition of respiration by ATP 252: 325
Aro, E.-M., see Sippola, K.
Arondel, V., see Jouannic, N.
Arosio, P., see Nardone, E.
Arruda, P., see Kemper, E. L.
Arseniev, A. S., see Lugovskoy, A. A.
Arseniev, A. S., see Maslennikov, I. V.
Arseniev, A. S., see Utkin, Y. N.
Arteel, G. E., Thurman, R. G., Raleigh, J. A.: Reductive metabolism of the hypoxia marker pimonidazole is regulated by oxygen tension independent of the pyridine nucleotide redox state 253: 743
Arvidsson, K., Nemoto, T., Mitsui, Y., Ohashi, S., Nakanishi, H.: The solution structure of human endothelin-2 a ^{1}H-NMR and CD study 257: 380
Asakura, T., see Iwadate, M.
Asano, M., see Asano, T.
Asano, T., Morishita, R., Ueda, H., Asano, M., Kato, K.: GTP-binding protein γ_{12} subunit phosphorylation by protein kinase C – Identification of the phosphorylation site and factors involved in cultured cells and rat tissues *in vivo* 251: 314
Ásgeirsson, B., Leth-Larsen, R., Thórólfsson, M., Nedertoft, M. M., Højrup, P.: The third serine proteinase with chymotrypsin specificity isolated from Atlantic cod (*Gadus morhua*) is a type-II elastase 255: 638
Ashkenazi, R., see Papir, G.
Ashworth, D. M., see McEuen, A. R.
Asmis, R., Wintergerst, E. S.: Dehydroascorbic acid prevents apoptosis induced by oxidized low-density lipoprotein in human monocyte-derived macrophages 255: 147
Assfalg, M., Banci, L., Bertini, I., Bruschi, M., Turano, P.: 800-, MHz ^{1}H NMR solution structure refinement of oxidized cytochrome c_3 from *Desulfuromonas acetoxidans* 256: 261
Assinder, S. J., see Lehane, S. M.
Asti, L., see Bellotti, V.
Athès, V., Lange, R., Combes, D.: Influence of polyols on the structural properties of *Kluyveromyces lactis* β-galactosidase under high hydrostatic pressure 255: 206
Atkins, J. F., see Choi, K. M.
Atomi, H., see Kanai, T.
Au, F. L., see Renkema, G. H.
Au, H. C., Scheffler, I. E.: Promoter analysis of the human succinate dehydrogenase iron-protein gene – Both nuclear respiratory factors NRF-1 and NRF-2 are required 251: 164

Aubry, F., Mattéi, M.-G., Galibert, F.: Identification of a human 17p-located cDNA encoding a protein of the Snf2-like helicase family 254: 558
Auerswald, E., see Moser, M.
Aumelas, A., see Vignal, E.
Aumercier-Maes, P., see Flahaut, C.
Autero, M., see Furukawa, K.
Authier, F., see Chauvet, G.
Auwerx, J., see De Vos, P.
Avidan, O., see Taube, R.
Avilés, F. X., see Gomis-Rüth, F. X.
Azarkan, M., see Oberg, K. A.
Azevedo, R. A., see Kemper, E. L.
Azrad, A., see Tyagi, R. K.
Azuma, M., see Fujimoto, Y.

Baas, F., see Meijerink, P. H. S.
Babia, T., Veldman, R. J., Hoekstra, D., Kok, J. W.: Modulation of carcinoembryonic antigen release by glucosylceramide – Implications for HT29 cell differentiation 258: 233
Babicka, D., see Bartodziejska, B.
Babu, K. R., see Prajapati, S.
Bacher, A., see Griffin, K. J.
Bacher, A., see Laempe, D.
Bacher, A., see Rieder, C.
Badasso, M. O., see Bunting, K.
Badimon, L., see Vidal, F.
Baehr, W., see Li, N.
Baensch, M., see Hennecke, M.
Baes, M., see Wylin, T.
Bäumlein, H., see Shutov, A. D.
Bagdasarian, M., see Meng, M.
Bailly, C., see Flahaut, C.
Baker, E., see Graham, R. M.
Bakhanashvili, M., see Taube, R.
Balcarová, Z., see Žákovská, A.
Baldwin, S. A., see Plomann, M.
Balland, A., Krasts, D. A., Hoch, K. L., Gerhart, M. J., Stremler, K. E., Waugh, S. M.: Characterization of the microheterogeneities of PIXY321, a genetically engineered granulocyte-macrophage colony-stimulating factor/interleukin-3 fusion protein expressed in yeast 251: 812
Ballantine, S. P., see Sargent, F.
Ballio, A., see Coiro, V. M.
Balny, C., see Kornblatt, M. J.
Banci, L., Bertini, I., Reddig, T., Turano, P.: Monitoring the conformational flexibility of cytochrome *c* at low ionic strength by ^{1}H-NMR spectroscopy 256: 271
Banci, L., see Assfalg, M.
Bangsow, T., Schepelmann, S., Martin, C., May, M., Oberthür, A., Perl, S., Knüpfer, E., Zinke, H., Gassen, H. G.: Identification of a gene selectively expressed in the brain, which encodes a putative transmembrane protein and a soluble cytoplasmic isoform 256: 24
Banjaw, M. Y., see Abudu, N.
Bankaitis, V. A., see Hübner, S.
Barba De La Rosa, A. P., see Maruyama, N.
Barber, J., see Boekema, E. J.
Barcelona, B., see Marina, A.
Barciszewski, J., see Siatecka, M.
Barclay, A. N., see McAlister, M. S. B.
Barklis, E., see Clish, C. B.
Barnes, P. J., see Newton, R.
Barrett-Bergshoeff, M. M., see Noorman, F.
Barritault, D., see Liu, J.-F.
Bartegi, A., Roustan, C., Bertrand, R., Kassab, R., Fattoum, A.: Interaction of caldesmon with actin subdomain-2 254: 571
Bartels, J., see Noso, N.
Barthels, D., see Plomann, M.
Bartodziejska, B., Shashkov, A. S., Babicka, D., Grachev, A. A., Torzewska, A., Paramonov, N. A., Chernyak, A. Y., Rozalski, A., Knirel, Y. A.: Structural and serological studies on a new acidic O-specific polysaccharide of *Proteus vulgaris* O32 256: 488
Bartsch, R. G., see Hu, W.
Bassi, R., see Harrer, R.
Bassi, R., see Ros, F.
Bassols, A., see Molist, A.
Bataille, D., see Bergeron, F.
Batanero, E., see Ledesma, A.
Battegay, M., see Fasler-Kan, E.
Battiston, L., see Passamonti, S.
Bauer, C., Peleg-Shulman, T., Gibson, D., Wang, A. H.-J.: Monofunctional platinum amine complexes destabilize DNA significantly 256: 253
Baumann, W. J., see Malewicz, B.
Baussant, T., see Haeuw, J.-F.
Bautista, J. M., see Scopes, D. A.
Bautsch, W., see Hennecke, M.
Bax, A., see Markley, J. L.
Baxter, R. L., see McIver, L.
Bazin, M., see Kuznetsov, S. V.
Bazzicalupo, P., see D'Auria, S.
Bearden, A., see McClellan, J. S.
Beccari, E., see De Rinaldis, E.
Becerril, B., see Selisko, B.
Beck, A., see Haeuw, J.-F.
Beck, K., see Mollner, S.
Becker, C., see Senyuk, V.
Becker, J., Li, Z., Noe, C. R.: Molecular and pharmacological characterization of recombinant rat/mice *N*-methyl-D-aspartate receptor subtypes in the yeast *Saccharomyces cerevisiae* 256: 427
Becker, J., see Li, Z.
Becker, W.-M., see Schramm, G.
Beckert, V., see Iametti, S.
Beck-Sickinger, A. G., see Wieland, H. A.
Bektaş, M., Nurten, R., Sayers, Z., Bermek, E.: Interactions of elongation factor 2 with the cytoskeleton and interference with DNase I binding to actin 256: 142
Belardo, G., see de Marco, A.
Bell, S. L., Khatri, I. A., Xu, G., Forstner, J. F.: Evidence that a peptide corresponding to the rat Muc2 C-terminus undergoes disulphide-mediated dimerization 253: 123
Bellincampi, L., see Maccarrone, M.
Bellmunt, M. J., see Pamplona, R.
Bellotti, V., Stoppini, M., Mangione, P., Sunde, M., Robinson, C., Asti, L., Brancaccio, D., Ferri, G.: β2-microglobulin can be refolded into a native state from *ex vivo* amyloid fibrils 258: 61
Beltramini, M., see Dainese, E.
Ben-Baruch, A., see Wuyts, A.
Bendall, D. S., see Xia, Z.
Bendiak, B., see Mårtensson, S.
Benen, J. A. E., see Pařenicová, L.
Bengoechea, J.-A., see Páramo, L.
Benito, G., see Brosché, M.
Benkovic, S. J., see De Lauzon, S.
Ben-Meir, D., see Papir, G.
Bennes, R., see Pellegrin, P.
Bensidhoum, M., see Freesemann, A. G.
Bentrop, D., see Aono, S.
Benveniste, P., see Bouvier-Navé, P.
Benz, R., see Andersen, C.
Benz, R., see Reumann, S.
Berchtold, S., see Moriggl, R.
Bereziat, G., see Paradon, M.
Berg, A., Westphal, A. H., Bosma, H. J., De Kok, A.: Kinetics and specificity of reductive acylation of wild-type and mutated lipoyl domains of 2-oxo-acid dehydrogenase complexes from *Azotobacter vinelandii* 252: 45
Berger, M., see Thiele, H.
Bergeron, F., Otto, A., Blache, P., Day, R., Denoroy, L., Brandsch, R., Bataille, D.: Molecular cloning and tissue distribution of rat sarcosine dehydrogenase 257: 556
Berglund, G. I., see Helland, R.
Berglund, L., see Rasmussen, J. T.
Bergmann, M., see Newton, R.
Bergwerff, A. A., Stark, W., Fendrich, G., Knecht, R., Blommers, M. J. J., Maerki, W., Kragten, E. A., van Oostrum, J.: Identification of Manα1-3Manα1-2Man and Man-linked phosphate on O-mannosylated recombinant leech-derived tryptase inhibitor produced by *Saccharomyces cerevisiae* and determination of the solution conformation of the mannosylated polypeptide 253: 560
Berhane, Y., see Patel, B.
Berjot, M., see Debelle, L.
Bermek, E., see Bektaş, M.
Bernard, M., see Grechez-Cassiau, A.
Bernard, S., see Sablin, S. O.
Bernatchez, C., see Leblanc, É.
Bernhagen, J., see Kapurniotu, A.
Bernhardt, R., see Böttner, B.
Bernhardt, R., see Iametti, S.
Bernini, A., see Scarselli, M.
Bersch, B., see Sebban-Kreuzer, C.
Bertin, B., see Liu, J.-F.
Bertini, I., see Aono, S.
Bertini, I., see Assfalg, M.
Bertini, I., see Banci, L.
Bertini, I., see Im, S.-c.
Bertoli, E., see D'Auria, S.
Bertoli, E., see Linnertz, H.
Bertossa, C., see Camani, C.
Bertrand, L., Vertommen, D., Freeman, P. M., Wouters, J., Depiereux, E., Di Pietro, A., Hue, L., Rider, M. H.: Mutagenesis of the fructose-6-phosphate–binding site in the 2-kinase domain of 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase 254: 490
Bertrand, R., see Bartegi, A.
Bessoule, J.-J., see Dittrich, F.
Betzel, C., see Eschenburg, S.
Beyer, S., Mayer, G., Piepersberg, W.: The StrQ protein encoded in the gene cluster for 5′-hydroxystreptomycin of *Streptomyces glaucescens* GLA.0 is a α-D-glucose-1-phosphate cytidylyltransferase (CDP-D-glucose synthase) 258: 1059
Bhaduri, A., see Majumdar, S.
Bhakuni, V., see Prajapati, S.
Bhattacharjee, H., see Majumdar, S.
Bhattacharyya, D., see Majumdar, S.
Bialojan, S., see Friedrich, T.
Bian, L., Lei, Z., Rao, C. V.: Mitogen-activated protein kinase is involved in epider-

mal-growth-factor-regulated protein phosphorylation in nuclear membranes isolated from JEG-3 human choriocarcinoma cells 253: 545
Bian, Z. C., see Guo, C.
Bidonde, S., Ferrer, M. A., Zegzouti, H., Ramassamy, S., Latché, A., Pech, J.-C., Hamilton, A. J., Grierson, D., Bouzayen, M.: Expression and characterization of three tomato 1-aminocyclopropane-1-carboxylate oxidase cDNAs in yeast 253: 20
Bieber, L. L., see Ventura, F. V.
Bierbach, U., see Žákovská, A.
Biernat, J., see Zheng-Fischhöfer, Q.
Bikker, H., see Meijerink, P. H. S.
Billiau, A., see Vandenbroeck, K.
Bingemann, R., see Pfeiffer, M.
Binz, P.-A., see Bogumil, R.
Birkenhäger, R., see Jäger, H.
Bisbal, C., see Martinand, C.
Bismuth, J., see Prieur, B.
Bisogno, T., Katayama, K., Melck, D., Ueda, N., De Petrocellis, L., Yamamoto, S., Di Marzo, V.: Biosynthesis and degradation of bioactive fatty acid amides in human breast cancer and rat pheochromocytoma cells – Implications for cell proliferation and differentiation 254: 634
Biswas, S., see Ghosh, R.
Bizouarn, T., see Venning, J. D.
Bjørgo, E., Knappskog, P. M., Martinez, A., Stevens, R. C., Flatmark, T.: Partial characterization and three-dimensional-structural localization of eight mutations in exon 7 of the human phenylalanine hydroxylase gene associated with phenylketonuria 257: 1
Blaauw, M., see Heikoop, J. C.
Blache, P., see Bergeron, F.
Blackledge, M. J., see Sebban-Kreuzer, C.
Blais, C., see Doussiere, J.
Blanchard, L., see Sebban-Kreuzer, C.
Blanchard, S., see Rieder, C.
Blanchet, A.-M., see Fassy, F.
Blanco, J., Driessen, A. J. M., Coque, J. J. R., Martin, J. F.: Biochemical characterization of the SecA protein of *Streptomyces lividans* – Interaction with nucleotides, binding to membrane vesicles and *in vitro* translocation of proAmy protein 257: 472
Blanco, J., Nguyen, C., Callebaut, C., Jacotot, E., Krust, B., Mazaleyrat, J.-P., Wakselman, M., Hovanessian, A. G.: Dipeptidyl-peptidase IV-β – Further characterization and comparison to dipeptidyl-peptidase IV activity of CD26 256: 369
Blankenfeldt, W., see Völkel, D.
Blennow, A., Viksø-Nielsen, A., Morell, M. K.: α-Glucan binding of potato-tuber starch-branching enzyme I as determined by tryptophan fluorescence quenching, affinity electrophoresis and steady-state kinetics 252: 331
Blisnick, T., Morales-Betoulle, M. E., Vuillard, L., Rabilloud, T., Braun Breton, C.: Non-detergent sulphobetaines enhance the recovery of membrane and/or cytoskeleton-associated proteins and active proteases from erythrocytes infected by *Plasmodium falciparum* 252: 537
Blommers, M. J. J., see Bergwerff, A. A.
Bloomberg, G. B., see Soulié, S.
Blüggel, M., see Laub, M.
Blumberg, S., see Papir, G.
Boag, J., see Leader, D. J.
Boccara, M., see Labesse, G.
Boceta, C., see Jiménez-Ruiz, A.
Bode, C. E., Brabetz, W., Brade, H.: Cloning and characterization of 3-deoxy-D-*manno*-oct-2-ulosonic acid (Kdo) transferase genes (*kdtA*) from *Acinetobacter baumannii* and *Acinetobacter haemolyticus* 254: 404
Bode, W., see Gomis-Rüth, F. X.
Boden, S. E., see Sailer, E.-R.
Bodine, S. C., see Huey, K. A.
Bodles, A. M., see El-Agnaf, O. M. A.
Böck, A., see Tormay, P.
Boekema, E. J., Nield, J., Hankamer, B., Barber, J.: Localization of the 23-kDa subunit of the oxygen-evolving complex of photosystem II by electron microscopy 252: 268
Börchers, T., see Guthmann, F.
Boeren, S., see Dorovska-Taran, V.
Boeren, S., see Ridder, L.
Börner, V., Fei, Y.-J., Hartrodt, B., Ganapathy, V., Leibach, F. H., Neubert, K., Brandsch, M.: Transport of amino acid aryl amides by the intestinal H^+/peptide cotransport system, PEPT1 255: 698
Boersma, M. G., see Dorovska-Taran, V.
Boersma, M. G., see Ridder, L.
Boettcher, K., see Hansis, C.
Böttinger, H., see Waschütza, G.
Böttner, B., Denner, K., Bernhardt, R.: Conferring aldosterone synthesis to human CYP11B1 by replacing key amino acid residues with CYP11B2-specific ones 252: 458
Bogengruber, E., Eichberger, T., Briza, P., Dawes, I. W., Breitenbach, M., Schricker, R.: Sporulation-specific expression of the yeast *DIT1*/*DIT2* promoter is controlled by a newly identified repressor element and the short form of Rim101p 258: 430
Bogulska, M., see Katzenellenbogen, E.
Bogumil, R., Faller, P., Binz, P.-A., Vašák, M., Charnock, J. M., Garner, C. D.: Structural characterization of Cu(I) and Zn(II) sites in neuronal-growth-inhibitory factor by extended X-ray absorption fine structure (EXAFS) 255: 172
Bohn, H., see Than, N. G.
Boisbouvier, J., Prochnicka-Chalufour, A., Nieto, A. R., Torres, J. A., Nanard, N., Rodriguez, M. H., Possani, L. D., Delepierre, M.: Structural information on a cecropin-like synthetic peptide, Shiva-3 toxic to the sporogonic development of *Plasmodium berghei* 257: 263
Bolinger, L., see Dyson, H. J.
Boll, M., Fuchs, G.: Identification and characterization of the natural electron donor ferredoxin and of FAD as a possible prosthetic group of benzoyl-CoA reductase (dearomatizing), a key enzyme of anaerobic aromatic metabolism 251: 946
Boll, M., see Breese, K.
Bolognesi, M., see Nardone, E.
Bombard, S., Kozelka, J., Favre, A., Chottard, J.-C.: Probing the mechanism of an Mn^{2+}-dependent ribozyme by means of platinum complexes 252: 25
Bonaventure, P., see Masure, S.
Bonay, P., see Jiménez-Ruiz, A.
Bonfils, C.: Purification of a 58-kDa protein (ER58) from monkey liver microsomes and comparison with protein-disulfide isomerase 254: 420
Bonin, A., see Pook, E.
Bonmatin, J.-M., see Mandard, N.
Bonnefoy, J.-Y., see Haeuw, J.-F.
Bonomi, F., see Iametti, S.
Bonthron, D. T., see Hayward, B. E.
Boot, R. G., see Renkema, G. H.
Borchardt, D. B., see Goldberg, E. M.
Borges, A., see Lessard, I. A. D.
Borgese, F., see Malapert, M.
Bormann, C., see Bruntner, C.
Borner, C., see Monney, L.
Borre, M., see Høgdall, E. V. S.
Borriss, R., see Krah, M.
Bosch, T. C. G., see Brennecke, T.
Bosma, H. J., see Berg, A.
Bost, F., Diarra-Mehrpour, M., Martin, J.-P.: *Review*. Inter-α-trypsin inhibitor proteoglycan family – A group of proteins binding and stabilizing the extracellular matrix 252: 339
Bou Abdallah, F., El Hage Chahine, J.-M.: Transferrins – Hen ovo-transferrin, interaction with bicarbonate and iron uptake 258: 1022
Bouchemal-Chibani, N., see Ducrocq, C.
Boudjennah, L., Dalet-Fumeron, V., Pagano, M.: Expression of collagenase/gelatinase activity from basement-membrane fibronectin – Isolation after limited proteolysis of a bovine lens capsule and molecular definition of this thiol-dependent zinc metalloproteinase 255: 246
Boulmé, F., see Dufour, E.
Bouriotis, V., see Tsigos, I.
Boutillon, M.-M., see Font, B.
Bouvier, F., see Keller, Y.
Bouvier-Navé, P., Husselstein, T., Benveniste, P.: Two families of sterol methyltransferases are involved in the first and the second methylation steps of plant sterol biosynthesis 256: 88
Bouzayen, M., see Bidonde, S.
Bovin, N. V., see Gilleron, M.
Bovin, N., see Strenge, K.
Bownes, M., see MacIver, B.
Boxer, D. H., see Sargent, F.
Boyer, N., see Depège, N.
Boyle, P., see Rieder, C.
Bozzaro, S., see Valli, M.
Brabec, V., see Žákovská, A.
Brabetz, W., see Bode, C. E.
Brade, H., see Bode, C. E.
Brade, H., see Haseley, S. R.
Brakhage, A. A., see Litzka, O.
Brancaccio, D., see Bellotti, V.
Brancaleon, L., see Ricchelli, F.
Brandenburg, K., Koch, M. H. J., Seydel, U.: Biophysical characterisation of lysozyme binding to LPS Re and lipid A 258: 686
Brandenburg, K., see Luhm, J.
Brandsch, M., see Börner, V.
Brandsch, R., see Bergeron, F.
Brank, M., Zajc-Kreft, K., Kreft, S., Komel, R., Grubič, Z.: Biogenesis of acetylcholinesterase is impaired, although its mRNA level remains normal, in the glucocorticoid-treated rat skeletal muscle 251: 374
Branlant, G., see Talfournier, F.
Branny, P., see Vomastek, T.

Brasseur, R., see Lambert, G.
Brasseur, R., see Pérez-Méndez, O.
Brault, M., see Pedron, J.
Braun, H., see Shutov, A. D.
Braun Breton, C., see Blisnick, T.
Breer, H., see Löbel, D.
Brees, C., see Wylin, T.
Breese, K., Boll, M., Alt-Mörbe, J., Schägger, H., Fuchs, G.: Genes coding for the benzoyl-CoA pathway of anaerobic aromatic metabolism in the bacterium *Thauera aromatica* 256: 148
Breese, K., Fuchs, G.: 4-Hydroxybenzoyl-CoA reductase (dehydroxylating) from the denitrifying bacterium *Thauera aromatica* – Prosthetic groups, electron donor, and genes of a member of the molybdenum-flavin-iron-sulfur proteins 251: 916
Brehler, R., see Sowka, S.
Breitenbach, M., see Bogengruber, E.
Breiteneder, H., see Sowka, S.
Brennecke, T., Gellner, K., Bosch, T. C. G.: The lack of a stress response in *Hydra oligactis* is due to reduced *hsp70* mRNA stability 255: 703
Briganti, F., see Ridder, L.
Brimacombe, R., see Choi, K. M.
Brindley, P. J., see Hola-Jamriska, L.
Bringmann, P., see Toschi, L.
Brisson, J.-R., see Cox, A. D.
Brisson, J.-R., see Sadovskaya, I.
Brisson, J.-R., see Sadovskaya, I.
Brisson, J.-R., see Wakarchuk, W. W.
Britton, H. G., see Rubio, V.
Britton, K. L., see Yip, K. S. P.
Briza, P., see Bogengruber, E.
Broadhurst, R. W., see Grasser, K. D.
Broadhurst, R. W., see Xia, Z.
Brochon, J.-C., see Kuznetsov, S. V.
Bröker, S., Meunier, B., Rich, P., Gattermann, N., Hofhaus, G.: MtDNA mutations associated with sideroblastic anaemia cause a defect of mitochondrial cytochrome *c* oxidase 258: 132
Bronson, D., see Li, N.
Brosché, M., Kalbina, I., Arnfelt, M., Benito, G., Karlsson, B. G., Strid, Å.: Occurrence, overexpression and partial purification of the protein (majastridin) corresponding to the URF6 gene of the *Rhodobacter blasticus atp* operon 255: 87
Brossier, F., see Wang, X.-M.
Brossmer, R., see Kelm, S.
Brown, D. W., see Kapas, S.
Brown, G. C., see Soboll, S.
Brown, G. M., see Huckerby, T. N.
Brown, J. W. S., see Leader, D. J.
Brown, L. J., see Huang, W.
Brown, M. H., see McAlister, M. S. B.
Bruhn, H., see Pohl, M.
Brune, D., see He, Q.
Brunel, C., see Maibèche-Coisne, M.
Brunori, M., see Witt, H.
Bruntner, C., Bormann, C.: The *Streptomyces tendae* Tü901 L-lysine 2-aminotransferase catalyzes the initial reaction in nikkomycin D biosynthesis 254: 347
Bruschi, M., see Assfalg, M.
Bryant, D. A., see Xia, Z.
Bubenzer, C., see Porra, R. J.
Bucala, R., see Kapurniotu, A.
Buchner, P., see Albrecht, T.
Buckley, M. G., see McEuen, A. R.
Budisa, N., Huber, R., Golbik, R., Minks, C., Weyher, E., Moroder, L.: Atomic mutations in annexin V – Thermodynamic studies of isomorphous protein variants 253: 1
Bufe, A., see Schramm, G.
Bugg, T. D. H., see Pollard, J. R.
Buitelaar, R. M., see Wind, R. D.
Bulet, P., see Mandard, N.
Bulone, V., Krogstad-Johnsen, T., Smestad-Paulsen, B.: Separation of horse dander allergen proteins by two-dimensional electrophoresis – Molecular characterisation and identification of Equ c 2.0101 and Equ c 2.0102 as lipocalin proteins 253: 202
Bulygin, K., Malygin, A., Karpova, G., Westermann, P.: Site-specific modification of 4.5S RNA apical domain by complementary oligodeoxynucleotides carrying an alkylating group 251: 175
Bundgaard, J. R., see Høgdall, E. V. S.
Bundgaard, J. R., see Johnsen, A. H.
Bunting, K., Cooper, J. B., Badasso, M. O., Tickle, I. J., Newton, M., Wood, S. P., Zhang, Y., Young, D.: Engineering a change in metal-ion specificity of the iron-dependent superoxide dismutase from *Mycobacterium tuberculosis* – X-Ray structure analysis of site-directed mutants 251: 795
Burke, J., see Sluis-Cremer, N.
Burroni, G., see Scarselli, M.
Burtnick, L. D., see Koepf, E. K.
Busch, H., see Ren, Y.
Busch, R. K., see Ren, Y.
Bush, C. A., see Reddy, G. P.
Buskens, C. A. F., see Groffen, A. J. A.
Buzy, A., Millar, A. L., Legros, V., Wilkins, P. C., Dalton, H., Jennings, K. R.: The hydroxylase component of soluble methane monooxygenase from *Methylococcus capsulatus* (Bath) exists in several forms as shown by electrospray-ionisation mass spectrometry 254: 602
Byk, T., Ozon, S., Sobel, A.: The Ulip family phosphoproteins – Common and specific properties 254: 14

Cabada, M. O., see Morelle, W.
Cabiaux, V., see Wang, X.-M.
Cabib, E., see Cos, T.
Cabiscol, E., see Obradors, N.
Cabrera, N., see Garza-Ramos, G.
Calas, B., see Vignal, E.
Callebaut, C., see Blanco, J.
Calvete, J. J., see Ruiz-Arribas, A.
Calvo, E. L., Mallo, G. V., Fiedler, F., Malka, D., Vaccaro, M. I., Keim, V., Morisset, J., Dagorn, J.-C., Iovanna, J. L.: Clusterin overexpression in rat pancreas during the acute phase of pancreatitis and pancreatic development 254: 282
Camacho-Vanegas, O., see De Rinaldis, E.
Camani, C., Gavin, O., Bertossa, C., Samatani, E., Kruithof, E. K. O.: Studies on the effect of fucosylated and non-fucosylated finger/growth-factor constructs on the clearance of tissue-type plasminogen activator mediated by the low-density-lipoprotein-receptor-related protein 251: 804
Camara, B., see Keller, Y.
Camargo, A. C. M., see Serrano, S. M. T.
Cambillau, C., see Maibèche-Coisne, M.
Camenisch, G., see Wenger, R. H.
Camonis, J. H., see Frolova, L. Y.
Campopiano, D. J., see McIver, L.
Candita, C., see Xu, T.
Cantore, M. L., see Zelada, A.
Cantrel, C., see Jouannic, N.
Capdevielle, J., see Le Bouffant, F.
Capdevila, C., see Fassy, F.
Capella, A. N., see Kemper, E. L.
Caput, D., see Labit-Le Bouteiller, C.
Carattoli, A., see de Marco, A.
Carayon, A., see Ducrocq, C.
Carbone, V., see Marchese, S.
Cardemil, E., see Encinas, M. V.
Carpenter, C. L., see Hübner, S.
Carpenter, K. A., Wilkes, B. C., Schiller, P. W.: The octapeptide angiotensin II adopts a well-defined structure in a phospholipid environment 251: 448
Carper, D. A., see Hohman, T. C.
Carrillo, N., see Dionisi, H. M.
Carter, S. F., see Misawa, E.
Caruelle, J. P., see Liu, J.-F.
Carver, J. A., see Lindner, R. A.
Carver, J. A., see van de Klundert, F. A. J. M.
Cawston, T. E., see Hodges, D. J.
Ceccarelli, E. A., see Dionisi, H. M.
Ceccarelli, E. A., see Ottado, J.
Cerdán, M. E., see Ramil, E.
Cervera, J., see Marina, A.
Cesati, R., see Galliano, M.
Cescutti, P., Toffanin, R., Fett, W. F., Osman, S. F., Pollesello, P., Paoletti, S.: Structural investigation of the exopolysaccharide produced by *Pseudomonas flavescens* strain B62 – Degradation by a fungal cellulase and isolation of the oligosaccharide repeating unit 251: 971
Cha, H.-J., Yoon, H.-G., Kim, Y.-W., Lee, H.-S., Kim, J.-W., Kweon, K.-S., Oh, B.-H., Park, K.-H.: Molecular and enzymatic characterization of a maltogenic amylase that hydrolyzes and transglycosylates acarbose 253: 251
Chai, W., Lawson, A. M., Gradwell, M. J., Kogelberg, H.: Structural characterisation of two hexasaccharides and an octasaccharide from chondroitin sulphate C containing the unusual sequence (4-sulpho)-*N*-acetylgalactosamine–β1–4-(2-sulpho)-glucuronic acid–β1–3-(6-sulpho)-*N*-acetylgalactosamine 251: 114
Chakrabarti, R.: Transcriptional regulation of the rat glutamine synthetase gene by tumor necrosis factor-α 254: 70
Chakraburtty, K., see Kovalchuke, O.
Chaloin, L., see Pellegrin, P.
Chambaz, J., see Lambert, G.
Chan Kwo Chion, C. K. C., see Misawa, E.
Chandler, M., see Alazard, R.
Chang, C., see Yoshida, A.
Chang, Y.-W. E., Traugh, J. A.: Insulin stimulation of phosphorylation of elongation factor 1 (eEF-1) enhances elongation activity 251: 201
Chapman, S. K., see McIver, L.
Charnock, J. M., see Bogumil, R.
Chaudhuri, B., see Clow, A.
Chauvet, G., Tahiri, K., Authier, F., Desbuquois, B.: Endosome-lysosome transfer of insulin and glucagon in a liver cell-free system 254: 527
Chavanieu, A., see Vignal, E.
Checa, S. K., see Dionisi, H. M.

Chefalo, P. J., Oh, J., Rafie-Kolpin, M., Kan, B., Chen, J.-J.: Heme-regulated eIF-2α kinase purifies as a hemoprotein 258: 820
Chen, J.-J., see Chefalo, P. J.
Chen, J.-J., see Thulasiraman, V.
Chen, L.-Y., see Ho, H.-C.
Chen, Y.-J., Wing, D. R., Guile, G. R., Dwek, R. A., Harvey, D. J., Zamze, S.: Neutral N-glycans in adult rat brain tissue – Complete characterisation reveals fucosylated hybrid and complex structures 251: 691
Chen, Y.-J., see Zamze, S.
Chen, Y.-T., see Meng, M.
Chernyak, A. Y., see Bartodziejska, B.
Chesnokov, Y. V., see Shutov, A. D.
Chester, M. A.: IUPAC-IUB Joint Commission on Biochemical Nomenclature (JCBN). Nomenclature of glycolipids – Recommendations 1997 257: 293
Cheung, H. C., see She, M.
Chevaillier, P., Chirat, F., Sautiere, P.: The amino acid sequence of the ram spermatidal protein 3 – A transition protein TP3 or TP4? 258: 460
Chevet, E., see Liu, J.-F.
Chhajlani, V., see Kapas, S.
Chiche, L., see Vignal, E.
Chilton, D., see Al-Hillawi, E.
Chinzei, Y., see Miura, K.
Chiou, S.-J., see Vanden Broeck, J.
Chiquet, M., Mumenthaler, U., Wittwer, M., Jin, W., Koch, M.: The chick and human collagen α1(XII) gene promoter – Activity of highly conserved regions around the first exon and in the first intron 257: 362
Chirat, F., see Chevaillier, P.
Chiu, K.-W., see Reddy, G. P.
Cho, M. Y., see Lee, S. Y.
Choi, J. S., see Lee, S. Y.
Choi, K. M., Atkins, J. F., Gesteland, R. F., Brimacombe, R.: Flexibility of the nascent polypeptide chain within the ribosome – Contacts from the peptide N-terminus to a specific region of the 30S subunit 255: 409
Choli-Papadopoulou, T., see Tsiboli, P.
Chopin, V., Matias, I., Stefano, G. B., Salzet, M.: Amino acid sequence determination and biological activity of therin, a naturally occuring specific trypsin inhibitor from the leech *Theromyzon tessulatum* 254: 565
Chopin, V., Stefano, G. B., Salzet, M.: Amino-acid-sequence determination and biological activity of tessulin, a naturally occurring trypsin-chymotrypsin inhibitor isolated from the leech *Theromyzon tessulatum* 258: 662
Chottard, G., see Labesse, G.
Chottard, J.-C., see Bombard, S.
Chou, C.-K., see Huang, Y.-L.
Chow, L.-P., see Wu, T.-H.
Christeller, J. T., Farley, P. C., Ramsay, R. J., Sullivan, P. A., Laing, W. A.: Purification, characterization and cloning of an aspartic proteinase inhibitor from squash phloem exudate 254: 160
Christen, P., see Tormay, P.
Christophers, E., see Noso, N.
Chung, J.-G., see Ho, H.-C.
Cik, M., see Masure, S.
Cilenti, L., see Tessitore, A.
Cirilli, M., see Ettorre, A.
Clark, G. P., see Leader, D. J.
Clark, I. M., see Hodges, D. J.
Cleary, E. G., see Gibson, M. A.
Clish, C. B., Peyton, D. H., Barklis, E.: Solution structures of human immunodeficiency virus type 1 (HIV-1) and moloney murine leukemia virus (MoMLV) capsid protein major-homology-region peptide analogs by NMR spectroscopy 257: 69
Clow, A., Greenhalf, W., Chaudhuri, B.: Under respiratory growth conditions, Bcl-x(L) and Bcl-2 are unable to overcome yeast cell death triggered by a mutant Bax protein lacking the membrane anchor 258: 19
Coates, D., see Houard, X.
Coblentz, W. B., see McClellan, J. S.
Cocaign-Bousquet, M., see Dominguez, H.
Cohen, J. B., see Lugovskoy, A. A.
Coiro, V. M., Segre, A. L., Di Nola, A., Paci, M., Grottesi, A., Veglia, G., Ballio, A.: Solution conformation of the *Pseudomonas syringae* MSU 16H phytotoxic lipodepsipeptide Pseudomycin A determined by computer simulations using distance geometry and molecular dynamics from NMR data 257: 449
Coker, K. J., see Malarkey, K.
Colbeau, A., Elsen, S., Tomiyama, M., Zorin, N. A., Dimon, B., Vignais, P. M.: *Rhodobacter capsulatus* HypF is involved in regulation of hydrogenase synthesis through the HupUV proteins 251: 65
Coles, M., see Schwaiger, M.
Colloc'h, N., see Talfournier, F.
Colomé, C., see Vidal, F.
Colson, P., see Flahaut, C.
Combes, D., see Athès, V.
Consiglio, E., see Di Jeso, B.
Contractor, A, see McClellan, J. S.
Cook, P., see Olivier, M.
Cooper, J. B., see Bunting, K.
Coque, J. J. R., see Blanco, J.
Corbalán-García, S., see Velasco-Guillén, I.
Cord-Neto, G., see Kemper, E. L.
Cornejo Maciel, F., see Finkielstein, C.
Cornell, R. B., see Veitch, D. P.
Cortay, J.-C., see Oudot, C.
Cortes, L., see Ramalho-Santos, M.
Corti, A., see Nardone, E.
Cortijo, M., see Ruiz-Arribas, A.
Corvol, P., see Houard, X.
Corvol, P., see Vazeux, G.
Cos, T., Ford, R. A., Trilla, J. A., Duran, A., Cabib, E., Roncero, C.: Molecular analysis of Chs3p participation in chitin synthase III activity 256: 419
Cosenza, G., see Aono, S.
Costa, C. G., see Ventura, F. V.
Costa, C., see Pettigrew, G. W.
Costa, M., Shen, Y., Maurer, F., Medcalf, R. L.: Transcriptional regulation of the tissue-type plasminogen-activator gene in human endothelial cells: identification of nuclear factors that recognise functional elements in the tissue-type plasminogen-activator gene promoter 258: 123
Cotton, N. P. J., see Venning, J. D.
Courty, J., see Liu, J.-F.
Couvillon, A. D., see Hübner, S.
Cox, A. D., Howard, M. D., Brisson, J.-R., van der Zwan, M., Thibault, P., Perry, M. B., Inzana, T. J.: Structural analysis of the phase-variable lipooligosaccharide from *Haemophilus somnus* strain 738 253: 507
Cozzone, A. J., see Oudot, C.
Crabeel, M., see Soetens, O.
Craescu, C. T., see Labesse, G.
Cramer, M., see Plomann, M.
Cremer, H., see Plomann, M.
Crépin, M., see Liu, J.-F.
Cresteil, T., Sonnier, M.
Crilly, K. S., see Malewicz, B.
Crompton, M., Virji, S., Ward, J. M.: Cyclophilin-D binds strongly to complexes of the voltage-dependent anion channel and the adenine nucleotide translocase to form the permeability transition pore 258: 729
Cronin, C. N., see Sablin, S. O.
Csermely, P., see Sőti, C.
Culard, F., see Paradinas, C.
Culcasi, M., see Pietri, S.
Cummins, P., see Al-Hillawi, E.
Cung, M. T., see Petit, M.-C.
Cunningham, J., see McClellan, J. S.
Cunningham, P. D., see Walsh, M. A.
Curnis, F., see Nardone, E.
Curreli, N., see Rinaldi, A. C.
Curstedt, T., see Nilsson, G.
Cusanovich, M. A., see Hu, W.
Cymeryng, C., see Finkielstein, C.
Cyrklaff, A., see Muckenthaler, M.

Dada, L., see Finkielstein, C.
Daff, S. N., see McIver, L.
Dagorn, J.-C., see Calvo, E. L.
Dahlbäck, B., see Stenberg, Y.
Dainese, E., Di Muro, P., Beltramini, M., Salvato, B., Decker, H.: Subunits composition and allosteric control in *Carcinus aestuarii* hemocyanin 256: 350
Daino, T., see Mikami, T.
Dairi, T., see Liu, J.-Q.
Dalet-Fumeron, V., see Boudjennah, L.
Dalik, T., see Altmann, F.
Dalton, H., see Buzy, A.
Dalton, H., see Gallagher, S. C.
Dalton, H., see Millar, A. L.
Dalton, J. P., see Hola-Jamriska, L.
Dambrova, M., Uhlén, S., Welch, C. J., Wikberg, J. E. S.: Identification of an N-hydroxyguanidine reducing activity of xanthine oxidase 257: 178
Damm, K., see Niedermeyer, J.
Dani, P., see Houard, X.
Dapas, B., see Scaggiante, B.
Darne, C., Veyssiere, G., Jean, C.: Phorbol ester causes ligand-independent activation of the androgen receptor 256: 541
Das, B. C., see Ducrocq, C.
Das, T. K., Mazumdar, S., Mitra, S.: Characterization of a partially unfolded structure of cytochrome *c* induced by sodium dodecyl sulphate and the kinetics of its refolding 254: 662
D'Auria, S., Rossi, M., Tanfani, F., Bertoli, E., Parise, G., Bazzicalupo, P.: Structural analysis of ASCUT-1, a protein component of the cuticle of the parasitic nematode *Ascaris lumbricoides* 255: 588
Dautigny, A., see della Gaspera, B.
Dautry-Varsat, A., see Subtil, A.
Dautzenberg, F. M., see Palchaudhuri, M. R.
David, L., Guo, X.-J., Villard, C., Moulin, A., Puigserver, A.: Purification and molecular cloning of porcine intestinal glycerol-ester hydrolase – Evidence for its identity with carboxylesterase 257: 142

David, M., see Labit-Le Bouteiller, C.
Davies, P. L., see Gauthier, S. Y.
Davis, M. A., see Litzka, O.
Davoust, D., see Krebs, D.
Davydov, V. L., see Utkin, Y. N.
Dawes, I. W., see Bogengruber, E.
Day, P. J., Lord, J. M., Roberts, L. M.: The deoxyribonuclease activity attributed to ribosome-inactivating proteins is due to contamination 258: 540
Day, R., see Bergeron, F.
Day, S. R., see Hola-Jamriska, L.
Díaz-Guillén, M. A., see Heine-Suñer, D.
De Almeida, I. T., see Ventura, F. V.
de Foresta, B., see Soulié, S.
de Gunzburg, J., see Janoueix-Lerosey, I.
De Haas, G. H., see Lang, D. A.
de Jong, W. W., see van de Klundert, F. A. J. M.
de Jongh, H. H. J., see Pots, A. M.
de Jongh, H., see Raussens, V.
De Kok, A., see Berg, A.
de Kok, A., see Westphal, A. H.
de Lamotte-Guéry, F., see Gautier, M.-F.
De Lauzon, S., Quilez, R., Lion, L., Desfosses, B., Desfosses, B., Lee, I., Sari, M.-A., Benkovic, S. J., Mansuy, D., Mahy, J.-P.: Active site topology of artificial peroxidase-like hemoproteins based on antibodies constructed from a specifically designed *ortho*-carboxy-substituted tetraarylporphyrin 257: 121
de Leeuw, R., see Heikoop, J. C.
De Loof, A., see Vanden Broeck, J.
de los Rios, V., Mancheño, J. M., Lanio, M. E., Oñaderra, M., Gavilanes, J. G.: Mechanism of the leakage induced on lipid model membranes by the hemolytic protein sticholysin II from the sea anemone *Stichodactyla helianthus* 252: 284
De Magistris, M. T., see Scarselli, M.
de Marco, A., Carattoli, A., Rozera, C., Fortini, D., Giorgi, C., Belardo, G., Amici, C., Santoro, M. G.: Induction of the heat-shock response by antiviral prostaglandins in human cells infected with human immunodeficiency virus type 1 256: 334
De Matteis, F., see Di Venere, A.
De Petrocellis, L., see Bisogno, T.
De Rinaldis, E., Pisaneschi, G., Camacho-Vanegas, O., Beccari, E.: The binding sites for *Xenopus laevis* FIII/YY1 in the first exon of L1 and L14 ribosomal protein genes are dispensable for promoter expression 255: 563
De Smet, L., see Hu, W.
de Tand, M.-F., see Janoueix-Lerosey, I.
de Verneuil, H., see Freesemann, A. G.
De Vos, P., Lefebvre, A.-M., Shrivo, I., Fruchart, J.-C., Auwerx, J.: Glucocorticoids induce the expression of the leptin gene through a non-classical mechanism of transcriptional activation 253: 619
de Vos, W. M., see Yip, K. S. P.
De Vries, E. G. E., see Vergote, J.
Dear, A. E., Medcalf, R. L.: *Review*. The urokinase-type-plasminogen-activator receptor (CD87) is a pleiotropic molecule 252: 185
Debelle, L., Alix, A. J. P., Wei, S. M., Jacob, M.-P., Huvenne, J.-P., Berjot, M., Legrand, P.: The secondary structure and architecture of human elastin 258: 533
Decerprit, J., see Pollaud-Chérion, C.
Decker, H., see Dainese, E.
Deckers-Hebestreit, G., see Jäger, H.
Decout, A., see Lambert, G.
Decout, A., see Pérez-Méndez, O.
Degala, G. D., see Griffin, K. J.
Degani, H., see Tyagi, R. K.
Deka, J., Kuhlmann, J., Müller, O.: A domain within the tumor suppressor protein APC shows very similar biochemical properties as the microtubule-associated protein tau 253: 591
Dekker, H. L., see Tuynman, A.
Dekker, J. P., see Manna, P.
Delachambre, J., see Rondot, I.
Delaforge, M., see Sopková-de Oliveira Santos, J.
Delaval, E., see Prieur, B.
Delepierre, M., see Boisbouvier, J.
della Gaspera, B., Pham-Dinh, D., Roussel, G., Nussbaum, J.-L., Dautigny, A.: Membrane topology of the myelin/oligodendrocyte glycoprotein 258: 478
del Mar Castellano, M., see Hernández, G.
Delteil, C., see Rols, M.-P.
Dendane, M., see Ducrocq, C.
Dengler, U., see Waschütza, G.
Denner, K., see Böttner, B.
Dennis, R. A., see Przybyla-Zawislak, B.
Denoroy, L., see Bergeron, F.
Depège, N., Drevet, J., Boyer, N.: Molecular cloning and characterization of tomato cDNAs encoding glutathione peroxidase-like proteins 253: 445
Depiereux, E., see Bertrand, L.
Depré, C., Rider, M. H., Hue, L.: *Review*, Mechanisms of control of heart glycolysis 258: 277
DeSanctis, J., see Olivier, M.
Desbrosses, G., Stelling, J., Renaudin, J.-P.: Dephosphorylation activates the purified plant plasma membrane H^+-ATPase – Possible function of phosphothreonine residues in a mechanism not involving the regulatory C-terminal domain of the enzyme 251: 496
Desbuquois, B., see Chauvet, G.
Desfosses, B., see De Lauzon, S.
Desfosses, Bernadette, see De Lauzon, S.
Desseaux, V., see Al Kazaz, M.
Deutzmann, R., see Ziegler, K.
Devreese, B., see Pettigrew, G. W.
d'Harlingue, A., see Keller, Y.
Dhers, C., see Labit-Le Bouteiller, C.
Di Jeso, B., Pereira, R., Consiglio, E., Formisano, S., Satrustegui, J., Sandoval, I. V.: Demonstration of a Ca^{2+} requirement for thyroglobulin dimerization and export to the golgi complex 252: 583
Di Marzo, V., see Bisogno, T.
Di Muro, P., see Dainese, E.
Di Nola, A., see Coiro, V. M.
Di Pietro, A., see Bertrand, L.
di Rao, M., see Mádi, A.
Di Venere, A., Mei, G., Gilardi, G., Rosato, N., De Matteis, F., McKay, R., Gratton, E., Finazzi Agrò, A.: Resolution of the heterogeneous fluorescence in multi-tryptophan proteins: ascorbate oxidase 257: 337
Diarra-Mehrpour, M., see Bost, F.
Dickinson, J. L., see Mahony, D.
Dideberg, O., see Sainz, G.
Diehl, A., Wintzingerode, F. v., Görisch, H.: Quinoprotein ethanol dehydrogenase of *Pseudomonas aeruginosa* is a homodimer – Sequence of the gene and deduced structural properties of the enzyme 257: 409
Diekert, G., see Kaufmann, F.
Diekert, G., see Kaufmann, F.
Diener, A., see Ziegler, K.
Dijkhuizen, L., see Wind, R. D.
Dijkstra, B. W., see Lang, D. A.
Dimmock, N. J., see Millar, A. L.
Dimon, B., see Colbeau, A.
Dionisi, H. M., Checa, S. K., Krapp, A. R., Arakaki, A. K., Ceccarelli, E. A., Carrillo, N., Viale, A. M.: Cooperation of the DnaK and GroE chaperone systems in the folding pathway of plant ferredoxin-$NADP^+$ reductase expressed in *Escherichia coli* 251: 724
Dirmeier, R., Keller, M., Frey, G., Huber, H., Stetter, K. O.: Purification and properties of an extremely thermostable membrane-bound sulfur-reducing complex from the hyperthermophilic *Pyrodictium abyssi* 252: 486
Dirr, H., see Sluis-Cremer, N.
Dittrich, F., Zajonc, D., Hühne, K., Hoja, U., Ekici, A., Greiner, E., Klein, H., Hofmann, J., Bessoule, J.-J., Sperling, P., Schweizer, E.: Fatty acid elongation in yeast – Biochemical characteristics of the enzyme system and isolation of elongation-defective mutants 252: 477
Diu-Hercend, A., see Fassy, F.
Dixit, B. L., Gupta, C. M.: Role of the actin cytoskeleton in regulating the outer phosphatidylethanolamine levels in yeast plasma membrane 254: 202
Doan, B.-T., see Ducrocq, C.
Docherty, K., see Jan, G.
Doenecke, D., see Meergans, T.
Doi, T., see Minami, T.
Dolla, A., see Sebban-Kreuzer, C.
Dolla, A., see Sebban-Kreuzer, C.
Domenighini, M., see Scarselli, M.
Domingo, G. J., see Lessard, I. A. D.
Dominguez, H., Rollin, C., Guyonvarch, A., Guerquin-Kern, J.-L., Cocaign-Bousquet, M., Lindley, N. D.: Carbon-flux distribution in the central metabolic pathways of *Corynebacterium glutamicum* during growth on fructose 254: 96
Dong, W.-J., see She, M.
Donker-Koopman, W. E., see Renkema, G. H.
Donnelly, L. E., see Newton, R.
Donner, P., see Toschi, L.
Doods, H. N., see Wieland, H. A.
Doppler, W., see Mayr, S.
Dorovska-Taran, V., Posthumus, M. A., Boeren, S., Boersma, M. G., Teunis, C. J., Rietjens, I. M. C. M., Veeger, C.: Oxygen exchange with water in heme-oxo intermediates during H_2O_2-driven oxygen incorporation in aromatic hydrocarbons catalyzed by microperoxidase-8 253: 659
Dorsch, S., see Pasternack, R.
Doshi, K. J., see Phillips, R. S.
Doss, M. O., see Freesemann, A. G.
Douce, R., see Droux, M.
Douce, R., see Tissot, G.

Doussiere, J., Poinas, A., Blais, C., Vignais, P. V.: Phenylarsine oxide as an inhibitor of the activation of the neutrophil NADPH oxidase – Identification of the β subunit of the flavocytochrome *b* component of the NADPH oxidase as a target site for phenylarsine oxide by photoaffinity labeling and photoinactivation 251: 649
Dräger, U. C., see Yamamoto, M.
Drakenberg, T., see Mattinen, M.-L.
Drakenberg, T., see Stenberg, Y.
Drakenberg, T., see Walse, B.
Dreger, M., see Watty, A.
Drevet, J., see Depège, N.
Driessen, A. J. M., see Blanco, J.
Driessen, A. J. M., see van Wely, K. H. M.
Driscoll, P. C., see McAlister, M. S. B.
Droux, M., Ruffet, M.-L., Douce, R., Job, D.: Interactions between serine acetyltransferase and *O*-acetylserine (thiol) lyase in higher plants – Structural and kinetic properties of the free and bound enzymes 255: 235
Drumare, M.-F., see Gros, J.
Ducrocq, C., Dendane, M., Laprévote, O., Serani, L., Das, B. C., Bouchemal-Chibani, N., Doan, B.-T., Gillet, B., Karim, A., Carayon, A., Payen, D.: Chemical modifications of the vasoconstrictor peptide angiotensin II by nitrogen oxides (NO, HNO_2, HOONO) – Evaluation by mass spectrometry 253: 146
Dudler, R., see Wäspi, U.
Dürr, I., see Philipp, S.
Dufour, E., El Dirani-Diab, R., Boulmé, F., Fournier, M., Nevinsky, G., Tarrago-Litvak, L., Litvak, S., Andreola, M.-L.: p66/p51 and p51/p51 recombinant forms of reverse transcriptase from human immunodeficiency virus type 1 – Interactions with primer $tRNA^{Lys3}$, initiation of cDNA synthesis, and effect of inhibitors 251: 487
Duine, J. A., see Olsthoorn, A. J. J.
Duk, M., see Klopocki, A. G.
Duncan, M. E., Richardson, J. P., Murray, G. I., Melvin, W. T., Fothergill, J. E.: Human matrix metalloproteinase-9: activation by limited trypsin treatment and generation of monoclonal antibodies specific for the activated form 258: 37
Duponchel, C., see Lener, M.
Dupont, Y., see Moutin, M.-J.
Duran, A., see Cos, T.
Duran, M., see Ventura, F. V.
Duszenko, M., see Wille, U.
Dutartre, P., see Komesli, S.
Duverger, N., see Lambert, G.
Duyckaerts, C., see Soetens, O.
Dwek, R. A., see Chen, Y.-J.
Dwek, R. A., see Guile, G. R.
Dwek, R. A., see McAlister, M. S. B.
Dwek, R. A., see Roberts, D. B.
Dwek, R. A., see Woods, R. J.
Dwek, R. A., see Zamze, S.
Dye, D., see Meijerink, P. H. S.
Dyson, H. J., Bolinger, L., Feher, V. A., Osterhout, J. J. Jr, Yao, J., Wright, P. E.: Sequence requirements for stabilization of a peptide reverse turn in water solution – Proline is not essential for stability 255: 462
Dyson, H. J., see Jeng, M.-F.
Dziadek, M., see Yamauchi, K.
Ebel, C., see Alazard, R.
Ebizuka, Y., see Kushiro, T.
Eckard, C. P., see Wieland, H. A.
Eckerskorn, C., see Moser, M.
Edge, C. J., see Woods, R. J.
Edhofer, I., Mühlbauer, S. K., Eichacker, L. A.: Light regulates the rate of translation elongation of chloroplast reaction center protein D1 257: 78
Edlund, U., see Trogen, G.-B.
Eftekhari, P., see Elies, R.
Egloff, M.-P., see Maibèche-Coisne, M.
Egmond, M. R., see Simons, J.-W. F. A.
Ehleben, W., see Porwol, T.
Eichacker, L. A., see Edhofer, I.
Eichberger, T., see Bogengruber, E.
Eichenberger, D., see Font, B.
Eijckelhoff, C., see Manna, P.
Eijsink, V. G. H., see Hauge, H. H.
Eisenreich, W., see Griffin, K. J.
Eisenreich, W., see Laempe, D.
Eisenreich, W., see Rieder, C.
Ekici, A., see Dittrich, F.
El-Agnaf, O. M. A., Bodles, A. M., Guthrie, D. J. S., Harriott, P., Irvine, G. B.: The N-terminal region of non-Aβ component of Alzheimer's Disease amyloid is responsible for its tendency to assume β-sheet and aggregate to form fibrils 258: 157
El-Agnaf, O. M. A., Guthrie, D. J. S., Walsh, D. M., Irvine, G. B.: The influence of the central region containing residues 19–25 on the aggregation properties and secondary structure of Alzheimer's β-amyloid peptide 256: 560
El Dirani-Diab, R., see Dufour, E.
El Hage Chahine, J.-M., see Bou Abdallah, F.
El Hage Chahine, J.-M., see Pakdaman, R.
El Moualij, B., see Soetens, O.
Elies, R., Fu, L. X. M., Eftekhari, P., Wallukat, G., Schulze, W., Granier, C., Hjalmarson, Å., Hoebeke, J.: Immunochemical and functional characterization of an agonist-like monoclonal antibody against the M2 acetylcholine receptor 251: 659
El-Kabbani, O., see Hohman, T. C.
Elleingand, E., Gerez, C., Un, S., Knüpling, M., Lu, G., Salem, J., Rubin, H., Sauge-Merle, S., Laulhère, J. P., Fontecave, M.: Reactivity studies of the tyrosyl radical in ribonucleotide reductase from *Mycobacterium tuberculosis* and *Arabidopsis thaliana* – Comparison with *Escherichia coli* and mouse 258: 485
Elling, C. E., see Nielsen, S. M.
Elliot, T., see Yau, L.
Elliott, J. G., Oliver, J. D., Volkmer, J., Zimmermann, R., High, S.: *In vitro* characterisation of the interaction between newly synthesised proteins and a pancreatic isoform of protein disulphide isomerase 252: 372
Ellis, S. L., see Gibson, M. A.
Elsayed, S., see Eriksson, T. L. J.
Elsen, S., see Colbeau, A.
Encinas, M. V., Evangelio, J. A., Andreu, J. M., Goldie, H., Cardemil, E.: Stability of *Escherichia coli* phosphoenolpyruvate carboxykinase against urea-induced unfolding and ligand effects 255: 439
Endrich, M. M., Gehring, H.: The V3 loop of human immunodeficiency virus type-1 envelope protein is a high-affinity ligand for immunophilins present in human blood 252: 441
Enenkel, B., see Niedermeyer, J.
Engelbrecht, S., Giakas, E., Marx, O., Lill, H.: Fluorescence resonance energy transfer mapping of subunit δ in spinach chloroplast F_1 ATPase 252: 277
Engelke, J., see Mesgarzadeh, A.
Epand, R. M., see Martin, I.
Eppink, M. H. M., Schreuder, H. A., Van Berkel, W. J. H.: Lys42 and Ser42 variants of *p*-hydroxybenzoate hydroxylase from *Pseudomonas fluorescens* reveal that Arg42 is essential for NADPH binding 253: 194
Erhardt, I., see Moriggl, R.
Ericsson, I., see Tornhamre, S.
Eriksson, K.-E. L., see Igarashi, K.
Eriksson, T. L. J., Johansson, E., Whitley, P., Schmidt, M., Elsayed, S., van Hage-Hamsten, M.: Cloning and characterisation of a group II allergen from the dust mite *Tyrophagus putrescentiae* 251: 443
Ermler, U., see Shima, S.
Erni, B., see Mukhija, S.
Errington, N., see Holt, C.
Eschenburg, S., Genov, N., Peters, K., Fittkau, S., Stoeva, S., Wilson, K. S., Betzel, C.: Crystal structure of subtilisin DY, a random mutant of subtilisin Carlsberg 257: 309
Esposito, G., see Scarselli, M.
Estève, P.-O., see Popkov, M.
Ettorre, A., Cirilli, M., Ughetto, G.: Degradation of the morpholino ring in the crystal structure of cyanomorpholinodoxorubicin complexed with d(CGATCG) 258: 350
Evangelio, J. A., see Encinas, M. V.
Evans, W. E., see Fessing, M. Y.
Ezumi, Y., Uchiyama, T., Takayama, H.: Thrombopoietin potentiates the protein-kinase-C-mediated activation of mitogen-activated protein kinase/ERK kinases and extracellular signal-regulated kinases in human platelets 258: 976
Ezzell, R. M., see Goldmann, W. H.

Fährmann, M., Möhlig, M., Schatz, H., Pfeiffer, A.: Purification and characterization of a Ca^{2+}/calmodulin-dependent protein kinase II from hog gastric mucosa using a protein-protein affinity chromatographic technique 255: 516
Färber, P. M., see Wagner, J. T.
Färnbäck, M., Weintraub, A., Widmalm, G.: Structural determination of the O-antigenic polysaccharide from *Escherichia coli* O141 254: 168
Faik, A., Labouré, A. M., Gulino, D., Mandaron, P., Falconet, D.: A plant surface protein sharing structural properties with animal integrins 253: 552
Falconet, D., see Faik, A.
Faller, P., see Bogumil, R.
Falmagne, P., see Wang, X.-M.
Fan, J., see Hola-Jamriska, L.
Fan, Q., see Paradon, M.
Fan, Q.-W., see Mizuki, K.
Fandrey, J., see Porwol, T.
Fang, C., see Mkrtchian, S.
Fang, T. T., see Mårtensson, S.

Farina, A. R., see Tessitore, A.
Fariss, R. N., see Li, N.
Farley, P. C., see Christeller, J. T.
Faro, C., see Ramalho-Santos, M.
Farrell, N., see Žákovská, A.
Farthing, P. M., see Kapas, S.
Fasler-Kan, E., Pansky, A., Wiederkehr, M., Battegay, M., Heim, M. H.: Interferon-α activates signal transducers and activators of transcription 5 and 6 in Daudi cells 254: 514
Fass, U., see Li, D. W.-C.
Fassy, F., Krebs, O., Rey, H., Komara, B., Gillard, C., Capdevila, C., Yea, C., Faucheu, C., Blanchet, A.-M., Miossec, C., Diu-Hercend, A.: Enzymatic activity of two caspases related to interleukin-1β-converting enzyme 253: 76
Fattoum, A., see Bartegi, A.
Faucheu, C., see Fassy, F.
Favre, A., see Bombard, S.
Fechner, H., see Guthmann, F.
Federwisch, M., see Hassiepen, U.
Feher, V. A., see Dyson, H. J.
Fei, Y.-J., see Börner, V.
Feldheim, W., see Schindler, R.
Felding-Habermann, B., see Germer, M.
Feldmann, E., see Göttlich, B.
Fell, D. A., see Thomas, S.
Fendrich, G., see Bergwerff, A. A.
Feng, W., see Shafir, I.
Fermandjian, S., see Krebs, D.
Fernandes, D. L., see Guile, G. R.
Fernandez-Abalos, J. M., see Ruiz-Arribas, A.
Ferrara, P., see Labit-Le Bouteiller, C.
Ferrari, D. M., Nguyen Van, P., Kratzin, H. D., Söling, H.-D.: ERp28, a human endoplasmic-reticulum-lumenal protein, is a member of the protein disulfide isomerase family but lacks a CXXC thioredoxin-box motif 255: 570
Ferrari, D., see Schulze-Osthoff, K.
Ferreira, P., see Mollner, S.
Ferreira, S. T., see Torres, C. R.
Ferrer, M. A., see Bidonde, S.
Ferri, G., see Bellotti, V.
Fessing, M. Y., Krynetski, E. Y., Zambetti, G. P., Evans, W. E.: Functional characterization of the human thiopurine *S*-methyltransferase (TPMT) gene promoter 256: 510
Festoff, B. W., see Pindon, A.
Fésüs, L., see Mádi, A.
Fett, W. F., see Cescutti, P.
Feussner, I., see Vörös, K.
Fiedler, F., see Calvo, E. L.
Figarella, C., see Merten, M. D.
Finazzi Agrò, A., see Di Venere, A.
Finazzi Agrò, A., see Maccarrone, M.
Finazzi-Agró, A., see Rinaldi, A. C.
Finidori, J., see Moutoussamy, S.
Fink, E., see Moser, M.
Fink, E., see Serrano, S. M. T.
Finkielstein, C., Maloberti, P., Mendez, C. F., Paz, C., Cornejo Maciel, F., Cymeryng, C., Neuman, I., Dada, L., Mele, P. G., Solano, A., Podestá, E. J.: An adrenocorticotropin-regulated phosphoprotein intermediary in steroid synthesis is similar to an acyl-CoA thioesterase enzyme 256: 60
Fittkau, S., see Eschenburg, S.
Fitzpatrick, T. B., Malthouse, J. P. G.: A substrate-induced change in the stereospecificity of the serine-hydroxymethyltransferase-catalysed exchange of the α-protons of amino acids – Evidence for a second catalytic site 252: 113
Flahaut, C., Mizon, C., Aumercier-Maes, P., Colson, P., Bailly, C., Sautiere, P., Mizon, J.: Disulphide bonds assignment in the inter-α-inhibitor heavy chains – Structural and functional implications 255: 107
Flati, V., see Tessitore, A.
Flatmark, T., see Bjørgo, E.
Flecker, P., see Philipp, S.
Fojtová, M., Kovařík, A., Votruba, I., Holý, A.: Evaluation of the impact of *S*-adenosylhomocysteine metabolic pools on cytosine methylation of the tobacco genome 252: 347
Folkers, G., see Kussmann-Gerber, S.
Follstad, B. D., Stephanopoulos, G.: Effect of reversible reactions on isotope label redistribution – Analysis of the pentose phosphate pathway 252: 360
Font, B., Eichenberger, D., Goldschmidt, D., Boutillon, M.-M., Hulmes, D. J. S.: Structural requirements for fibromodulin binding to collagen and the control of type I collagen fibrillogenesis – Critical roles for disulphide bonding and the C-terminal region 254: 580
Fontecave, M., see Elleingand, E.
Foray, M.-F., see Sainz, G.
Ford, R. A., see Cos, T.
Forest, E., see Labesse, G.
Formisano, S., see Di Jeso, B.
Forstner, J. F., see Bell, S. L.
Fortes, G., see Schoner, W.
Fortini, D., see de Marco, A.
Foster, D. C., see Linde, V.
Fothergill, J. E., see Duncan, M. E.
Fournier, M., see Dufour, E.
Fraaije, M. W., van den Heuvel, R. H. H., Roelofs, J. C. A. A., van Berkel, W. J. H.: Kinetic mechanism of vanillyl-alcohol oxidase with short-chain 4-alkylphenols 253: 712
Franceschi, F., see Tsiboli, P.
Frank, R. W., see Kapurniotu, A.
Franke, I., see Meiss, G.
Franke, P., see Hinderlich, S.
Franke, P., see Miao, J.
Franke, P., see Utkin, Y. N.
Franke, P., see Watty, A.
Franke, P., see Wedde, M.
Fransen, M., see Wylin, T.
Fransvea, E., see Vasudevan, S.
Fraser, P. D., Shimada, H., Misawa, N.: Enzymic confirmation of reactions involved in routes to astaxanthin formation, elucidated using a direct substrate *in vitro* assay 252: 229
Fraser, T. C. M., see Jackson, F. M.
Frati, L., see Tessitore, A.
Frech, M., see Andjelković, M.
Freedman, R. B., see Klappa, P.
Freeman, P. M., see Bertrand, L.
Freesemann, A. G., Gross, U., Bensidhoum, M., de Verneuil, H., Doss, M. O.: Immunological, enzymatic and biochemical studies of uroporphyrinogen III-synthase deficiency in 20 patients with congenital erythropoietic porphyria 257: 149
Freire-Picos, M. A., see Ramil, E.
Fréjaville, C., see Pietri, S.
Frerman, F. E., see Griffin, K. J.
Fresquet, V., see Marina, A.
Frey, G., see Andrä, S.
Frey, G., see Dirmeier, R.
Frey, G., see Minuth, T.
Friedrich, K., see Moriggl, R.
Friedrich, T., Kröger, B., Koerwer, W., Strube, K.-H., Meyer, T., Bialojan, S.: An isopeptide bond splitting enzyme from *Hirudo medicinalis* similar to γ-glutamyl transpeptidase 256: 297
Friedrich, T., see Leismann, O.
Friedrich, T., see Schröter, T.
Frishman, D., see Muckenthaler, M.
Fritz, H., see Moser, M.
Frolova, L. Y., Simonsen, J. L., Merkulova, T. I., Litvinov, D. Y., Martensen, P. M., Rechinsky, V. O., Camonis, J. H., Kisselev, L. L., Justesen, J.: Functional expression of eukaryotic polypeptide chain release factors 1 and 3 by means of baculovirus/insect cells and complex formation between the factors 256: 36
Fruchart, J.-C., see De Vos, P.
Fu, L. X. M., see Elies, R.
Fuchs, E., see Palchaudhuri, M. R.
Fuchs, G., see Boll, M.
Fuchs, G., see Breese, K.
Fuchs, G., see Breese, K.
Fuchs, G., see Hirsch, W.
Fuchs, G., see Laempe, D.
Fuchsbauer, H.-L., see Pasternack, R.
Fudim, E., see Papir, G.
Fürlinger, M., Haltrich, D., Kulbe, K. D., Nidetzky, B.: A multistep process is responsible for product-induced inactivation of glucose-fructose oxidoreductase from *Zymomonas mobilis* 251: 955
Fujie, M., see Kobayashi, H.
Fujii, M., see Kawamoto, T.
Fujii, N., see Wieser, M.
Fujii, T., see Nonaka, Y.
Fujii, Y., see Nakamura, H.
Fujimoto, Y., Nagata, R., Fukasawa, H., Yano, K., Azuma, M., Iida, A., Sugimoto, S., Shudo, K., Hashimoto, Y.: Purification and cDNA cloning of cytokinin-specific binding protein from mung bean (*Vigna radiata*) 258: 794
Fujimura, T., see Yamakura, F.
Fujimura, Y., see Matsui, T.
Fujishige, K., see Yanaka, N.
Fujita, N., see Ozoline, O. N.
Fukada, H., see Shima, S.
Fukami, K., see Yu, H.
Fukasawa, H., see Fujimoto, Y.
Fukumaki, Y., see Mizuki, K.
Fullerton, F. R., see Vanyushin, B. F.
Funakoshi, Y., see Furukawa, K.
Furukawa, K., Funakoshi, Y., Autero, M., Horejsi, V., Kobata, A., Gahmberg, C. G.: Structural study of the O-linked sugar chains of human leukocyte tyrosine phosphatase CD45 251: 288
Furukawa, K., Kondo, T.: Identification of the lamina-associated-polypeptide-2-binding domain of B-type lamin 251: 729

Gabius, H.-J., see Gilleron, M.
Gaça, M. D. A., see McEuen, A. R.
Gahmberg, C. G., see Furukawa, K.

Gaines, D. I., see McClellan, J. S.
Gal, S. W., Amontov, S., Urvil, P. T., Vishnuvardhan, D., Nishikawa, F., Kumar, P. K. R., Nishikawa, S.: Selection of a RNA aptamer that binds to human activated protein C and inhibits its protease function 252: 553
Galbraith, L., see Gaur, D.
Galibert, F., see Aubry, F.
Gallagher, S. C., George, A., Dalton, H.: Sequence-alignment modelling and molecular docking studies of the epoxygenase component of alkene monooxygenase from *Nocardia corallina* B-276 254: 480
Gallanti, A., see Valli, M.
Galliano, M., Watkins, S., Madison, J., Putnam, F. W., Kragh-Hansen, U., Cesati, R., Minchiotti, L.: Structural characterization of three genetic variants of human serum albumin modified in subdomains IIB and IIIA 251: 329
Gamian, A., see Katzenellenbogen, E.
Gamonet, F., Lauquin, G. J.-M.: The *Saccharomyces cerevisiae LYS7* gene is involved in oxidative stress protection 251: 716
Ganapathy, V., see Börner, V.
Garay, C., see Selisko, B.
Garcia, C., see Selisko, B.
García, J. J., see Tuena de Gómez-Puyou, M.
García-Borrón, J. C., see Martínez-Esparza, M.
Gardies, A.-M., see Jouannic, N.
Garner, C. C., see Kuhlendahl, S.
Garner, C. D., see Bogumil, R.
Garnier-Suillerot, A., see Vergote, J.
Garza-Ramos, G., Cabrera, N., Saavedra-Lira, E., Tuena de Gómez-Puyou, M., Ostoa-Saloma, P., Pérez-Montfort, R., Gómez-Puyou, A.: Sulfhydryl reagent susceptibility in proteins with high sequence similarity – Triosephosphate isomerase from *Trypanosoma brucei*, *Trypanosoma cruzi* and *Leishmania mexicana* 253: 684
Gasa, S., see Mikami, T.
Gaspar, J. A., see Wilquet, V.
Gassen, H. G., see Bangsow, T.
Gassmann, M., see Wenger, R. H.
Gastinel, L., see Maibèche-Coisne, M.
Gatehouse, J. A., see Longstaff, M.
Gatel, M., see Allart, B.
Gattermann, N., see Bröker, S.
Gattner, H.-G., see Hassiepen, U.
Gaur, D., Galbraith, L., Wilkinson, S. G.: Structural characterisation of a rhamnan and a fucorhamnan, both present in the lipopolysaccharide of *Burkholderia vietnamiensis* strain LMG 10926 258: 696
Gauthier, S. Y., Kay, C. M., Sykes, B. D., Walker, V. K., Davies, P. L.: Disulfide bond mapping and structural characterization of spruce budworm antifreeze protein 258: 445
Gautier, M.-F., Lullien-Pellerin, V., de Lamotte-Guéry, F., Guirao, A., Joudrier, P.: Characterization of wheat thioredoxin *h* cDNA and production of an active *Triticum aestivum* protein in *Escherichia coli* 252: 314
Gavilanes, J. G., see de los Rios, V.
Gavin, O., see Camani, C.
Geeves, M. A., see Levitsky, D. I.
Gehring, H., see Endrich, M. M.
Gehrmann, T., Heilmeyer, L. M. G. Jr: *Review*. Phosphatidylinositol 4-kinases 253: 357
Geier, G., Zwilling, R.: Cloning and characterization of a cDNA coding for *Astacus* embryonic astacin, a member of the astacin family of metalloproteases from the crayfish *Astacus astacus* 253: 796
Gellerich, F. N., Laterveer, F. D., Korzeniewski, B., Zierz, S., Nicolay, K.: Dextran strongly increases the Michaelis constants of oxidative phosphorylation and of mitochondrial creatine kinase in heart mitochondria 254: 172
Gellerich, F.-N., see Schild, L.
Gellner, K., see Brennecke, T.
Gemeinhardt, S., see Schröter, T.
Gennis, R. B., see Hastings, S. F.
Genov, N., see Eschenburg, S.
George, A., see Gallagher, S. C.
Gerez, C., see Elleingand, E.
Gerhart, M. J., see Balland, A.
Germer, M., Kanse, S. M., Kirkegaard, T., Kjøller, L., Felding-Habermann, B., Goodman, S., Preissner, K. T.: Kinetic analysis of integrin-dependent cell adhesion on vitronectin – The inhibitory potential of plasminogen activator inhibitor-1 and RGD peptides 253: 669
Germeroth, L., see Mukhija, S.
Gervais, A., see Paradinas, C.
Gervais, M., see Naït-Kaoudjt, R.
Geschwindner, S., see Winkelmann, R.
Gesteland, R. F., see Choi, K. M.
Ghate, A. A., Air, G. M.: Site-directed mutagenesis of catalytic residues of influenza virus neuraminidase as an aid to drug design 258: 320
Ghosh, R., Biswas, S., Roy, S.: An apyrase from *Mimosa pudica* contains *N*5,*N*10-methenyl tetrahydrofolate and is stimulated by light 258: 1009
Giakas, E., see Engelbrecht, S.
Gibson, D., see Bauer, C.
Gibson, M. A., Ellis, S. L., Ades, L. C., Haan, E., Cleary, E. G.: Preferential pre-mRNA utilisation of an upstream cryptic 5′ splice site created by a single base deletion mutation in exon 37 of the FBN-1 gene 256: 221
Giegé, R., see Mazauric, M.-H.
Gijsen, M. L. J., see van de Klundert, F. A. J. M.
Gilardi, G., see Di Venere, A.
Gilbert, M., see Wakarchuk, W. W.
Gilboa, R., see Papir, G.
Gilham, D., see Veitch, D. P.
Gilis, D., see Rooman, M.
Gillard, C., see Fassy, F.
Gilleron, M., Siebert, H.-C., Kaltner, H., von der Lieth, C.-W., Kozár, T., Halkes, K. M., Korchagina, E. Y., Bovin, N. V., Gabius, H.-J., Vliegenthart, J. F. G.: Conformer selection and differential restriction of ligand mobility by a plant lectin – Conformational behaviour of Galβ1-3GlcNAcβ1-R, Galβ1-3GalNAcβ1-R and Galβ1-2Galβ1-R′ in the free state and complexed with galactoside-specific mistletoe lectin as revealed by random-walk and conformational-clustering molecular-mechanics calculations, molecular-dynamics simulations and nuclear Overhauser experiments 252: 416
Gillet, B., see Ducrocq, C.
Gilmour, R., see Pettigrew, G. W.
Gimadutdinow, O., see Meiss, G.
Giorgi, C., see de Marco, A.
Gladky, K. V., see Maslennikov, I. V.
Glansdorff, N., see Wilquet, V.
Glaser, S., see Hahmann, M.
Gobbo, S., see Ricchelli, F.
Godemann, R., see Zheng-Fischhöfer, Q.
Göhring, W., Sasaki, T., Heldin, C.-H., Timpl, R.: Mapping of the binding of platelet-derived growth factor to distinct domains of the basement membrane proteins BM-40 and perlecan and distinction from the BM-40 collagen-binding epitope 255: 60
Görisch, H., see Diehl, A.
Goethals, M., see Pérez-Méndez, O.
Göttlich, B., Reichenberger, S., Feldmann, E., Pfeiffer, P.: Rejoining of DNA double-strand breaks *in vitro* by single-strand annealing 258: 387
Götz, F., see Simons, J.-W. F. A.
Götze, E., see Rieder, C.
Goglia, F., see Arnold, S.
Golbeck, J. H., see Xia, Z.
Golbik, R., see Budisa, N.
Goldberg, E. M., Borchardt, D. B., Zidovetzki, R.: Effects of histone and diolein on the structure of phosphatidylcholine/phosphatidylserine or phosphatidylcholine/phosphatidylglycerol bilayers 258: 722
Goldberg, M. E., see Vuillard, L.
Goldie, H., see Encinas, M. V.
Goldmann, W. H., Guttenberg, Z., Tang, J. X., Kroy, K., Isenberg, G., Ezzell, R. M.: Analysis of the F-actin binding fragments of vinculin using stopped-flow and dynamic light-scattering measurements 254: 413
Goldschmidt, D., see Font, B.
Goldstein, I. J., see Kurachi, S.
Golzio, M., see Rols, M.-P.
Gómez-Fernández, J. C., see Velasco-Guillén, I.
Gómez-Lagunas, F., see Selisko, B.
Gómez-Ortiz, M., see Gomis-Rüth, F. X.
Gómez-Puyou, A., see Garza-Ramos, G.
Gómez-Puyou, A., see Tuena de Gómez-Puyou, M.
Gomis-Rüth, F. X., Gómez-Ortiz, M., Vendrell, J., Ventura, S., Bode, W., Huber, R., Avilés, F. X.: Cutting at the right place – The importance of selective limited proteolysis in the activation of procarboxypeptidase E 251: 839
Gonçalves-Butruile, M., see Kemper, E. L.
Goodenough, D. A., see Jiang, J. X.
Goodhew, C. F., see Pettigrew, G. W.
Goodman, S., see Germer, M.
Gooley, A. A., see Harrison, M. J.
Gooley, A. A., see Jung, E.
Goormaghtigh, E., see Raussens, V.
Gordon, R. D., see Masure, S.
Gore, M. G., see McEuen, A. R.
Gorfti, A., see Salmain, M.
Gorvel, J.-P., see Páramo, L.
Grabsch, H., see Vajna, R.
Grachev, A. A., see Bartodziejska, B.
Gradwell, M. J., see Chai, W.
Graham, R. M., Morgan, E. H., Baker, E.: Ferric citrate uptake by cultured rat hepatocytes is inhibited in the presence of transferrin 253: 139

Graner, A., see Vörös, K.
Granier, C., see Elies, R.
Grasdalen, H., see Kristiansen, A.
Grasser, K. D., Teo, S.-H., Lee, K.-B., Broadhurst, R. W., Rees, C., Hardman, C. H., Thomas, J. O.: DNA-binding properties of the tandem HMG boxes of high-mobility-group protein 1 (HMG1) 253: 787
Grassy, G., see Vignal, E.
Gratton, E., see Di Venere, A.
Grbavec, D., Lo, R., Liu, Y., Stifani, S.: Transducin-like Enhancer of split 2, a mammalian homologue of *Drosophila* Groucho, acts as a transcriptional repressor, interacts with Hairy/Enhancer of split proteins, and is expressed during neuronal development 258: 339
Grechez-Cassiau, A., Bernard, M., Ladjali, K., Rodriguez, I. R., Voisin, P.: Structural analysis of the chicken hydroxyindole-*O*-methyltransferase gene 258: 44
Greenblatt, H. M., see Papir, G.
Greenfield, N., see Kapurniotu, A.
Greenhalf, W., see Clow, A.
Greenwood, J. A., see Mills, J.
Gregory, P. D., Hörz, W.: *Review*. Chromatin and transcription – How transcription factors battle with a repressive chromatin environment 251: 9
Greiner, E., see Dittrich, F.
Greiner, E., see Hoja, U.
Greve, B., see Albrecht, T.
Grierson, A. J., see Meijerink, P. H. S.
Grierson, D., see Bidonde, S.
Griffin, K. J., Degala, G. D., Eisenreich, W., Müller, F., Bacher, A., Frerman, F. E.: ^{31}P-NMR spectroscopy of human and *Paracoccus denitrificans* electron transfer flavoproteins, and ^{13}C- and ^{15}N-NMR spectroscopy of human electron transfer flavoprotein in the oxidised and reduced states 255: 125
Griffiths, G., see Jackson, F. M.
Griffiths, W. J., see Nilsson, G.
Griffiths, W. J., see Tornhamre, S.
Grimm, S., see Pook, E.
Grinberg, A., see Iametti, S.
Gröbner, P., see Köhrer, C.
Gröger, A., see Schwaiger, M.
Grötzinger, J., see Pohl, M.
Groffen, A. J. A., Buskens, C. A. F., van Kuppevelt, T. H., Veerkamp, J. H., Monnens, L. A. H., van den Heuvel, L. P. W. J.: Primary structure and high expression of human agrin in basement membranes of adult lung and kidney 254: 123
Groner, B., see Moriggl, R.
Grootenhuis, P. D. J., see Heikoop, J. C.
Grootenhuis, P. D. J., see Heikoop, J. C.
Gros, J., Manning, B. S., Pietri-Rouxel, F., Guillaume, J.-L., Drumare, M.-F., Strosberg, A. D.: Site-directed mutagenesis of the human β_3-adrenoceptor – Transmembrane residues involved in ligand binding and signal transduction 251: 590
Grosbois, M., see Zachowski, A.
Gross, H.-J., see Kelm, S.
Gross, R., see Simon, J.
Gross, U., see Freesemann, A. G.
Grottesi, A., see Coiro, V. M.
Grover, P. K., Moritz, R. L., Simpson, R. J., Ryall, R. L.: Inhibition of growth and aggregation of calcium oxalate crystals *in vitro* – A comparison of four human proteins 253: 637
Groves, J. D., see Soulié, S.
Grubič, Z., see Brank, M.
Gruppen, H., see Pots, A. M.
Gu, Y., see Thulasiraman, V.
Guan, J.-L., see Guo, C.
Guba, W., see Kurz, M.
Günther, S., Huchzermeyer, B.: Kinetic properties of a single nucleotide binding site on chloroplast coupling factor 1 (CF_1) 258: 710
Guerbette, F., see Zachowski, A.
Guerlesquin, F., see Sebban-Kreuzer, C.
Guerlesquin, F., see Sebban-Kreuzer, C.
Guerquin-Kern, J.-L., see Dominguez, H.
Guiard, B., see Naït-Kaoudjt, R.
Guile, G. R., Harvey, D. J., O'Donnell, N., Powell, A. K., Hunter, A. P., Zamze, S., Fernandes, D. L., Dwek, R. A., Wing, D. R.: Identification of highly fucosylated N-linked oligosaccharides from the human parotid gland 258: 623
Guile, G. R., see Chen, Y.-J.
Guile, G. R., see Zamze, S.
Guillaume, J.-L., see Gros, J.
Guillemot, J.-C., see Le Bouffant, F.
Guillerm, D., see Allart, B.
Guillerm, G., see Allart, B.
Guirao, A., see Gautier, M.-F.
Gulino, A., see Tessitore, A.
Gulino, D., see Faik, A.
Gunkel, N., see Muckenthaler, M.
Guo, C., Zheng, C., Martin-Padura, I., Bian, Z. C., Guan, J.-L.: Differential stimulation of proline-rich tyrosine kinase 2 and mitogen-activated protein kinase by sphingosine 1-phosphate 257: 403
Guo, X.-J., see David, L.
Gupta, C. M., see Dixit, B. L.
Gurusiddappa, S., see Joh, D.
Gustafsson, M., see Nilsson, G.
Guthmann, F., Hohoff, C., Fechner, H., Humbert, P., Börchers, T., Spener, F., Rüstow, B.: Expression of fatty-acid-binding proteins in cells involved in lung-specific lipid metabolism 253: 430
Guthrie, D. J. S., see El-Agnaf, O. M. A.
Guthrie, D. J. S., see El-Agnaf, O. M. A.
Guttenberg, Z., see Goldmann, W. H.
Guyonvarch, A., see Dominguez, H.
Gvozdyak, R. I., see Knirel, Y. A.

Haagsman, H. P., see Nilsson, G.
Haan, E., see Gibson, M. A.
Haas, E., see Johannes, F.-J.
Hänzelmann, P., Meyer, O.: Effect of molybdate and tungstate on the biosynthesis of CO dehydrogenase and the molybdopterin cytosine-dinucleotide-type of molybdenum cofactor in *Hydrogenophaga pseudoflava* 255: 755
Härle, D., Rådmark, O., Samuelsson, B., Steinhilber, D.: Calcitriol and transforming growth factor-β upregulate 5-lipoxygenase mRNA expression by increasing gene transcription and mRNA maturation 254: 275
Haeseleer, F., see Li, N.
Haeuw, J.-F., Rauly, I., Zanna, L., Libon, C., Andreoni, C., Nguyen, T. N., Baussant, T., Bonnefoy, J.-Y., Beck, A.: The recombinant *Klebsiella pneumoniae* outer membrane protein OmpA has carrier properties for conjugated antigenic peptides 255: 446
Haga, K., Ogawa, H., Haga, T., Murofushi, H.: GTP-binding-protein-coupled receptor kinase 2 (GRK2) binds and phosphorylates tubulin 255: 363
Haga, T., see Haga, K.
Hage, T., Reinemer, P., Sebald, W.: Crystals of a 1:1 complex between human interleukin-4 and the extracellular domain of its receptor α chain 258: 831
Hagen, W. R., see Kröckel, M.
Hagen, W. R., see Pierik, A. J.
Hagi-Pavli, E., see Kapas, S.
Hagiwara, Y., see Serrano, S. M. T.
Hahmann, M., Maurer, T., Lorenz, M., Hengstenberg, W., Glaser, S., Kalbitzer, H. R.: Structural studies of histidine-containing phosphocarrier protein from *Enterococcus faecalis* 252: 51
Halkes, K. M., see Gilleron, M.
Haltrich, D., see Fürlinger, M.
Hamako, J., see Matsui, T.
Hamatake, M., see Iguchi, K.
Hambly, B. D., see Huang, W.
Hamdaoui, A., see Vanden Broeck, J.
Hamer, R. J., see Pots, A. M.
Hamilton, A. J., see Bidonde, S.
Hamilton, W. D. O., see Longstaff, M.
Hammock, B. D., see Moskowitz, H.
Hampe, C. S., Pecht, I.: Purification and preliminary characterization of an Fc_γ-receptor-activated protein-tyrosine phosphatase from mast cells 251: 964
Han, C.-L., Liao, C.-S., Wu, C.-W., Hwong, C.-L., Lee, A.-R., Yin, S.-J.: Contribution to first-pass metabolism of ethanol and inhibition by ethanol for retinol oxidation in human alcohol dehydrogenase family – Implications for etiology of fetal alcohol syndrome and alcohol-related diseases 254: 25
Han, S. J., Lee, B. J., Kang, H. S.: Purification and characterization of the nuclear ribonuclease P of *Aspergillus nidulans* 251: 244
Hankamer, B., see Boekema, E. J.
Hansis, C., Jähner, D., Spiess, A.-N., Boettcher, K., Ivell, R.: The gene for the Alzheimer-associated β-amyloid-binding protein (ERAB) is differentially expressed in the testicular Leydig cells of the azoospermic by w/w^v mouse 258: 53
Hantaï, D., see Pindon, A.
Hantke, K., see Müller, K.
Hardman, C. H., see Grasser, K. D.
Harrer, R., Bassi, R., Testi, M. G., Schäfer, C.: Nearest-neighbor analysis of a Photosystem II complex from *Marchantia polymorpha* L. (liverwort), which contains reaction center and antenna proteins 255: 196
Harriott, P., see El-Agnaf, O. M. A.
Harrison, M. J., Nouwens, A. S., Jardine, D. R., Zachara, N. E., Gooley, A. A., Nevalainen, H., Packer, N. H.: Modified glycosylation of cellobiohydrolase I from a high cellulase-producing mutant strain of *Trichoderma reesei* 256: 119
Hart, L. A., see Newton, R.

Hartmann, E., see Kalies, K.-U.
Hartrodt, B., see Börner, V.
Harvey, D. J., see Chen, Y.-J.
Harvey, D. J., see Guile, G. R.
Harvey, D. J., see McAlister, M. S. B.
Harvey, D. J., see Zamze, S.
Hasegawa, A., see Strenge, K.
Hasegawa, M., see Oda, M.
Haseley, S. R., Holst, O., Brade, H.: Structural studies of the O-antigen isolated from the phenol-soluble lipopolysaccharide of *Acinetobacter baumannii* (DNA group 2) strain 9 251: 189
Hashi, K., see Mikami, T.
Hashimoto, T., see Souri, M.
Hashimoto, Y., see Fujimoto, Y.
Hassiepen, U., Federwisch, M., Mülders, T., Lenz, V. J., Gattner, H.-G., Krüger, P., Wollmer, A.: Analysis of protein self-association at constant concentration by fluorescence-energy transfer 255: 580
Hasslacher, M., see Wäspi, U.
Hastings, S. F., Kaysser, T. M., Jiang, F., Salerno, J. C., Gennis, R. B., Ingledew, W. J.: Identification of a stable semiquinone intermediate in the purified and membrane bound ubiquinol oxidase-cytochrome *bd* from *Escherichia coli* 255: 317
Hasumi, A., see Manabe, T.
Hata, K., see Mizuki, K.
Hata, K., see Nakamura, R.
Hatzfeld, O. M., see Schröter, T.
Hauge, H. H., Nissen-Meyer, J., Nes, I. F., Eijsink, V. G. H.: Amphiphilic α-helices are important structural motifs in the α and β peptides that constitute the bacteriocin lactococcin G – Enhancement of helix formation upon α-β interaction 251: 565
Haun, M., see Winkelmann, R.
Hawkins, A., see McClellan, J. S.
Hayakawa, Y., Noguchi, H.: Growth-blocking peptide expressed in the insect nervous system – Cloning and functional characterization 253: 810
Hayakawa, Y., see Matsumoto, H.
Hayashi, H., see Masuda, S.
Hayashi, I., see Matsui, T.
Hayashi, M., see Ogawa, K.
Hayashi, N., see Suzuki, K.-M.
Hayat, U., see Reddy, G. P.
Haynie, D. T., see Spencer, J. A.
Hayward, B. E., Bonthron, D. T.: Structure and alternative splicing of the ketohexokinase gene 257: 85
He, Q., Brune, D., Nieman, R., Vermaas, W.: Chlorophyll *a* synthesis upon interruption and deletion of *por* coding for the light-dependent NADPH:protochlorophyllide oxidoreductase in a photosystem-I-less/*chl*L$^-$ strain of *Synechocystis* sp. PCC 6803 253: 161
He, S., see McEuen, A. R.
Hecht, H.-J., see Kiess, M.
Hedberg, J. J., see Svensson, S.
Hedderich, R., see Heim, S.
Hedderich, R., see Künkel, A.
Hegde, R., Podder, S. K.: Evolution of tetrameric lectin *Ricinus communis* agglutinin from two variant groups of ricin toxin dimers 254: 596
Heikoop, J. C., Grootenhuis, P. D. J., Blaauw, M., Veldema, J. S., Van Haastert, P. J. M., Linskens, M. H. K.: Expression of a bioactive, single-chain choriogonadotropin in *Dictyostelium discoideum* 256: 359
Heikoop, J. C., van den Boogaart, P., de Leeuw, R., Rose, U. M., Mulders, J. W. M., Grootenhuis, P. D. J.: *Priority paper.* Partially deglycosylated human choriogonadotropin, stabilized by intersubunit disulfide bonds, shows full bioactivity 253: 354
Heilmeyer, L. M. G. Jr, see Gehrmann, T.
Heim, M. H., see Fasler-Kan, E.
Heim, S., Künkel, A., Thauer, R. K., Hedderich, R.: Thiol:fumarate reductase (Tfr) from *Methanobacterium thermoautotrophicum* – Identification of the catalytic sites for fumarate reduction and thiol oxidation 253: 292
Heine-Suñer, D., Díaz-Guillén, M. A., Lange, A. J., Rodríguez de Córdoba, S.: Sequence and structure of the human 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase heart isoform gene (*PFKFB2*) 254: 103
Heinlein, U. A. O., see Plomann, M.
Heinrich, P. C., see Mayr, S.
Hel, Z., see Olivier, M.
Heldin, C.-H., see Göhring, W.
Heldt, H. W., see Reumann, S.
Helin, J., see Nyman, T. A.
Helland, R., Leiros, I., Berglund, G. I., Willassen, N. P., Smalås, A. O.: The crystal structure of anionic salmon trypsin in complex with bovine pancreatic trypsin inhibitor 256: 317
Hellman, U., see Mkrtchian, S.
Helms, M., see Schoner, W.
Hemmings, B. A., see Andjelković, M.
Hengstenberg, W., see Hahmann, M.
Hengstenberg, W., see Kowolik, C. M.
Hennecke, M., Otto, A., Baensch, M., Kola, A., Bautsch, W., Klos, A., Köhl, J.: A detailed analysis of the C5a anaphylatoxin effector domain: selection of C5a phage libraries on differentiated U937 cells 252: 36
Henry, G. D., see Maruta, S.
Hentze, M. W., see Muckenthaler, M.
Hermuet, S., see Zussman, A.
Hernández, G., del Mar Castellano, M., Agudo, M., Sierra, J. M.: Isolation and characterization of the cDNA and the gene for eukaryotic translation initiation factor 4G from *Drosophila melanogaster* 253: 27
Herpin, C., see Ziegler, K.
Herrala, A., Kurkela, R., Vihinen, M., Kalkkinen, N., Vihko, P.: Androgen-sensitive human prostate cancer cells, LNCaP, produce both N-terminally mature and truncated prostate-specific antigen isoforms 255: 329
Herrlich, P., see Sleeman, J. P.
Herrmann, R., see Moskowitz, H.
Hescheler, J., see Vajna, R.
Hetru, C., see Mandard, N.
Hewitt, J., see Koepf, E. K.
Higashio, K., see Morinaga, T.
Higgins, T. M., see Walsh, M. A.
High, S., see Elliott, J. G.
High, S., see van der Wal, F. J.
Higuchi, S., see Serrano, S. M. T.
Hilbers, C. W., see Markley, J. L.
Hilderman, R. H., Liu, G., Zimmerman, J. K.: A peptide isolated from a random phage peptide library is a structural mimic to the P^1, P^4-diadenosine 5′-tetraphosphate binding site on its receptor 258: 396
Hillen, W., see Pook, E.
Hinderlich, S., Nöhring, S., Weise, C., Franke, P., Stäsche, R., Reutter, W.: Purification and characterization of *N*-acetylglucosamine kinase from rat liver – Comparison with UDP-*N*-acetylglucosamine 2-epimerase/*N*-acetylmannosamine kinase 252: 133
Hinnah, S. C., Wagner, R.: Thylakoid membranes contain a high-conductance channel 253: 606
Hirano, K., see Iguchi, K.
Hiraoka, B. Y., see Yamakura, F.
Hirasawa, M., see Krimm, I.
Hirashima, Y., see Kobayashi, H.
Hirsch, W., Schägger, H., Fuchs, G.: Phenylglyoxylate:NAD^+ oxidoreductase (CoA benzoylating), a new enzyme of anaerobic phenylalanine metabolism in the denitrifying bacterium *Azoarcus evansii* 251: 907
Hizi, A., see Taube, R.
Hjalmarson, Å., see Elies, R.
Ho, H.-C., Shiau, P.-F., Liu, F.-C., Chung, J.-G., Chen, L.-Y.: Purification, characterization and complete amino acid sequence of nuclease CI from *Cunninghamella echinulata var. echinulata* 256: 112
Hoch, K. L., see Balland, A.
Hoch, W., see Hopf, C.
Hodges, D. J., Reid, D. G., Rowan, A. D., Clark, I. M., Cawston, T. E.: Preparation of recombinant tissue inhibitor of metalloproteinases-1 (TIMP-1) in high yield and identification of a hydrophobic surface feature 257: 562
Hoebeke, J., see Elies, R.
Hoekstra, D., see Babia, T.
Höög, J.-O., see Svensson, S.
Höök, M., see Joh, D.
Hörz, W., see Gregory, P. D.
Hofhaus, G., see Bröker, S.
Hofmann, J., see Dittrich, F.
Høgdall, E. V. S., Houen, G., Borre, M., Bundgaard, J. R., Larsson, L.-I., Vuust, J.: Structure and tissue-specific expression of genes encoding bovine copper amine oxidases 251: 320
Hohman, T. C., El-Kabbani, O., Malamas, M. S., Lai, K., Putilina, T., McGowan, M. H., Wane, Y.-Q., Carper, D. A.: Probing the inhibitor-binding site of aldose reductase with site-directed mutagenesis 256: 310
Hohoff, C., see Guthmann, F.
Hoja, U., Wellein, C., Greiner, E., Schweizer, E.: Pleiotropic phenotype of acetyl-CoA-carboxylase-defective yeast cells – Viability of a BPL1-amber mutation depending on its readthrough by normal $tRNA^{Gln}_{CAG}$ 254: 520
Hoja, U., see Dittrich, F.
Højrup, P., see Åsgeirsson, B.
Hola-Jamriska, L., Tort, J. F., Dalton, J. P., Day, S. R., Fan, J., Aaskov, J., Brindley, P. J.: Cathepsin C from *Schistosoma japonicum* – cDNA encoding the preproenzyme and its phylogenetic relationships 255: 527

Holler, E., see Karl, M.
Holmgren, A., see Jeng, M.-F.
Holst, O., see Haseley, S. R.
Holt, C., Timmins, P. A., Errington, N., Leaver, J.: A core-shell model of calcium phosphate nanoclusters stabilized by β-casein phosphopeptides, derived from sedimentation equilibrium and small-angle X-ray and neutron-scattering measurements 252: 73
Holý, A., see Fojtová, M.
Holzer, H., see Zähringer, H.
Homma, K.-I., see Lee, S. Y.
Hoogenboom, H. R., see Svensson, H. G.
Hopf, C., Hoch, W.: Tyrosine phosphorylation of the muscle-specific kinase is exclusively induced by acetylcholine receptor-aggregating agrin fragments 253: 382
Horejsi, V., see Furukawa, K.
Hori, M., see Yabuki, M.
Horn, F., see Mayr, S.
Horn, J., see Johannes, F.-J.
Horstmann, C., see Senyuk, V.
Hosoya, H., see Suzuki, K.-M.
Hosoya, N., see Suzuki, K.-M.
Houard, X., Williams, T. A., Michaud, A., Dani, P., Isaac, R. E., Shirras, A. D., Coates, D., Corvol, P.: The *Drosophila melanogaster*-related angiotensin-I-converting enzymes Acer and Ance – Distinct enzymic characteristics and alternative expression during pupal development 257: 599
Houen, G., see Høgdall, E. V. S.
Hovanessian, A. G., see Blanco, J.
Hovanessian, A. G., see Rebouillat, D.
Howard, M. D., see Cox, A. D.
Hrebicek, M., see Renkema, G. H.
Hsiao, Y.-Y., see Meng, M.
Hsu, L. C., see Yoshida, A.
Hu, W., De Smet, L., Van Driessche, G., Bartsch, R. G., Meyer, T. E., Cusanovich, M. A., Van Beeumen, J.: Characterization of cytochrome *c*-556 from the purple phototrophic bacterium *Rhodobacter capsulatus* as a cytochrome-*c* peroxidase 258: 29
Huang, W., Wilson, G. J., Brown, L. J., Lam, H., Hambly, B. D.: EPR and CD spectroscopy of fast myosin light chain conformation during binding of trifluoperazine 257: 457
Huang, Y.-L., Shen, C. K.-F., Luh, T.-Y., Yang, H. C., Hwang, K. C., Chou, C.-K.: Blockage of apoptotic signaling of transforming growth factor-β in human hepatoma cells by carboxyfullerene 254: 38
Huber, H., see Dirmeier, R.
Huber, R., see Budisa, N.
Huber, R., see Gomis-Rüth, F. X.
Hucho, F., see Konakova, M.
Hucho, F., see Utkin, Y. N.
Hucho, F., see Watty, A.
Huchzermeyer, B., see Günther, S.
Huckerby, T. N., Brown, G. M., Nieduszynski, I. A.: ^{13}C-NMR spectroscopy of keratan sulphates – Assignments for five sialylated pentasaccharides derived from the non-reducing chain termini of bovine articular cartilage keratan sulphate by keratanase II digestion 251: 991
Huckerby, T. N., Lauder, R. M., Nieduszynski, I. A.: Structure determination for octasaccharides derived from the carbohydrate–protein linkage region of chondroitin sulphate chains in the proteoglycan aggrecan from bovine articular cartilage 258: 669
Huckerby, T. N., Tai, G.-H., Nieduszynski, I. A.: Oligosaccharides derived by endo-β-galactosidase digestion of bovine corneal keratan sulphate – Characterisation of tetrasaccharides with incomplete sulphation and containing unsulphated *N*-acetylglucosamine residues 253: 499
Hue, L., see Bertrand, L.
Hue, L., see Depré, C.
Hübner, S., Couvillon, A. D., Käs, J. A., Bankaitis, V. A., Vegners, R., Carpenter, C. L., Janmey, P. A.: Enhancement of phosphoinositide 3-kinase (PI 3-kinase) activity by membrane curvature and inositol-phospholipid-binding peptides 258: 846
Hübscher, U., see Mossi, R.
Hühne, K., see Dittrich, F.
Huey, K. A., Bodine, S. C.: Changes in myosin mRNA and protein expression in denervated rat soleus and tibialis anterior 256: 45
Hugo, N., see Jouanneau, Y.
Huh, S.-H., see Lee, J.-H.
Huizar, I., see Li, D. W.-C.
Hulmes, D. J. S., see Font, B.
Hulstein, M., see Pierik, A. J.
Humbert, P., see Guthmann, F.
Hunter, A. P., see Guile, G. R.
Hunter, D. J. B., see Pettigrew, G. W.
Husselstein, T., see Bouvier-Navé, P.
Huvenne, J.-P., see Debelle, L.
Hwang, K. C., see Huang, Y.-L.
Hwong, C.-L., see Han, C.-L.
Hygge Blakeman, K., Weintraub, A., Widmalm, G.: Structural determination of the O-antigenic polysaccharide from the enterotoxigenic *Escherichia coli* O147 251: 534
Hynes, M. J., see Litzka, O.
Hyslop, S. J., see Porteous, W. K.
Hyun, J. H., see Lee, S. Y.
Hyun, J. H., see Lee, S. Y.

Iametti, S., Uhlmann, H., Ragg, E., Sala, N., Grinberg, A., Beckert, V., Bernhardt, R., Bonomi, F.: Cluster-iron substitution is related to structural and functional features of adrenodoxin mutants and to their redox states 251: 673
Ichise, K., see Maruyama, N.
Igarashi, K., Samejima, M., Eriksson, K.-E. L.: Cellobiose dehydrogenase enhances *Phanerochaete chrysosporium* cellobiohydrolase I activity by relieving product inhibition 253: 101
Iglesias, M. M., Rabinovich, G. A., Ivanovic, V., Sotomayor, C., Wolfenstein-Todel, C.: Galectin-1 from ovine placenta – Amino-acid sequence, physicochemical properties and implications in T-cell death 252: 400
Iguchi, K., Hamatake, M., Ishida, R., Usami, Y., Adachi, T., Yamamoto, H., Koshida, K., Uchibayashi, T., Hirano, K.: Induction of necrosis by zinc in prostate carcinoma cells and identification of proteins increased in association with this induction 253: 766
Iida, A., see Fujimoto, Y.
Ijlst, L., see Ventura, F. V.
Ikebe, M., see Maruta, S.
Ikebe, M., see Maruta, S.
Illenberger, S., see Zheng-Fischhöfer, Q.
Im, S.-c., Liu, G., Luchinat, C., Sykes, A. G., Bertini, I.: The solution structure of parsley [2Fe-2S]ferredoxin 258: 465
Imai, Y., see Yanaka, N.
Imanishi, T., see Minami, T.
Immler, D., see Laub, M.
Indiani, C., see Neri, F.
Ingelman-Sundberg, M., see Mkrtchian, S.
Ingledew, W. J., see Hastings, S. F.
Inoue, M., see Towatari, T.
Inoue, Y., see Kashima, A.
Inzana, T. J., see Cox, A. D.
Iovanna, J. L., see Calvo, E. L.
Irie, S., see Matsubara, Y.
Irie, T., see Seki, T.
Irrgang, K.-D., see Miao, J.
Irvine, G. B., see El-Agnaf, O. M. A.
Irvine, G. B., see El-Agnaf, O. M. A.
Isaac, R. E., see Houard, X.
Isaksson, L. A., see Mottagui-Tabar, S.
Isecke, R., see Kelm, S.
Isenberg, G., see Goldmann, W. H.
Ishibashi, J., see Yang, J.
Ishida, H., see Kawamoto, T.
Ishida, H., see Strenge, K.
Ishida, R., see Iguchi, K.
Ishihama, A., see Ozoline, O. N.
Ishimura, Y., see Mukai, K.
Ishiura, S., see Kouchi, Z.
Isono, K., see Seki, T.
Issad, T., see Liu, J.-F.
Ito, A., Yamada, M., Sato, T., Sanekata, K., Sato, H., Seiki, M., Nagase, H., Mori, Y.: Calmodulin antagonists increase the expression of membrane-type-1 matrix metalloproteinase in human uterine cervical fibroblasts 251: 353
Ito, M., see Seki, T.
Ito, T., see Mizuki, K.
Ito, T., see Nakamura, R.
Itoh, N., see Liu, J.-Q.
Itoh, Y., see Meng, M.
Ivanov, V. T., see Maslennikov, I. V.
Ivanovic, V., see Iglesias, M. M.
Ivell, R., see Hansis, C.
Iwadate, M., Asakura, T., Williamson, M. P.: The structure of the melittin tetramer at different temperatures – An NOE-based calculation with chemical shift refinement 257: 479
Iwanaga, S., see Lee, S. Y.
Iwanaga, S., see Lee, S. Y.
Iwano, H., see Kobayashi, T.

Jackson, F. M., Fraser, T. C. M., Smith, M. A., Lazarus, C., Stobart, A. K., Griffiths, G.: Biosynthesis of C_{18} polyunsaturated fatty acids in microsomal membrane preparations from the filamentous fungus *Mucor circinelloides* 252: 513
Jackson, J. B., see Venning, J. D.
Jackson, N. A. C., see Millar, A. L.
Jacob, M.-P., see Debelle, L.
Jacobs, L., see Westphal, A. H.
Jacotot, E., see Blanco, J.
Jacquin-Joly, E., see Maibèche-Coisne, M.
Jäger, H., Birkenhäger, R., Stalz, W.-D., Altendorf, K., Deckers-Hebestreit, G.: Topology of subunit *a* of the *Escherichia coli* ATP synthase 251: 122

Jähner, D., see Hansis, C.
Jaenicke, R., see Andrä, S.
Jaenicke, R., see Minuth, T.
Jaenicke, R., see van de Klundert, F. A. J. M.
Jain, S. K., see Prajapati, S.
Jakobs, C., see Ventura, F. V.
James, A. M., see Porteous, W. K.
Jamme, M. F., see Labit-Le Bouteiller, C.
Jan, G., Taylor, N. A., Scougall, K. T., Docherty, K., Shennan, K. I. J.: The propeptide of prohormone convertase PC2 acts as a transferable aggregation and membrane-association signal 257: 41
Janciauskiene, S., Lindgren, S., Wright, H. T.: The C-terminal peptide of α-1-antitrypsin increases low density lipoprotein binding in HepG2 cells 254: 460
Jandrositz, A., see Wäspi, U.
Janeček, J., see Vomastek, T.
Jankowski, C. K., see Sopková-de Oliveira Santos, J.
Jankowsky, E., Schwenzer, B.: Oligonucleotide facilitators enable a hammerhead ribozyme to cleave long RNA substrates with multiple-turnover activity 254: 129
Janmey, P. A., see Hübner, S.
Janoueix-Lerosey, I., Pasheva, E., de Tand, M.-F., Tavitian, A., de Gunzburg, J.: Identification of a specific effector of the small GTP-binding protein Rap2 252: 290
Jansen, B., see Monney, L.
Jansson, P.-E., see Karlsson, C.
Jansson, P.-E., see Senchenkova, S. N.
Jaouen, G., see Salmain, M.
Jaquinod, M., see Oudot, C.
Jaquot, J.-P., see Krimm, I.
Jardine, D. R., see Harrison, M. J.
Jault, J.-M., see Oudot, C.
Jean, C., see Darne, C.
Jeenes, D. J., see Spencer, J. A.
Jeltsch, A., see Leismann, O.
Jeltsch, A., see Schöttler, S.
Jeng, M.-F., Reymond, M. T., Tennant, L. L., Holmgren, A., Dyson, H. J.: NMR characterization of a single-cysteine mutant of *Escherichia coli* thioredoxin and a covalent thioredoxin-peptide complex 257: 299
Jennings, K. R., see Buzy, A.
Jennings, K. R., see Millar, A. L.
Jennissen, H. P., see Laub, M.
Jennissen, H. P., see Majetschak, M.
Jennissen, H. P., see Majetschak, M.
Jeong, H.-S., see Jouanneau, Y.
Jiang, F., see Hastings, S. F.
Jiang, J. X., Goodenough, D. A.: Phosphorylation of lens-fiber connexins in lens organ cultures 255: 37
Jigami, Y., see Yoko-o, T.
Jiménez-Cervantes, C., see Martínez-Esparza, M.
Jiménez-Ruiz, A., Boceta, C., Bonay, P., Requena, J. M., Alonso, C.: Cloning, sequencing, and expression of the *PSA* genes from *Leishmania infantum* 251: 389
Jin, W., see Chiquet, M.
Job, D., see Droux, M.
Job, D., see Tissot, G.
Joh, D., Speziale, P., Gurusiddappa, S., Manor, J., Höök, M.: Multiple specificities of the staphylococcal and streptococcal fibronectin-binding microbial surface components recognizing adhesive matrix molecules 258: 897
Johannes, F.-J., Horn, J., Link, G., Haas, E., Siemienski, K., Wajant, H., Pfizenmaier, K.: Protein kinase Cμ downregulation of tumor-necrosis-factor-induced apoptosis correlates with enhanced expression of nuclear-factor-κB-dependent protective genes 257: 47
Johansson, E., see Eriksson, T. L. J.
Johansson, G., see Nutt, A.
Johansson, G., see Väljamäe, P.
Johansson, J., see Nilsson, G.
Johnsen, A. H., Sandin, A., Rourke, I. J., Bundgaard, J. R., Nilsson, G., Rehfeld, J. F.: Unique progastrin processing in equine G-cells suggests marginal tyrosyl sulfotransferase activity 255: 432
Jolliot-Croquin, A., see Zachowski, A.
Jones, A. D., see Moskowitz, H.
Jones, C. W., see Mills, J.
Jouanneau, Y., Jeong, H.-S., Hugo, N., Meyer, C., Willison, J. C.: Overexpression in *Escherichia coli* of the *rnf* genes from *Rhodobacter capsulatus* – Characterization of two membrane-bound iron-sulfur proteins 251: 54
Jouanneau, Y., see Wasserfallen, A.
Jouannic, N., Lepetit, M., Vergnolle, C., Cantrel, C., Gardies, A.-M., Kader, J.-C., Arondel, V.: Isolation of a cDNA from *Arabidopsis thaliana* that complements the *sec14* mutant of yeast 258: 402
Joudrier, P., see Gautier, M.-F.
Jung, E., Gooley, A. A., Packer, N. H., Karuso, P., Williams, K. L.: Rules for the addition of O-linked *N*-acetylglucosamine to secreted proteins in *Dictyostelium discoideum* – *In vivo* studies on glycosylation of mucin MUC1 and MUC2 repeats 253: 517
Jurado, J., see Kuznetsov, S. V.
Justesen, J., see Frolova, L. Y.

Kadenbach, B., see Arnold, S.
Kader, J.-C., see Jouannic, N.
Kader, J.-C., see Zachowski, A.
Kadomatsu, K., see Mizuki, K.
Käs, J. A., see Hübner, S.
Kagawa, N., see Nonaka, Y.
Kage, Y., see Mizuki, K.
Kageyama, T.: Molecular cloning, expression and characterization of an *Ascaris* inhibitor for pepsin and cathepsin E 253: 804
Kainou, T., see Okada, K.
Kalaydjieva, L., see Meijerink, P. H. S.
Kalbina, I., see Brosché, M.
Kalbitzer, H. R., see Hahmann, M.
Kalies, K.-U., Hartmann, E.: *Minireview*. Protein translocation into the endoplasmic reticulum (ER) – Two similar routes with different modes 254: 1
Kalisz, H. M., see Kiess, M.
Kalkkinen, N., see Herrala, A.
Kalkkinen, N., see Nyman, T. A.
Kalopissis, A., see Lambert, G.
Kalpaxis, D. L., see Karahalios, P.
Kalpaxis, D. L., see Karahalios, P.
Kaltner, H., see Gilleron, M.
Kambampati, R., see Kovalchuke, O.
Kambara, T., see Maruta, S.
Kambara, T., see Maruta, S.
Kamerling, J. P., see van Rooijen, J. J. M.
Kamiya, K., see Miura, K.
Kammer, W., see Moriggl, R.
Kammouni, W., see Merten, M. D.
Kamo, M., Tsugita, A.: Specific cleavage of amino side chains of serine and threonine in peptides and proteins with *S*-ethyltrifluorothioacetate vapor 255: 162
Kampfenkel, K., see Möhlmann, T.
Kan, B., see Chefalo, P. J.
Kanai, T., Takeshita, S., Atomi, H., Umemura, K., Ueda, M., Tanaka, A.: A regulatory factor, Fil1p, involved in derepression of the isocitrate lyase gene in *Saccharomyces cerevisiae* – A possible mitochondrial protein necessary for protein synthesis in mitochondria 256: 212
Kanervo, E., see Sippola, K.
Kang, H. S., see Han, S. J.
Kang, K. W., see Kim, D. R.
Kanse, S. M., see Germer, M.
Kao, H.-T., see Andersen, Ø.
Kapas, S., Hagi-Pavli, E., Brown, D. W., Chhajlani, V., Farthing, P. M.: Direct effects of corticotrophin on oral keratinocyte cell proliferation 256: 75
Kaptein, R., see Markley, J. L.
Kapur, A., see Lindner, R. A.
Kapurniotu, A., Bernhagen, J., Greenfield, N., Al-Abed, Y., Teichberg, S., Frank, R. W., Voelter, W., Bucala, R.: Contribution of advanced glycosylation to the amyloidogenicity of islet amyloid polypeptide 251: 208
Karahalios, P., Mamos, P., Karigiannis, G., Kalpaxis, D. L.: Structure/function correlation of spermine-analogue-induced modulation of peptidyltransferase activity 258: 437
Karahalios, P., Mamos, P., Vynios, D. H., Papaioannou, D., Kalpaxis, D. L.: The effect of acylated polyamine derivatives on polyamine uptake mechanism, cell growth, and polyamine pools in *Escherichia coli*, and the pursuit of structure/activity relationships 251: 998
Karigiannis, G., see Karahalios, P.
Karim, A., see Ducrocq, C.
Karl, M., Holler, E.: Multiple polypeptides immunologically related to β-poly(L-malate) hydrolase (polymalatase) in the plasmodium of the slime mold *Physarum polycephalum* 251: 405
Karlsson, B. G., see Brosché, M.
Karlsson, C., Jansson, P.-E., Sørensen, U. B.: The chemical structures of the capsular polysaccharides from *Streptococcus pneumoniae* types 32F and 32A 255: 296
Karpova, G., see Bulygin, K.
Karuso, P., see Jung, E.
Kasheverov, I. E., see Utkin, Y. N.
Kashima, A., Inoue, Y., Sugio, S., Maeda, I., Nose, T., Shimohigashi, Y.: X-ray crystal structure of a dipeptide-chymotrypsin complex in an inhibitory interaction 255: 12
Kashiwagi, M., see Mikami, T.
Kaspers, B., see Weining, K. C.
Kassab, R., see Bartegi, A.
Katagiri, C., see Ohtsu, T.
Katagiri, M., see Seki, T.
Katahira, M., Kim, M. H., Sugiyama, T., Nishimura, Y., Uesugi, S.: Two metal-binding sites in a lead ribozyme bound to competitively by Pb^{2+} and Mg^{2+} – Induced structural changes as revealed by NMR 255: 727

Kataoka, M., see Liu, J.-Q.
Katayama, K., see Bisogno, T.
Kato, I., see Towatari, T.
Kato, K., see Asano, T.
Kato, Y., see Kawamoto, T.
Katsube, T., see Maruyama, N.
Katsube, T., see Maruyama, N.
Katsumata, T., see Kudo, K.
Katzenellenbogen, E., Kocharova, N. A., Zatonsky, G. V., Mieszala, M., Gamian, A., Bogulska, M., Shashkov, A. S., Romanowska, E., Knirel, Y. A.: Immunochemical studies of the lipopolysaccharide O-specific polysaccharide of *Hafnia alvei* PCM 1199 related to *H. alvei* PCM 1205 251: 980
Kaufmann, F., Wohlfarth, G., Diekert, G.: *O*-Demethylase from *Acetobacterium dehalogenans* – Cloning, sequencing, and active expression of the gene encoding the corrinoid protein 257: 515
Kaufmann, F., Wohlfarth, G., Diekert, G.: *O*-Demethylase from *Acetobacterium dehalogenans* – Substrate specificity and function of the participating proteins 253: 706
Kawabata, S.-I., see Lee, S. Y.
Kawabata, S.-I., see Lee, S. Y.
Kawai, E., see Yanaka, N.
Kawamoto, T., Pan, H., Yan, W., Ishida, H., Usui, E., Oda, R., Nakamasu, K., Noshiro, M., Kawashima-Ohya, Y., Fujii, M., Shintani, H., Okada, Y., Kato, Y.: Expression of membrane-bound transferrin-like protein p97 on the cell surface of chondrocytes 256: 503
Kawamukai, M., see Okada, K.
Kawase, S.-i., see Maruyama, N.
Kawashima, S., see Matsubara, Y.
Kawashima-Ohya, Y., see Kawamoto, T.
Kawazoe, Y., Nakai, A., Tanabe, M., Nagata, K.: Proteasome inhibition leads to the activation of all members of the heat-shock-factor family 255: 356
Kay, C. M., see Gauthier, S. Y.
Kaysser, T. M., see Hastings, S. F.
Keim, V., see Calvo, E. L.
Keith, G., see Mazauric, M.-H.
Keller, M., see Dirmeier, R.
Keller, Y., Bouvier, F., d'Harlingue, A., Camara, B.: Metabolic compartmentation of plastid prenyllipid biosynthesis – Evidence for the involvement of a multifunctional geranylgeranyl reductase 251: 413
Kelly, P. A., see Moutoussamy, S.
Kelm, A., Shaw, L., Schauer, R., Reuter, G.: The biosynthesis of 8-*O*-methylated sialic acids in the starfish *Asterias rubens* – Isolation and characterisation of *S*-adenosyl-L-methionine:sialate-8-*O*-methyltransferase 251: 874
Kelm, S., Brossmer, R., Isecke, R., Gross, H.-J., Strenge, K., Schauer, R.: Functional groups of sialic acids involved in binding to siglecs (sialoadhesins) deduced from interactions with synthetic analogues 255: 663
Kelm, S., see Strenge, K.
Keltjens, J. T., see Wassenaar, R. W.
Keltjens, J. T., see Wassenaar, R. W.
Kelve, M., see Kuusksalu, A.
Kemper, E. L., Cord-Neto, G., Capella, A. N., Gonçalves-Butruile, M., Azevedo, R. A., Arruda, P.: Structure and regulation of the bifunctional enzyme lysine-oxoglutarate reductase-saccharopine dehydrogenase in maize 253: 720
Kempner, E., see Thompson, M. W.
Keränen, S., see Srisodsuk, M.
Kern, D., see Mazauric, M.-H.
Kessler, H., see Schwaiger, M.
Kester, H. C. M., see Pařenicová, L.
Khan, K. K., Mondal, M. S., Padhy, L., Mitra, S.: The role of distal histidine in peroxidase activity of myoglobin – Transient-kinetics study of the reaction of H_2O_2 with wild-type and distal-histidine-mutated recombinant human myoglobin 257: 547
Khatri, I. A., see Bell, S. L.
Khieu, N. H., see Sadovskaya, I.
Kido, H., see Towatari, T.
Kiess, M., Hecht, H.-J., Kalisz, H. M.: Glucose oxidase from *Penicillium amagasakiense* – Primary structure and comparison with other glucose-methanol-choline (GMC) oxidoreductases 252: 90
Kihlberg, J., see Walse, B.
Kim, D. R., Kang, K. W.: Amino acid sequence of piguamerin, an antistasin-type protease inhibitor from the blood sucking leech *Hirudo nipponia* 254: 692
Kim, E., see Kuhlendahl, S.
Kim, J.-W., see Cha, H.-J.
Kim, K., Messinger, L. A., Nelson, D. L.: Ca^{2+}-dependent protein kinases of *Paramecium* – Cloning provides evidence of a multigene family 251: 605
Kim, K.-W., see Park, J. A.
Kim, M. H., see Katahira, M.
Kim, S. I., see Park, J. A.
Kim, Y. S., see An, J. H.
Kim, Y.-M., see Philipp, S.
Kim, Y.-W., see Cha, H.-J.
Kimoto, M., Miyatake, S., Sasagawa, T., Yamashita, H., Okita, M., Oka, T., Ogawa, T., Tsuji, H.: Purification, cDNA cloning and expression of human N^{G},N^{G}-dimethylarginine dimethylaminohydrolase 258: 863
Kimura, H., see Koda, Y.
Kimura, M. T., see Ohtsu, T.
Kinaciyan, T., see Sowka, S.
Kinoshita, M., see Matsui, T.
Kinouchi, T., see Kouchi, Z.
Kirk, T. K., see Srisodsuk, M.
Kirkegaard, T., see Germer, M.
Kishimoto, T., see Maruyama, N.
Kiso, M., see Strenge, K.
Kispal, G., see Than, N. G.
Kiss, Z., see Malewicz, B.
Kisselev, L. L., see Frolova, L. Y.
Kitajima, S., see Nakamura, R.
Kitamura, N., see Miyazawa, K.
Kitaoka, Y.: Involvement of the amino acids outside the active-site cleft in the catalysis of ricin A chain 257: 255
Kjøller, L., see Germer, M.
Klappa, P., Stromer, T., Zimmermann, R., Ruddock, L. W., Freedman, R. B.: A pancreas-specific glycosylated protein disulphide-isomerase binds to misfolded proteins and peptides with an interaction inhibited by oestrogens 254: 63
Kleijn, M., Scheper, G. C., Voorma, H. O., Thomas, A. A. M.: *Review*. Regulation of translation initiation factors by signal transduction 253: 531
Klein, A., see Pfeiffer, M.
Klein, C., see Klimmek, O.
Klein, H., see Dittrich, F.
Kleman-Leyer, K., see Srisodsuk, M.
Klimmek, O., Kreis, V., Klein, C., Simon, J., Wittershagen, A., Kröger, A.: The function of the periplasmic Sud protein in polysulfide respiration of *Wolinella succinogenes* 253: 263
Klocke, C., see Majetschak, M.
Klöckner, U., see Vajna, R.
Kłopocki, A. G., Laskowska, A., Antoniewicz-Papis, J., Duk, M., Lisowska, E., Ugorski, M.: Role of sialosyl Lewis^a in adhesion of colon cancer cells – The antisense RNA approach 253: 309
Klos, A., see Hennecke, M.
Kmiec, E. B., see Thiyagarajan, M. M.
Knaff, D. B., see Krimm, I.
Knappskog, P. M., see Bjørgo, E.
Knecht, R., see Bergwerff, A. A.
Knirel, Y. A., Ovod, V. V., Paramonov, N. A., Krohn, K. J.: Structural heterogeneity in the O polysaccharide of *Pseudomonas syringae* pv. coriandricola GSPB 2028 (NCPPB 3780, W-43) 258: 716
Knirel, Y. A., Ovod, V. V., Zdorovenko, G. M., Gvozdyak, R. I., Krohn, K. J.: Structure of the O polysaccharide and immunochemical relationships between the lipopolysaccharides of *Pseudomonas syringae* pathovar tomato and pathovar maculicola 258: 657
Knirel, Y. A., see Bartodziejska, B.
Knirel, Y. A., see Katzenellenbogen, E.
Knirel, Y. A., see Senchenkova, S. N.
Knirel, Y. A., see Shashkov, A. S.
Knüpfer, E., see Bangsow, T.
Knüpling, M., see Elleingand, E.
Kobata, A., see Furukawa, K.
Kobayashi, H., Sugino, D., She, M. Y., Ohi, H., Hirashima, Y., Shinohara, H., Fujie, M., Shibata, K., Terao, T.: A bifunctional hybrid molecule of the amino-terminal fragment of urokinase and domain II of bikunin efficiently inhibits tumor cell invasion and metastasis 253: 817
Kobayashi, K., see Ogawa, K.
Kobayashi, T., Yokota, H., Ohgiya, S., Iwano, H., Yuasa, A.: UDP-glucuronosyltransferase UGT1A7 induced in rat small intestinal mucosa by oral administration of 2-naphthoflavone 258: 948
Kobayashi, Y., see Ogawa, K.
Kobayashi, Y., see Watanabe, N.
Kobilka, B. K., see Seifert, R.
Koch, M. H. J., see Brandenburg, K.
Koch, M. H. J., see Schönbrunn, E.
Koch, M., see Chiquet, M.
Kocharova, N. A., see Katzenellenbogen, E.
Koda, Y., Soejima, M., Kimura, H.: Changing transcription start sites in H-type α(1,2)fucosyltransferase Gene (*FUT1*) during differentiation of the human erythroid lineage 256: 379
Köhl, J., see Hennecke, M.
Köhrer, C., Mayer, C., Neumair, O., Gröbner, P., Piendl, W.: Interaction of ribosomal L1 proteins from mesophilic and thermophilic Archaea and Bacteria with specific L1-binding sites on 23S rRNA and mRNA 256: 97

Koepf, E. K., Hewitt, J., Vo, H., Macgillivray, R. T. A., Burtnick, L. D.: *Equus caballus* gelsolin – cDNA sequence and protein structural implications 251: 613
Koerwer, W., see Friedrich, T.
Kogelberg, H., see Chai, W.
Kohlwein, S. D., see Wäspi, U.
Kok, J. W., see Babia, T.
Kola, A., see Hennecke, M.
Kolettas, E., Rosenberger, R. F.: Suppression of decorin expression and partial induction of anchorage-independent growth by the *v-src* oncogene in human fibroblasts 254: 266
Komara, B., see Fassy, F.
Komel, R., see Brank, M.
Komesli, S., Vivien, D., Dutartre, P.: Chimeric extracellular domain of type II transforming growth factor (TGF)-β receptor fused to the Fc region of human immunoglobulin as a TGF-β antagonist 254: 505
Konakova, M., Hucho, F., Schleuning, W.-D.: Downstream targets of urokinase-type plasminogen-activator-mediated signal transduction 253: 421
Kondo, A., see Towatari, T.
Kondo, T., see Furukawa, K.
Konidou, G., see Petit, M.-C.
Konrad, M., see Kuhlendahl, S.
Koops, M. D., Thompson, J., Zimmermann, W., Stanners, C. P.: Transcriptional regulation of the non-specific cross-reacting antigen gene, a member of the carcinoembryonic antigen gene family up-regulated in colorectal carcinomas 253: 778
Kopacek, P., see Wedde, M.
Kopf, E., see Smicun, Y.
Korchagina, E. Y., see Gilleron, M.
Kordowska, J., Stafford, W. F., Wang, C.-L. A.: Ca^{2+} and Zn^{2+} bind to different sites and induce different conformational changes in human calcyclin 253: 57
Korn, M., see Schröter, T.
Kornblatt, M. J., Lange, R., Balny, C.: Can monomers of yeast enolase have enzymatic activity? 251: 775
Korzeniewski, B., see Gellerich, F. N.
Kosaka, T., see Suzuki, K.-M.
Koshida, K., see Iguchi, K.
Kossmann, J., see Albrecht, T.
Kotera, J., see Yanaka, N.
Kouchi, Z., Kinouchi, T., Sorimachi, H., Ishiura, S., Suzuki, K.: The deletion of the C-terminal tail and addition of an endoplasmic reticulum targeting signal to Alzheimer's amyloid precursor protein change its localization, secretion, and intracellular proteolysis 258: 291
Kovalchuke, O., Kambampati, R., Pladies, E., Chakraburtty, K.: Competition and cooperation amongst yeast elongation factors 258: 986
Kovařík, A., see Fojtová, M.
Kowolik, C. M., Hengstenberg, W.: The lactose transporter of *Staphylococcus aureus* – Overexpression, purification and characterization of the histidine-tagged domains IIC and IIB 257: 389
Kozár, T., see Gilleron, M.
Kozelka, J., see Bombard, S.
Krafft, T., Macy, J. M.: Purification and characterization of the respiratory arsenate reductase of *Chrysiogenes arsenatis* 255: 647
Kragh-Hansen, U., see Galliano, M.
Kragten, E. A., see Bergwerff, A. A.
Krah, M., Misselwitz, R., Politz, O., Thomsen, K. K., Welfle, H., Borriss, R.: The laminarinase from thermophilic eubacterium *Rhodothermus marinus* – Conformation, stability, and identification of active site carboxylic residues by site-directed mutagenesis 257: 101
Krapp, A. R., see Dionisi, H. M.
Krasts, D. A., see Balland, A.
Kratzin, H. D., see Ferrari, D. M.
Krauth-Siegel, R. L., see Wagner, J. T.
Krebitz, M., see Sowka, S.
Krebs, D., Maroun, R. G., Sourgen, F., Troalen, F., Davoust, D., Fermandjian, S.: Helical and coiled-coil-forming properties of peptides derived from and inhibiting human immunodeficiency virus type 1 integrase assessed by ^{1}H-NMR – Use of NH temperature coefficients to probe coiled-coil structures 253: 236
Krebs, O., see Fassy, F.
Kreft, S., see Brank, M.
Krehan, A., Meggio, F., Pipkorn, R., Pinna, L. A., Pyerin, W.: Identification of structural elements of subunit β of human protein kinase CK2 participating in tight physical $\alpha-\beta$ intersubunit contacts directly adjacent to a surface-oriented region 251: 667
Kreis, V., see Klimmek, O.
Kress, S., Reichert, J., Schwarz, M.: Functional analysis of the human cytochrome P4501A1 (*CYP1A1*) gene enhancer 258: 803
Kreutzer, R., see Mazauric, M.-H.
Krieger, J., see Löbel, D.
Krimm, I., Lemaire, S., Ruelland, E., Miginiac-Maslow, M., Jaquot, J.-P., Hirasawa, M., Knaff, D. B., Lancelin, J.-M.: The single mutation Trp35→Ala in the 35–40 redox site of *Chlamydomonas reinhardtii* thioredoxin *h* affects its biochemical activity and the pH dependence of C36–C39 ^{1}H-^{13}C NMR 255: 185
Krippahl, L., see Pettigrew, G. W.
Kristiansen, A., Vårum, K. M., Grasdalen, H.: The interactions between highly de-*N*-acetylated chitosans and lysozyme from chicken egg white studied by ^{1}H-NMR spectroscopy 251: 335
Krivoshein, A. V., see Utkin, Y. N.
Kröckel, M., Trautwein, A. X., Arendsen, A. F., Hagen, W. R.: The prismane protein resolved – Mössbauer investigation of a 4Fe cluster with an unusual mixture of bridging ligands and metal coordinations 251: 454
Kröger, A., see Klimmek, O.
Kröger, A., see Simon, J.
Kröger, B., see Friedrich, T.
Krogstad-Johnsen, T., see Bulone, V.
Krohn, K. J., see Knirel, Y. A.
Krohn, K. J., see Knirel, Y. A.
Krones, D., see Andersen, C.
Kroy, K., see Goldmann, W. H.
Krüger, P., see Hassiepen, U.
Kruithof, E. K. O., see Camani, C.
Krust, B., see Blanco, J.
Krynetski, E. Y., see Fessing, M. Y.
Kubareva, E., see Antsypovich, S.
Kudo, K., Yonezawa, N., Katsumata, T., Aoki, H., Nakano, M.: Localization of carbohydrate chains of pig sperm ligand in the glycoprotein ZPB of egg zona pellucida 252: 492
Kühn, H., see Thiele, H.
Kühn, H., see Vörös, K.
Künkel, A., Vorholt, J. A., Thauer, R. K., Hedderich, R.: An *Escherichia coli* hydrogenase-3-type hydrogenase in methanogenic archaea 252: 467
Künkel, A., see Heim, S.
Kuhlendahl, S., Spangenberg, O., Konrad, M., Kim, E., Garner, C. C.: Functional analysis of the guanylate kinase-like domain in the synapse-associated protein SAP97 252: 305
Kuhlmann, J., see Deka, J.
Kulbe, K. D., see Fürlinger, M.
Kumar, P. K. R., see Gal, S. W.
Kuonen, O., see Kussmann-Gerber, S.
Kurachi, K., see Kurachi, S.
Kurachi, S., Song, Z., Takagaki, M., Yang, Q., Winter, H. C., Kurachi, K., Goldstein, I. J.: Sialic-acid-binding lectin from the slug *Limax flavus* – Cloning, expression of the polypeptide, and tissue localization 254: 217
Kurkela, R., see Herrala, A.
Kurz, M., Guba, W., Vértesy, L.: Three-dimensional structure of moenomycin A – A potent inhibitor of penicillin-binding protein 1b 252: 500
Kusakabe, T., see Mikami, T.
Kushiro, T., Shibuya, M., Ebizuka, Y.: β-Amyrin synthase – Cloning of oxidosqualene cyclase that catalyzes the formation of the most popular triterpene among higher plants 256: 238
Kussmann-Gerber, S., Kuonen, O., Folkers, G., Pilger, B. D., Scapozza, L.: Drug resistance of herpes simplex virus type 1 – Structural considerations at the molecular level of the thymidine kinase 255: 472
Kutyshenko, V. P., see Ruiz-Arribas, A.
Kuusksalu, A., Subbi, J., Pehk, T., Reintamm, T., Müller, W. E. G., Kelve, M.: Identification of the reaction products of (2′-5′)oligoadenylate synthetase in the marine sponge 257: 420
Kuznetsov, S. V., Sidorkina, O. M., Jurado, J., Bazin, M., Tauc, P., Brochon, J.-C., Laval, J., Santus, R.: Effect of single mutations on the structural dynamics of a DNA repair enzyme, the *Escherichia coli* formamidopyrimidine-DNA glycosylase – A fluorescence study using tryptophan residues as reporter groups 253: 413
Kuzuya, T., see Yabuki, M.
Kvasnicka, P., see Linnertz, H.
Kvietikova, I., see Wenger, R. H.
Kweon, K.-S., see Cha, H.-J.
Kwon, T. H., see Lee, S. Y.
Kyogoku, Y., see Ogawa, K.

La Piana, G., see Vasudevan, S.
Labbe, H., see Mandard, N.
Labesse, G., Craescu, C. T., Mispelter, J., Chottard, G., Marden, M. C., Pin, S., Forest, E., Mornon, J.-P., Boccara, M.: Engineering, expression and biochemical characterization of the hemoglobin domain of a *Erwinia chrysanthemi* flavohemoprotein 253: 751

Labit-Le Bouteiller, C., Jamme, M. F., David, M., Silve, S., Lanau, C., Dhers, C., Picard, C., Rahier, A., Taton, M., Loison, G., Caput, D., Ferrara, P., Lupker, J.: Antiproliferative effects of SR31747A in animal cell lines are mediated by inhibition of cholesterol biosynthesis at the sterol isomerase step 256: 342
Labouré, A. M., see Faik, A.
Laconi, E., see Vasudevan, S.
Ladjali, K., see Grechez-Cassiau, A.
Laempe, D., Eisenreich, W., Bacher, A., Fuchs, G.: Cyclohexa-1,5-diene-1-carboxyl-CoA hydratase, an enzyme involved in anaerobic metabolism of benzoyl-CoA in the denitrifying bacterium *Thauera aromatica* 255: 618
Lai, K., see Hohman, T. C.
Laing, W. A., see Christeller, J. T.
Lalonde, C., see Yau, L.
Lam, H., see Huang, W.
Lam, J. S., see Sadovskaya, I.
Lam, Van T., see Seifert, R.
Lambert, G., Decout, A., Vanloo, B., Rouy, D., Duverger, N., Kalopissis, A., Vandekerckhove, J., Chambaz, J., Brasseur, R., Rosseneu, M.: The C-terminal helix of human apolipoprotein AII promotes the fusion of unilamellar liposomes and displaces apolipoprotein AI from high-density lipoproteins 253: 328
Lanau, C., see Labit-Le Bouteiller, C.
Lancelin, J.-M., see Krimm, I.
Landersjö, C., Weintraub, A., Ansaruzzaman, M., Albert, M. J., Widmalm, G.: Structural analysis of the O-antigenic polysaccharide from *Vibrio mimicus* N-1990 251: 986
Lang, D. A., Mannesse, M. L. M., De Haas, G. H., Verheij, H. M., Dijkstra, B. W.: Structural basis of the chiral selectivity of *Pseudomonas cepacia* lipase 254: 333
Lange, A. J., see Heine-Suñer, D.
Lange, R., see Athès, V.
Lange, R., see Kornblatt, M. J.
Lange, R., see Plomann, M.
Langlois, D., see Le Roy, C.
Lanio, M. E., see de los Rios, V.
Lanio, T., see Schöttler, S.
Lantner, F., Ziv, E., Ram, D., Schechter, I.: Different forms of the mRNA encoding the heat-shock transcription factor are expressed during the life cycle of the parasitic helminth *Schistosoma mansoni* 253: 390
Laprévote, O., see Ducrocq, C.
Lardner, A. L., O'Donovan, D. J.: Renal and hepatic nitrogen metabolism during NH_4Cl ingestion in protein-deprived rats 254: 428
Larsson, G., see Trogen, G.-B.
Larsson, L.-I., see Høgdall, E. V. S.
Laskowska, A., see Kłopocki, A. G.
Lassen, D., see Mesgarzadeh, A.
Latché, A., see Bidonde, S.
Laterveer, F. D., see Gellerich, F. N.
Laub, M., Steppuhn, J. A., Blüggel, M., Immler, D., Meyer, H. E., Jennissen, H. P.: Modulation of calmodulin function by ubiquitin–calmodulin ligase and identification of the responsible ubiquitylation site in vertebrate calmodulin 255: 422
Laub, M., see Majetschak, M.
Laub, M., see Majetschak, M.
Lauder, R. M., see Huckerby, T. N.
Laue, E. D., see Xia, Z.
Laulhère, J. P., see Elleingand, E.
Lauquin, G. J.-M., see Gamonet, F.
Laus, G., see Loverix, S.
Laval, J., see Kuznetsov, S. V.
Lawson, A. M., see Chai, W.
Lazarus, C., see Jackson, F. M.
Le Bouffant, F., Capdevielle, J., Guillemot, J.-C., Sladeczek, F.: Characterization of brain PCTAIRE-1 kinase immunoreactivity and its interactions with p11 and 14-3-3 proteins 257: 112
Le Cam, A., see Paul, C.
le Maire, M., see Soulié, S.
Le Roy, C., Leduque, P., Yuan Li, J., Saez, J. M., Langlois, D.: Antisense oligonucleotide targeting the transforming growth factor β1 increases expression of specific genes and functions of Leydig cells 257: 506
Leadbeater, C., see McIver, L.
Leader, D. J., Clark, G. P., Boag, J., Watters, J. A., Simpson, C. G., Watkins, N. J., Maxwell, E. S., Brown, J. W. S.: Processing of vertebrate box C/D small nucleolar RNAs in plant cells 253: 154
Leak, D. J., see Misawa, E.
Leaver, J., see Holt, C.
Lebbink, J., see Yip, K. S. P.
Lebendiker, M., see Schwaiger, M.
Leblanc, É., Papadopoulou, B., Bernatchez, C., Ouellette, M.: Residues involved in cofactor and substrate binding of the short-chain dehydrogenase/reductase PTR1 producing methotrexate resistance in *Leishmania* 251: 768
Lebleu, B., see Martinand, C.
Lechner, J., see Mayr, S.
Leclerc, E., Vetter, S.: Characterization of a calcium-dependent calmodulin-binding domain in the 135-kD human protein 4.1 isoform 258: 567
Ledesma, A., Villalba, M., Batanero, E., Rodríguez, R.: Molecular cloning and expression of active Ole e 3, a major allergen from olive-tree pollen and member of a novel family of Ca^{2+}-binding proteins (polcalcins) involved in allergy 258: 454
Ledoux, D., see Liu, J.-F.
Leduque, P., see Le Roy, C.
Lee, A.-R., see Han, C.-L.
Lee, B. J., see Han, S. J.
Lee, B. L., see Lee, S. Y.
Lee, D., see Lee, J.-H.
Lee, H.-S., see Cha, H.-J.
Lee, I., see De Lauzon, S.
Lee, J.-H., Lim, S.-K., Huh, S.-H., Lee, D., Lee, W.: Solution structures of the melanocyte-stimulating hormones by two-dimensional NMR spectroscopy and dynamical simulated-annealing calculations 257: 31
Lee, J., see Vörös, K.
Lee, K. M., see Lee, S. Y.
Lee, K.-B., see Grasser, K. D.
Lee, S. K., see Park, J. A.
Lee, S. Y., Cho, M. Y., Hyun, J. H., Lee, K. M., Homma, K.-I., Natori, S., Kawabata, S.-I., Iwanaga, S., Lee, B. L.: Molecular cloning of cDNA for pro-phenol-oxidase-activating factor I, a serine protease is induced by lipopolysaccharide or 1,3-β-glucan in coleopteran insect, *Holotrichia diomphalia* larvae 257: 615
Lee, S. Y., Kwon, T. H., Hyun, J. H., Choi, J. S., Kawabata, S.-I., Iwanaga, S., Lee, B. L.: *In vitro* activation of pro-phenol-oxidase by two kinds of pro-phenol-oxidase-activating factors isolated from hemolymph of coleopteran, *Holotrichia diomphalia* larvae 254: 50
Lee, T. W., see Seifert, R.
Lee, W., see Lee, J.-H.
Lefebvre, A.-M., see De Vos, P.
Legrain, C., see Wilquet, V.
Legrand, P., see Debelle, L.
Legros, V., see Buzy, A.
Lehane, M. J., see Lehane, S. M.
Lehane, S. M., Assinder, S. J., Lehane, M. J.: Cloning, sequencing, temporal expression and tissue-specificity of two serine proteases from the midgut of the blood-feeding fly *Stomoxys calcitrans* 254: 290
Lehle, L., see Rothe, C.
Lei, Z., see Bian, L.
Leibach, F. H., see Börner, V.
Leiros, I., see Helland, R.
Leisinger, T., see Wasserfallen, A.
Leismann, O., Roth, M., Friedrich, T., Wende, W., Jeltsch, A.: The *Flavobacterium okeanokoites* adenine-N^6-specific DNA-methyltransferase M.*Fok*I is a tandem enzyme of two independent domains with very different kinetic properties 251: 899
Leitges, M., see Plomann, M.
Lemaire, S., see Krimm, I.
Lenaerts, J.-P., see Wuyts, A.
Lener, M., Vinci, G., Duponchel, C., Meo, T., Tosi, M.: Molecular cloning, gene structure and expression profile of mouse C1 inhibitor 254: 117
Lenter, M., see Niedermeyer, J.
Lenz, V. J., see Hassiepen, U.
Lenzner, C., see Thiele, H.
Lepetit, M., see Jouannic, N.
Lesage, A. S. J., see Masure, S.
Lessard, I. A. D., Domingo, G. J., Borges, A., Perham, R. N.: Expression of genes encoding the E2 and E3 components of the *Bacillus stearothermophilus* pyruvate dehydrogenase complex and the stoichiometry of subunit interaction in assembly *in vitro* 258: 491
Lessel, U., see Papir, G.
Leth-Larsen, R., see Ásgeirsson, B.
Letzelter, F., Wang, Y., Sebald, W.: The interleukin-4 site-2 epitope determining binding of the common receptor γ chain 257: 11
Levery, S. B., see Mårtensson, S.
Levi, M., see Millar, A. L.
Levitsky, D. I., Ponomarev, M. A., Geeves, M. A., Shnyrov, V. L., Manstein, D. J.: Differential scanning calorimetric study of the thermal unfolding of the motor domain fragments of *Dictyostelium discoideum* myosin II 251: 275
Leysen, J. E., see Masure, S.
Li, D. W.-C., Fass, U., Huizar, I., Spector, A.: Okadaic acid-induced lens epithelial cell apoptosis requires inhibition of phosphatase-1 and is associated with induction of gene expression including *p53* and *bax* 257: 351

Li, N., Fariss, R. N., Zhang, K., Otto-Bruc, A., Haeseleer, F., Bronson, D., Qin, N., Yamazaki, A., Subbaraya, I., Milam, A. H., Palczewski, K., Baehr, W.: Guanylate-cyclase-inhibitory protein is a frog retinal Ca^{2+}-binding protein related to mammalian guanylate-cyclase-activating proteins 252: 591
Li, Z., Becker, J., Noe, C. R.: Functional expression of recombinant *N*-methyl-D-aspartate receptors in the yeast *Saccharomyces cerevisiae* – Localization and pharmacological characterization 252: 391
Li, Z., see Becker, J.
Liao, C.-S., see Han, C.-L.
Libon, C., see Haeuw, J.-F.
Liebgott, T., see Pietri, S.
Liebl, W., see Meissner, H.
Lilja, H., see Peter, A.
Lill, H., see Engelbrecht, S.
Lim, S.-K., see Lee, J.-H.
Lin, J.-Y., see Wu, T.-H.
Lince, M. T., Vermaas, W.: Association of His117 in the D2 protein of photosystem II with a chlorophyll that affects excitation-energy transfer efficiency to the reaction center 256: 595
Lindahl, U., see Molist, A.
Lindahl, U., see Safaiyan, F.
Lindberg, Å., see Tornhamre, S.
Linde, V., Nielsen, L. S., Foster, D. C., Petersen, L. C.: Elimination of the Cys558-Cys566 bond in Lys78-plasminogen – Effect on activation and fibrin interaction 251: 472
Linder, M., see Mattinen, M.-L.
Lindgren, J. Å., see Tornhamre, S.
Lindgren, S., see Janciauskiene, S.
Lindley, N. D., see Dominguez, H.
Lindner, P., see Minuth, T.
Lindner, R. A., Kapur, A., Mariani, M., Titmuss, S. J., Carver, J. A.: Structural alterations of α-crystallin during its chaperone action 258: 170
Lindner, R. A., see van de Klundert, F. A. J. M.
Lindquist, P. J. G., Svensson, L. T., Alexson, S. E. H.: Molecular cloning of the peroxisome proliferator-induced 46-kDa cytosolic acyl-CoA thioesterase from mouse and rat liver – Recombinant expression in *Escherichia coli*, tissue expression, and nutritional regulation 251: 631
Ling, V., see Shapiro, A. B.
Ling, V., see Shapiro, A. B.
Link, G., see Johannes, F.-J.
Link, T. A., see Schröter, T.
Linnertz, H., Miksik, I., Kvasnicka, P., Bertoli, E., Mazzanti, L., Schoner, W., Amler, E.: Binding of pyrene isothiocyanate to the E_1ATP site makes the H_4-H_5 cytoplasmic loop of Na^+/K^+-ATPase rigid 251: 522
Linskens, M. H. K., see Heikoop, J. C.
Lion, L., see De Lauzon, S.
Lischke, A., see Moriggl, R.
Lisowska, E., see Kłopocki, A. G.
Litvak, S., see Dufour, E.
Litvinov, D. Y., see Frolova, L. Y.
Litzka, O., Papagiannopolous, P., Davis, M. A., Hynes, M. J., Brakhage, A. A.: The penicillin regulator PENR1 of *Aspergillus nidulans* is a HAP-like transcriptional complex 251: 758
Liu, F.-C., see Ho, H.-C.
Liu, G., see Hilderman, R. H.
Liu, G., see Im, S.-c.
Liu, J.-F., Issad, T., Chevet, E., Ledoux, D., Courty, J., Caruelle, J. P., Barritault, D., Crépin, M., Bertin, B.: *Priority paper.* Fibroblast growth factor-2 has opposite effects on human breast cancer MCF-7 cell growth depending on the activation level of the mitogen-activated protein kinase pathway 258: 271
Liu, J.-Q., Dairi, T., Itoh, N., Kataoka, M., Shimizu, S., Yamada, H.: Gene cloning, biochemical characterization and physiological role of a thermostable low-specificity L-threonine aldolase from *Escherichia coli* 255: 220
Liu, Y., see Grbavec, D.
Ljones, T., see Abudu, N.
Llorens-Cortès, C., see Vazeux, G.
Llorente, P., see Rubio, V.
Lo, R., see Grbavec, D.
LoBrutto, R., see Manna, P.
Lockau, W., see Ziegler, K.
Löbel, D., Marchese, S., Krieger, J., Pelosi, P., Breer, H.: Subtypes of odorant-binding proteins – Heterologous expression and ligand binding 254: 318
Löbler, M., see Vörös, K.
Löffler, G., see Schmidt, M.
Lofrumento, N. E., see Vasudevan, S.
Logan, D., see Mazauric, M.-H.
Loison, G., see Labit-Le Bouteiller, C.
Lomonte, B., see Páramo, L.
Longhi, S., see Maibèche-Coisne, M.
Longstaff, M., Powell, K. S., Gatehouse, J. A., Raemaekers, R., Newell, C. A., Hamilton, W. D. O.: Production and purification of active snowdrop lectin in *Escherichia coli* 252: 59
Looze, Y., see Oberg, K. A.
Lopatina, N. G., see Vanyushin, B. F.
Lopes Gomes, S., see Zelada, A.
López, P., see Amblar, M.
Lord, J. M., see Day, P. J.
Lorenz, M., see Hahmann, M.
Los, M., see Schulze-Osthoff, K.
Losso, R., see Nardone, E.
Lottspeich, F., see Tormay, P.
Lottspeich, F., see Wagner, J. T.
Louërat-Oriou, B., Perret, A., Pompon, D.: Differential redox and electron-transfer properties of purified yeast, plant and human NADPH-cytochrome *P*-450 reductases highly modulate cytochrome *P*-450 activities 258: 1040
Loverix, S., Laus, G., Martins, J. C., Wyns, L., Steyaert, J.: Reconsidering the energetics of ribonuclease catalysed RNA hydrolysis 257: 286
Lozano, J. A., see Martínez-Esparza, M.
Lu, G., see Elleingand, E.
Luchinat, C., see Aono, S.
Luchinat, C., see Im, S.-c.
Ludwig, B., see Schröter, T.
Ludwig, B., see Witt, H.
Lüdemann, H., see Wagner, J. T.
Lugovskoy, A. A., Maslennikov, I. V., Utkin, Y. N., Tsetlin, V. I., Cohen, J. B., Arseniev, A. S.: Spatial structure of the M3 transmembrane segment of the nicotinic acetylcholine receptor α subunit 255: 455
Lugovskoy, A. A., see Maslennikov, I. V.
Luh, T.-Y., see Huang, Y.-L.
Luhm, J., Schromm, A. B., Seydel, U., Brandenburg, K., Wellinghausen, N., Riedel, E., Schumann, R. R., Rink, L.: Hypothermia enhances the biological activity of lipopolysaccharide by altering its fluidity state 256: 325
Lullien-Pellerin, V., see Gautier, M.-F.
Lundwall, Å.: The cotton-top tamarin carries an extended semenogelin I gene but no semenogelin II gene 255: 45
Lundwall, Å., see Peter, A.
Lupker, J., see Labit-Le Bouteiller, C.
Lussier, I., see Popkov, M.

Maccarrone, M., Bellincampi, L., Melino, G., Finazzi Agrò, A.: Cholesterol, but not its esters, triggers programmed cell death in human erythroleukemia K562 cells 253: 107
Macgillivray, R. T. A., see Koepf, E. K.
MacIver, B., McCormack, A., Slee, R., Bownes, M.: Identification of an essential gene encoding a class-V unconventional myosin in *Drosophila melanogaster* 257: 529
Maciver, S. K., Pope, B. J., Whytock, S., Weeds, A. G.: The effect of two actin depolymerizing factors (ADF/cofilins) on actin filament turnover: pH sensitivity of F-actin binding by human ADF, but not of *Acanthamoeba* actophorin 256: 388
Mackenzie, D. A., see Spencer, J. A.
Macy, J. M., see Krafft, T.
Madgwick, P. J., Parmar, S., Parry, M. A. J.: Effect of mutations of residue 340 in the large subunit polypeptide of Rubisco from *Anacystis nidulans* 253: 476
Mádi, A., Punyiczki, M., di Rao, M., Piacentini, M., Fésüs, L.: Biochemical characterization and localization of transglutaminase in wild-type and cell-death mutants of the nematode *Caenorhabditis elegans* 253: 583
Madison, J., see Galliano, M.
Maeda, I., see Kashima, A.
Maeder, D., see Yip, K. S. P.
Maerki, W., see Bergwerff, A. A.
Magni, F., see Nardone, E.
Mahony, D., Stringer, B. W., Dickinson, J. L., Antalis, T. M.: DNase I hypersensitive sites in the 5′ flanking region of the human plasminogen activator inhibitor type 2 (PAI-2) gene are associated with basal and tumor necrosis factor-α-induced transcription in monocytes 256: 550
Mahy, J.-P., see De Lauzon, S.
Maibèche-Coisne, M., Longhi, S., Jacquin-Joly, E., Brunel, C., Egloff, M.-P., Gastinel, L., Cambillau, C., Tegoni, M., Nagnan-Le Meillour, P.: Molecular cloning and bacterial expression of a general odorant-binding protein from the cabbage armyworm *Mamestra brassicae* 258: 768
Maier, E., see Reumann, S.
Majetschak, M., Laub, M., Klocke, C., Steppuhn, J. A., Jennissen, H. P.: The ubiquityl-calmodulin synthetase system from rabbit reticulocytes: isolation of the calmodulin-binding second component and enzymatic properties 255: 492

Majetschak, M., Laub, M., Meyer, H. E., Jennissen, H. P.: The ubiquityl-calmodulin synthetase system from rabbit reticulocytes: isolation of the ubiquitin-binding first component, a ubiquitin-activating enzyme 255: 482
Majumdar, S., Bhattacharjee, H., Bhattacharyya, D., Bhaduri, A.: UDP-galactose 4-epimerase from *Kluyveromyces fragilis*: Reconstitution of holoenzyme structure after dissociation with parachloromercuribenzoate 257: 427
Malamas, M. S., see Hohman, T. C.
Malapert, M., Pellissier, B., Borgese, F.: Asn49 is the unique glycosylation site of the trout red blood cell Na^+/H^+ exchanger 257: 228
Malarkey, K., Coker, K. J., Sturgill, T. W.: Ribosomal S6 kinase is activated as an early event in preemergence development of encysted embryos of *Artemia salina* 251: 269
Malatesta, F., see Witt, H.
Malewicz, B., Mukherjee, J. J., Crilly, K. S., Baumann, W. J., Kiss, Z.: Phosphorylation of ethanolamine, methylethanolamine, and dimethylethanolamine by overexpressed ethanolamine kinase in NIH 3T3 cells decreases the co-mitogenic effects of ethanolamines and promotes cell survival 253: 10
Malka, D., see Calvo, E. L.
Mallet, A. I., see Noso, N.
Mallo, G. V., see Calvo, E. L.
Malm, J., see Peter, A.
Maloberti, P., see Finkielstein, C.
Malthouse, J. P. G., see Fitzpatrick, T. B.
Malygin, A., see Bulygin, K.
Mamos, P., see Karahalios, P.
Mamos, P., see Karahalios, P.
Manabe, T., Hasumi, A., Sugiyama, M., Yamazaki, M., Saito, K.: Alliinase [*S*-alk(en)yl-L-cysteine sulfoxide lyase] from *Allium tuberosum* (Chinese chive) – Purification, localization, cDNA cloning and heterologous functional expression 257: 21
Mancheño, J. M., see de los Rios, V.
Mandard, N., Sodano, P., Labbe, H., Bonmatin, J.-M., Bulet, P., Hetru, C., Ptak, M., Vovelle, F.: Solution structure of thanatin, a potent bactericidal and fungicidal insect peptide, determined from proton two-dimensional nuclear magnetic resonance data 256: 404
Mandaron, P., see Faik, A.
Mandelkow, E.-M., see Zheng-Fischhöfer, Q.
Mandelkow, E., see Zheng-Fischhöfer, Q.
Mandeville, R., see Popkov, M.
Mangione, P., see Bellotti, V.
Manna, P., LoBrutto, R., Eijckelhoff, C., Dekker, J. P., Vermaas, W.: Role of Arg180 of the D2 protein in photosystem II structure and function 251: 142
Mannaerts, G. P., see Wylin, T.
Mannesse, M. L. M., see Lang, D. A.
Manning, B. S., see Gros, J.
Manor, J., see Joh, D.
Manstein, D. J., see Levitsky, D. I.
Mansuy, D., see De Lauzon, S.
Manthey, G. M., Przybyla-Zawislak, B. D., McEwen, J. E.: The *Saccharomyces cerevisiae* Pet309 protein is embedded in the mitochondrial inner membrane 255: 156
Manzini, G., see Marsich, E.
Marchand, S., see Merten, M. D.
Marchese, S., Pes, D., Scaloni, A., Carbone, V., Pelosi, P.: Lipocalins of boar salivary glands binding odours and pheromones 252: 563
Marchese, S., see Löbel, D.
Marchis-Mouren, G., see Al Kazaz, M.
Marden, M. C., see Labesse, G.
Mariani, M., see Lindner, R. A.
Marie, C., Weintraub, A., Widmalm, G.: Structural studies of the O-antigenic polysaccharide from *Escherichia coli* O139 254: 378
Marié, I., see Rebouillat, D.
Marina, A., Uriarte, M., Barcelona, B., Fresquet, V., Cervera, J., Rubio, V.: Carbamate kinase from *Enterococcus faecalis* and *Enterococcus faecium* – Cloning of the genes, studies on the enzyme expressed in *Escherichia coli*, and sequence similarity with *N*-acetyl-L-glutamate kinase 253: 280
Marion, D., see Sainz, G.
Marion, D., see Sebban-Kreuzer, C.
Markley, J. L., Bax, A., Arata, Y., Hilbers, C. W., Kaptein, R., Sykes, B. D., Wright, P. E., Wüthrich, K.: Recommendations for the presentation of NMR structures of proteins and nucleic acids – IUPAC-IUBMB-IUPAB inter-union task group on the standardization of data bases of protein and nucleic acid structures determined by NMR spectroscopy 256: 1
Maroun, R. G., see Krebs, D.
Marraud, M., see Petit, M.-C.
Marsich, E., Xodo, L. E., Manzini, G.: Widespread presence in mammals and high binding specificity of a nuclear protein that recognises the single-stranded telomeric motif $(CCCTAA)_n$ 258: 93
Martens, E., see Vandenbroeck, K.
Martensen, P. M., see Frolova, L. Y.
Mårtensson, S., Levery, S. B., Fang, T. T., Bendiak, B.: Neutral core oligosaccharides of bovine submaxillary mucin – Use of lead tetraacetate in the cold for establishing branch positions 258: 603
Martin, A., see Wakarchuk, W. W.
Martin, C., see Bangsow, T.
Martin, I., Turco, S. J., Epand, R. M., Ruysschaert, J.-M.: Lipophosphoglycan of *Leishmania donovani* inhibits lipid vesicle fusion induced by the N-terminal extremity of viral fusogenic Simian immunodeficiency virus protein 258: 150
Martin, J. F., see Blanco, J.
Martin, J.-P., see Bost, F.
Martinand, C., Salehzada, T., Silhol, M., Lebleu, B., Bisbal, C.: RNase L inhibitor (RLI) antisense constructions block partially the down regulation of the 2-5A/RNase L pathway in encephalomyocarditis-virus-(EMCV)-infected cells 254: 248
Martinez, A., see Bjørgo, E.
Martinotti, S., see Tessitore, A.
Martin-Padura, I., see Guo, C.
Martins, J. C., see Loverix, S.
Martínez-Esparza, M., Jiménez-Cervantes, C., Solano, F., Lozano, J. A., García-Borrón, J. C.: Mechanisms of melanogenesis inhibition by tumor necrosis factor-α in B16/F10 mouse melanoma cells 255: 139
Martínez-González, J., see Vidal, F.
Maruta, S., Henry, G. D., Ohki, T., Kambara, T., Sykes, B. D., Ikebe, M.: Analysis of stress in the active site of myosin accompanied by conformational changes in transient state intermediate complexes using photoaffinity labeling and ^{19}F-NMR spectroscopy 252: 520
Maruta, S., Ohki, T., Kambara, T., Ikebe, M.: Characterization of the interaction of myosin with ATP analogues having the *syn* conformation with respect to the adenine-ribose bond 256: 229
Maruyama, N., Ichise, K., Katsube, T., Kishimoto, T., Kawase, S.-i., Matsumura, Y., Takeuchi, Y., Sawada, T., Utsumi, S.: Identification of major wheat allergens by means of the *Escherichia coli* expression system 255: 739
Maruyama, N., Katsube, T., Wada, Y., Oh, M. H., Barba De La Rosa, A. P., Okuda, E., Nakagawa, S., Utsumi, S.: The roles of the N-linked glycans and extension regions of soybean β-conglycinin in folding, assembly and structural features 258: 854
Marx, O., see Engelbrecht, S.
Marzulli, D., see Vasudevan, S.
Maslennikov, I. V., Sobol, A. G., Gladky, K. V., Lugovskoy, A. A., Ostrovsky, A. G., Tsetlin, V. I., Ivanov, V. T., Arseniev, A. S.: Two distinct structures of α-conotoxin GI in aqueous solution 254: 238
Maslennikov, I. V., see Lugovskoy, A. A.
Maslennikov, I. V., see Utkin, Y. N.
Mason, P. J., see Scopes, D. A.
Masuda, S., Hayashi, H., Araki, S.: Two vascular apoptosis-inducing proteins from snake venom are members of the metalloprotease/disintegrin family 253: 36
Masure, S., Cik, M., Pangalos, M. N., Bonaventure, P., Verhasselt, P., Lesage, A. S. J., Leysen, J. E., Gordon, R. D.: Molecular cloning, expression and tissue distribution of glial-cell-line-derived neurotrophic factor family receptor α-3 (GFRα-3) 251: 622
Matecki, A., see Pawelczyk, T.
Matias, I., see Chopin, V.
Matsubara, Y., Ono, T., Tsubuki, S., Irie, S., Kawashima, S.: Transient up-regulation of a prolyl endopeptidase activity in the microsomal fraction of rat liver during postnatal development 252: 178
Matsuda, H., see Okada, K.
Matsui, T., Sakurai, Y., Fujimura, Y., Hayashi, I., Oh-Ishi, S., Suzuki, M., Hamako, J., Yamamoto, Y., Yamazaki, J., Kinoshita, M., Titani, K.: Purification and amino acid sequence of halystase from snake venom of *Agkistrodon halys blomhoffii*, a serine protease that cleaves specifically fibrinogen and kininogen 252: 569
Matsumoto, H., Noguchi, H., Hayakawa, Y.: Primary cause of mortality in the armyworm larvae simultaneously parasitized by parasitic wasp and infected with bacteria 252: 299
Matsumura, Y., see Maruyama, N.
Mattéi, M.-G., see Aubry, F.
Mattinen, M.-L., Linder, M., Drakenberg, T., Annila, A.: Solution structure of the cellulose-binding domain of endoglucanase I from *Trichoderma reesei* and its interaction with cello-oligosaccharides 256: 279
Matts, R. L., see Thulasiraman, V.

Matzanke, B. F., see Müller, K.
Maurer, F., see Costa, M.
Maurer, T., see Hahmann, M.
Maurizi, M. R., see Thompson, M. W.
Maurizot, J.-C., see Paradinas, C.
Maxwell, E. S., see Leader, D. J.
May, M., see Bangsow, T.
May, P., see Mayr, S.
Mayer, C., see Köhrer, C.
Mayer, G., see Beyer, S.
Mayhew, S. G., see Toomey, D.
Mayhew, S. G., see Walsh, M. A.
Mayr, E.-M., see Wenk, M.
Mayr, S., Welte, T., Windegger, M., Lechner, J., May, P., Heinrich, P. C., Horn, F., Doppler, W.: Selective coupling of STAT factors to the mouse prolactin receptor 258: 784
Mazaleyrat, J.-P., see Blanco, J.
Mazauric, M.-H., Keith, G., Logan, D., Kreutzer, R., Giegé, R., Kern, D.: Glycyl-tRNA synthetase from *Thermus thermophilus* – Wide structural divergence with other prokaryotic glycyl-tRNA synthetases and functional inter-relation with prokaryotic and eukaryotic glycylation systems 251: 744
Mazumdar, S., see Das, T. K.
Mazzanti, L., see Linnertz, H.
Mazzini, A., see Ricchelli, F.
McAlister, M. S. B., Brown, M. H., Willis, A. C., Rudd, P. M., Harvey, D. J., Aplin, R., Shotton, D. M., Dwek, R. A., Barclay, A. N., Driscoll, P. C.: Structural analysis of the CD5 antigen – Expression, disulphide bond analysis and physical characterisation of CD5 scavenger receptor superfamily domain 1 257: 131
McArdle, P., see Walsh, M. A.
McCaffery, P., see Yamamoto, M.
McCammon, M. T., see Przybyla-Zawislak, B.
McCarthy, A., see Walsh, M. A.
McClellan, J. S., Coblentz, W. B., Sapp, M., Rulewicz, G., Gaines, D. I., Hawkins, A., Ozment, C., Bearden, A., Merritt, S., Cunningham, J., Palmer, E., Contractor, A. Pezzementi, L.: cDNA cloning, *in vitro* expression, and biochemical characterization of cholinesterase 1 and cholinesterase 2 from amphioxus – Comparison with cholinesterase 1 and cholinesterase 2 produced *in vivo* 258: 419
McCormack, A., see MacIver, B.
McEuen, A. R., Ashworth, D. M., Walls, A. F.: The conversion of recombinant human mast cell prochymase to enzymatically active chymase by dipeptidyl peptidase I is inhibited by heparin and histamine 253: 300
McEuen, A. R., Gaça, M. D. A., Buckley, M. G., He, S. Gore, M. G., Walls, A. F.: Two distinct forms of human mast cell chymase – Differences in affinity for heparin and in distribution in skin, heart, and other tissues 256: 461
McEwen, J. E., see Manthey, G. M.
McGowan, M. H., see Hohman, T. C.
McIntosh, D. B., see Moutin, M.-J.
McIver, L., Leadbeater, C., Campopiano, D. J., Baxter, R. L., Daff, S. N., Chapman, S. K., Munro, A. W.: Characterisation of flavodoxin NADP$^+$ oxidoreductase and flavodoxin; key components of electron transfer in *Escherichia coli* 257: 577
McKay, R., see Di Venere, A.
Medcalf, R. L., see Costa, M.
Medcalf, R. L., see Dear, A. E.
Medvedkine, V., see Popkov, M.
Meergans, T., Albig, W., Doenecke, D.: Conserved sequence elements in human main type-*H1* histone gene promoters: their role in *H1* gene expression 256: 436
Meggio, F., see Krehan, A.
Mehta, P. K., see Tormay, P.
Mei, G., see Di Venere, A.
Meier, R., see Andjelković, M.
Meiering, E. M., see Wilquet, V.
Meijerink, P. H. S., Yanakiev, P., Zorn, I., Grierson, A. J., Bikker, H., Dye, D., Kalaydjieva, L., Baas, F.: The gene for the human Src-like adaptor protein (hSLAP) is located within the 64-kb intron of the thyroglobulin gene 254: 297
Meiss, G., Franke, I., Gimadutdinow, O., Urbanke, C., Pingoud, A.: Biochemical characterization of *Anabaena* sp. strain PCC 7120 non-specific nuclease NucA and its inhibitor NuiA 251: 924
Meissner, H., Liebl, W.: *Thermotoga maritima* maltosyltransferase, a novel type of maltodextrin glycosyltransferase acting on starch and malto-oligosaccharides 258: 1050
Melck, D., see Bisogno, T.
Mele, P. G., see Finkielstein, C.
Melino, G., see Maccarrone, M.
Melton, J. V., see Porteous, W. K.
Melvin, W. T., see Duncan, M. E.
Melzer, M., see Teige, M.
Mendez, C. F., see Finkielstein, C.
Meng, M., Chen, Y.-T., Hsiao, Y.-Y., Itoh, Y., Bagdasarian, M.: Mutational analysis of the conserved cationic residues of *Bacillus stearothermophilus* 6-phosphoglucose isomerase 257: 500
Mentele, R., see Moser, M.
Mentele, R., see Serrano, S. M. T.
Mentlein, R., see Schindler, R.
Meo, T., see Lener, M.
Merkulova, T. I., see Frolova, L. Y.
Merritt, S., see McClellan, J. S.
Merten, M. D., Saleh, A., Kammouni, W., Marchand, S., Figarella, C.: Characterization of two distinct P2Y receptors in human tracheal gland cells 251: 19
Mertens, W., see Schoner, W.
Méry, J., see Pellegrin, P.
Mesch, K., see Pohl, M.
Mesgarzadeh, A., Pfeiffer, S., Engelke, J., Lassen, D., Rüterjans, H.: Bound water in apo and holo bovine heart fatty-acid-binding protein determined by heteronuclear NMR spectroscopy 251: 781
Messinger, L. A., see Kim, K.
Meunier, B., see Bröker, S.
Mevenkamp, G., see Palchaudhuri, M. R.
Meyer, C., see Jouanneau, Y.
Meyer, H. E., see Laub, M.
Meyer, H. E., see Majetschak, M.
Meyer, O., see Hänzelmann, P.
Meyer, T., see Friedrich, T.
Meyer, T. E., see Hu, W.
Miao, J., Irrgang, K.-D., Salnikow, J., Franke, P., Vater, J.: Close vicinity of Lhc b1 and Lhc b4 in Photosystem II – Membrane fragments as verified by chemical cross-linking 257: 586
Michaud, A., see Houard, X.
Michibata, H., see Yanaka, N.
Mieszala, M., see Katzenellenbogen, E.
Miginiac, E., see Pedron, J.
Miginiac-Maslow, M., see Krimm, I.
Mignotte, B., Vayssiere, J.-L.: *Review.* Mitochondria and apoptosis 252: 1
Mikami, T., Kusakabe, T., Suzuki, N.: Molecular cloning of cDNAs and expression of mRNAs encoding α and β subunits of soluble guanylyl cyclase from medaka fish *Oryzias latipes* 253: 42
Mikami, T., Tsuchihashi, K., Kashiwagi, M., Yachida, Y., Daino, T., Hashi, K., Akino, T., Gasa, S.: Characterization of a *O*-fatty-acylated sulfatide from equine brain 255: 289
Miksik, I., see Linnertz, H.
Milam, A. H., see Li, N.
Millar, A. L., Jackson, N. A. C., Dalton, H., Jennings, K. R., Levi, M., Wahren, B., Dimmock, N. J.: Rapid analysis of epitope-paratope interactions between HIV-1 and a 17-amino-acid neutralizing microantibody by electrospray ionization mass spectrometry 258: 164
Millar, A. L., see Buzy, A.
Miller, J., see Thompson, M. W.
Mills, J., Wyborn, N. R., Greenwood, J. A., Williams, S. G., Jones, C. W.: Characterisation of a binding-protein-dependent, active transport system for short-chain amides and urea in the methylotrophic bacterium *Methylophilus methylotrophus* 251: 45
Minami, T., Tachibana, K., Imanishi, T., Doi, T.: Both Ets-1 and GATA-1 are essential for positive regulation of platelet factor 4 gene expression 258: 879
Minchiotti, L., see Galliano, M.
Minks, C., see Budisa, N.
Mino, T., Yuasa, U., Nakamura, F., Naka, M., Tanaka, T.: Two distinct actin-binding sites of smooth muscle calponin 251: 262
Minoshima, S., see Miyazawa, K.
Minuth, T., Frey, G., Lindner, P., Rachel, R., Stetter, K. O., Jaenicke, R.: Recombinant homo- and hetero-oligomers of an ultra-stable chaperonin from the archaeon *Pyrodictium occultum* show chaperone activity *in vitro* 258: 837
Miossec, C., see Fassy, F.
Mirande, M., see Siatecka, M.
Miras, R., see Moutin, M.-J.
Misawa, E., Chan Kwo Chion, C. K. C., Archer, I. V., Woodland, M. P., Zhou, N.-Y., Carter, S. F., Widdowson, D. A., Leak, D. J.: Characterisation of a catabolic epoxide hydrolase from a *Corynebacterium* sp. 253: 173
Misawa, N., see Fraser, P. D.
Miskin, R., see Smicun, Y.
Mispelter, J., see Labesse, G.
Misselwitz, R., see Krah, M.
Misteli, B., see Wäspi, U.
Mitani, F., see Mukai, K.
Mitra, S., see Das, T. K.
Mitra, S., see Khan, K. K.
Mitsui, Y., see Arvidsson, K.

Miura, K., Shinoda, T., Yura, M., Nomura, S., Kamiya, K., Yuda, M., Chinzei, Y.: Two hexameric cyanoprotein subunits from an insect, *Riptortus clavatus* – Sequence, phylogeny and developmental and juvenile hormone regulation 258: 929
Miura, T., see Takahashi, Y.
Miyamura, T., see Towatari, T.
Miyatake, S., see Kimoto, M.
Miyazawa, K., Wang, Y., Minoshima, S., Shimizu, N., Kitamura, N.: Structural organization and chromosomal localization of the human hepatocyte growth factor activator gene – Phylogenetic and functional relationship with blood coagulation factor XII, urokinase, and tissue-type plasminogen activator 258: 355
Mizon, C., see Flahaut, C.
Mizon, J., see Flahaut, C.
Mizuki, K., Kadomatsu, K., Hata, K., Ito, T., Fan, Q.-W., Kage, Y., Fukumaki, Y., Sakaki, Y., Takeshige, K., Sumimoto, H.: Functional modules and expression of mouse $p40^{phox}$ and $p67^{phox}$, SH3-domain-containing proteins involved in the phagocyte NADPH oxidase complex 251: 573
Mizuki, K., see Nakamura, R.
Mkrtchian, S., Fang, C., Hellman, U., Ingelman-Sundberg, M.: A stress-inducible rat liver endoplasmic reticulum protein, ERp29 251: 304
Mochizuki, M., see Noso, N.
Mock, M., see Wang, X.-M.
Möhlig, M., see Fährmann, M.
Möhlmann, T., Tjaden, J., Schwöppe, C., Winkler, H. H., Kampfenkel, K., Neuhaus, H. E.: Occurrence of two plastidic ATP/ADP transporters in *Arabidopsis thaliana* L – Molecular characterisation and comparative structural analysis of similar ATP/ADP translocators from plastids and *Rickettsia prowazekii* 252: 353
Molenaar, D., van der Rest, M. E., Petrović, S.: Biochemical and genetic characterization of the membrane-associated malate dehydrogenase (acceptor) from *Corynebacterium glutamicum* 254: 395
Molist, A., Romarís, M., Lindahl, U., Villena, J., Touab, M., Bassols, A.: Changes in glycosaminoglycan structure and composition of the main heparan sulphate proteoglycan from human colon carcinoma cells (perlecan) during cell differentiation 254: 371
Møller, J. V., see Soulié, S.
Mollner, S., Ferreira, P., Beck, K., Pfeuffer, T.: Nonenzymatic palmitoylation at Cys 3 causes extra-activation of the α-subunit of the stimulatory GTP-binding protein G_s 257: 236
Mondal, M. S., see Khan, K. K.
Monnens, L. A. H., see Groffen, A. J. A.
Monney, L., Olivier, R., Otter, I., Jansen, B., Poirier, G. G., Borner, C.: Role of an acidic compartment in tumor-necrosis-factor-α–induced production of ceramide, activation of caspase-3 and apoptosis 251: 295
Morales-Betoulle, M. E., see Blisnick, T.
Morassutti, C., see Scaggiante, B.
Morell, M. K., see Blennow, A.
Morelle, W., Cabada, M. O., Strecker, G.: Structural analysis of oligosaccharide-alditols released by reductive β-elimination from the jelly coats of the anuran *Bufo arenarum* 252: 253
Moreno, E., see Páramo, L.
Moreno, G., see Ricchelli, F.
Moretti, J.-L., see Vergote, J.
Morgan, E. H., see Graham, R. M.
Mori, Y., see Ito, A.
Moriggl, R., Erhardt, I., Kammer, W., Berchtold, S., Schnarr, B., Lischke, A., Groner, B., Friedrich, K.: Activation of STAT6 is not dependent on phosphotyrosine-mediated docking to the interleukin-4 receptor and can be blocked by dominant-negative mutants of both receptor subunits 251: 25
Morinaga, T., Nakagawa, N., Yasuda, H., Tsuda, E., Higashio, K.: Cloning and characterization of the gene encoding human osteoprotegerin/osteoclastogenesis-inhibitory factor 254: 685
Morishita, R., see Asano, T.
Morisset, J., see Calvo, E. L.
Moritz, R. L., see Grover, P. K.
Morlière, P., Santus, R.: Pro-oxidant role of superoxide dismutase in ultraviolet-A-induced lipid peroxidation in cultured normal human skin fibroblasts 256: 184
Mornon, J.-P., see Labesse, G.
Mornon, J.-P., see Talfournier, F.
Moroder, L., see Budisa, N.
Morris, J. G. Jr, see Reddy, G. P.
Moser, M., Auerswald, E., Mentele, R., Eckerskorn, C., Fritz, H., Fink, E.: Bdellastasin, a serine protease inhibitor of the antistasin family from the medical leech (*Hirudo medicinalis*) – Primary structure, expression in yeast, and characterisation of native and recombinant inhibitor 253: 212
Moskowitz, H., Herrmann, R., Jones, A. D., Hammock, B. D.: A depressant insect-selective toxin analog from the venom of the scorpion *Leiurus quinquestriatus hebraeus* – Purification and structure/function characterization 254: 44
Mossi, R., Hübscher, U.: *Minireview*. Clamping down on clamps and clamp loaders – The eukaryotic replication factor C 254: 209
Motamedi, H., Shafiee, A.: The biosynthetic gene cluster for the macrolactone ring of the immunosuppressant FK506 256: 528
Mottagui-Tabar, S., Tuite, M. F., Isaksson, L. A.: The influence of 5′ codon context on translation termination in *Saccharomyces cerevisiae* 257: 249
Moulin, A., see David, L.
Moura, I., see Pettigrew, G. W.
Moura, J. J. G., see Pettigrew, G. W.
Mourey, L., see Alazard, R.
Moutin, M.-J., Rapin, C., Miras, R., Vinçon, M., Dupont, Y., McIntosh, D. B.: Autonomous folding of the recombinant large cytoplasmic loop of sarcoplasmic reticulum Ca^{2+}-ATPase probed by affinity labeling and trypsin digestion 251: 682
Moutoussamy, S., Kelly, P. A., Finidori, J.: *Review*. Growth-hormone-receptor and cytokine-receptor-family signaling 255: 1
Mowbray, J., see Patel, B.
Muckenthaler, M., Gunkel, N., Frishman, D., Cyrklaff, A., Tomancak, P., Hentze, M. W.: Iron-regulatory protein-1 (IRP-1) is highly conserved in two invertebrate species – Characterization of IRP-1 homologues in *Drosophila melanogaster* and *Caenorhabditis elegans* 254: 230
Muckenthaler, M., see Andersen, Ø.
Mühlbauer, S. K., see Edhofer, I.
Mülders, T., see Hassiepen, U.
Müller, F., see Griffin, K. J.
Müller, K., Matzanke, B. F., Schünemann, V., Trautwein, A. X., Hantke, K.: FhuF, an iron-regulated protein of *Escherichia coli* with a new type of [2Fe-2S] center 258: 1001
Müller, O., see Deka, J.
Müller, W. E. G., see Kuusksalu, A.
Müntz, K., see Senyuk, V.
Muijsers, A. O., see Nijtmans, L. G. J.
Muijsers, A. O., see Renkema, G. H.
Mukai, K., Mitani, F., Agake, R., Ishimura, Y.: Adrenocorticotropic hormone stimulates *CYP11B1* gene transcription through a mechanism involving AP-1 factors 256: 190
Mukherjee, J. J., see Malewicz, B.
Mukhija, S., Germeroth, L., Schneider-Mergener, J., Erni, B.: Identification of peptides inhibiting enzyme I of the bacterial phosphotransferase system using combinatorial cellulose-bound peptide libraries 254: 433
Mulders, J. W. M., see Heikoop, J. C.
Mulvany, W. J., see Roberts, D. B.
Mumenthaler, U., see Chiquet, M.
Munro, A. W., see McIver, L.
Munro, S. L. A., see Yamauchi, K.
Murakami, K., see Ozoline, O. N.
Murata, N., see Sippola, K.
Murayama, K., see Yamakura, F.
Murayama, N., see Serrano, S. M. T.
Murofushi, H., see Haga, K.
Murphy, M. P., see Porteous, W. K.
Murray, G. I., see Duncan, M. E.
Muscholl-Silberhorn, A.: Analysis of the clumping-mediating domain(s) of sex pheromone plasmid pAD1-encoded aggregation substance 258: 515
Mutharia, L. M., see Sadovskaya, I.

Nádvorník, R., see Vomastek, T.
Näsman-Glaser, B., see Tornhamre, S.
Nagasawa, T., see Omura, H.
Nagasawa, T., see Wieser, M.
Nagase, H., see Ito, A.
Nagata, K., see Kawazoe, Y.
Nagata, R., see Fujimoto, Y.
Nagnan-Le Meillour, P., see Maibèche-Coisne, M.
Naka, M., see Mino, T.
Nakada, K., see Watanabe, N.
Nakagawa, N., see Morinaga, T.
Nakagawa, S., see Maruyama, N.
Nakagawa, T., see Okada, K.
Nakai, A., see Kawazoe, Y.
Nakajima, T., see Yabe, T.
Nakamasu, K., see Kawamoto, T.
Nakamura, F., see Mino, T.
Nakamura, H., Fujii, Y., Ohuchi, E., Yamamoto, E., Okada, Y.: Activation of the precursor of human stromelysin 2 and its interactions with other matrix metalloproteinases 253: 67
Nakamura, R., Sumimoto, H., Mizuki, K., Hata, K., Ago, T., Kitajima, S., Takeshige, K., Sakaki, Y., Ito, T.: The PC motif: a novel and evolutionarily conserved sequence involved in interaction between $p40^{phox}$ and $p67^{phox}$, SH3 domain-containing cytosolic factors of the phagocyte NADPH oxidase 251: 583

Nakanishi, H., see Arvidsson, K.
Nakano, M., see Kudo, K.
Nakayama, K., see Yamakura, F.
Nake, C., see Pedron, J.
Nanard, N., see Boisbouvier, J.
Nardone, E., Rosano, C., Santambrogio, P., Curnis, F., Corti, A., Magni, F., Siccardi, A. G., Paganelli, G., Losso, R., Apreda, B., Bolognesi, M., Sidoli, A., Arosio, P.: Biochemical characterization and crystal structure of a recombinant hen avidin and its acidic mutant expressed in *Escherichia coli* 256: 453
Naït-Kaoudjt, R., Guiard, B., Gervais, M.: Evidence of an overlap between the two half-sites of UAS1-B/*CYC1* – A new model for Cyp1p (Hap1p) DNA binding 254: 111
Natori, S., see Lee, S. Y.
Naylor, C. E., see Scopes, D. A.
Nedertoft, M. M., see Ásgeirsson, B.
Negre, D., see Oudot, C.
Nelson, D. L., see Kim, K.
Nemoto, T., see Arvidsson, K.
Neri, F., Indiani, C., Welinder, K. G., Smulevich, G.: Mutation of the distal arginine in *Coprinus cinereus* peroxidase – Structural implications 251: 830
Nes, I. F., see Hauge, H. H.
Nesper, M., Nock, S., Sedlák, E., Antalík, M., Podhradský, D., Sprinzl, M.: Dimers of *Thermus thermophilus* elongation factor Ts are required for its function as a nucleotide exchange factor of elongation factor Tu 255: 81
Neubert, K., see Börner, V.
Neuhaus, H. E., see Möhlmann, T.
Neumair, O., see Köhrer, C.
Neuman, I., see Finkielstein, C.
Nevalainen, H., see Harrison, M. J.
Nevinsky, G., see Dufour, E.
Newell, C. A., see Longstaff, M.
Newton, M., see Bunting, K.
Newton, R., Hart, L. A., Stevens, D. A., Bergmann, M., Donnelly, L. E., Adcock, I. M., Barnes, P. J.: Effect of dexamethasone on interleukin-1β-(IL-1β)-induced nuclear factor-κB (NF-κB) and κB-dependent transcription in epithelial cells 254: 81
Nguyen, C., see Blanco, J.
Nguyen, T. N., see Haeuw, J.-F.
Nguyen Van, P., see Ferrari, D. M.
Niccolai, N., see Scarselli, M.
Nicolay, K., see Gellerich, F. N.
Nicoletti, F., see Witt, H.
Nidetzky, B., see Fürlinger, M.
Niedermeyer, J., Enenkel, B., Park, J. E., Lenter, M., Rettig, W. J., Damm, K., Schnapp, A.: Mouse fibroblast-activation protein – Conserved *Fap* gene organization and biochemical function as a serine protease 254: 650
Nieduszynski, I. A., see Huckerby, T. N.
Nieduszynski, I. A., see Huckerby, T. N.
Nieduszynski, I. A., see Huckerby, T. N.
Nield, J., see Boekema, E. J.
Nielsen, L. S., see Linde, V.
Nielsen, S. M., Elling, C. E., Schwartz, T. W.: Split-receptors in the tachykinin neurokinin-1 system – Mutational analysis of intracellular loop 3 251: 217
Nieman, R., see He, Q.
Nieto, A. R., see Boisbouvier, J.
Nijtmans, L. G. J., Taanman, J.-W., Muijsers, A. O., Speijer, D., Van den Bogert, C.: Assembly of cytochrome-*c* oxidase in cultured human cells 254: 389
Nilsson, G., Gustafsson, M., Vandenbussche, G., Veldhuizen, E., Griffiths, W. J., Sjövall, J., Haagsman, H. P., Ruysschaert, J.-M., Robertson, B., Curstedt, T., Johansson, J.: Synthetic peptide-containing surfactants – Evaluation of transmembrane versus amphipathic helices and surfactant protein C poly-valyl to poly-leucyl substitution 255: 116
Nilsson, G., see Johnsen, A. H.
Nishida, M., see Yabuki, M.
Nishikawa, F., see Gal, S. W.
Nishikawa, S., see Gal, S. W.
Nishimura, S., see Ogawa, K.
Nishimura, Y., see Katahira, M.
Nissen-Meyer, J., see Hauge, H. H.
Nock, S., see Nesper, M.
Noe, C. R., see Becker, J.
Noe, C. R., see Li, Z.
Noè, M., see Thiyagarajan, M. M.
Nöhring, S., see Hinderlich, S.
Noguchi, H., see Hayakawa, Y.
Noguchi, H., see Matsumoto, H.
Nomura, S., see Miura, K.
Nonaka, Y., Fujii, T., Kagawa, N., Waterman, M. R., Takemori, H., Okamoto, M.: Structure/function relationship of CYP11B1 associated with Dahl's salt-resistant rats – Expression of rat CYP11B1 and CYP11B2 in *Escherichia coli* 258: 869
Noorman, F., Barrett-Bergshoeff, M. M., Rijken, D. C.: Role of carbohydrate and protein in the binding of tissue-type plasminogen activator to the human mannose receptor 251: 107
Norton, R. S., see Tudor, J. E.
Nose, T., see Kashima, A.
Noshiro, M., see Kawamoto, T.
Noso, N., Bartels, J., Mallet, A. I., Mochizuki, M., Christophers, E., Schröder, J.-M.: Delayed production of biologically active O-glycosylated forms of human eotaxin by tumor-necrosis-factor-α-stimulated dermal fibroblasts 253: 114
Nouwens, A. S., see Harrison, M. J.
Nováková, O., see Žákovská, A.
Nuber, U., Schwarz, S. E., Scheffner, M.: The ubiquitin-protein ligase E6-associated protein (E6-AP) serves as its own substrate 254: 643
Nurten, R., see Bektaş, M.
Nussbaum, J.-L., see della Gaspera, B.
Nutt, A., Sild, V., Pettersson, G., Johansson, G.: Progress curves – A mean for functional classification of cellulases 258: 200
Nwaka, S., see Zähringer, H.
Nyman, T. A., Kalkkinen, N., Tölö, H., Helin, J.: Structural characterisation of N-linked and O-linked oligosaccharides derived from interferon-α2b and interferon-α14c produced by Sendai-virus-induced human peripheral blood leukocytes 253: 485

Oberg, K. A., Ruysschaert, J.-M., Azarkan, M., Smolders, N., Zerhouni, S., Wintjens, R., Amrani, A., Looze, Y.: Papaya glutamine cyclase, a plant enzyme highly resistant to proteolysis, adopts an all-β conformation 258: 214
Oberthür, A., see Bangsow, T.
Obradors, N., Cabiscol, E., Aguilar, J., Ros, J.: Site-directed mutagenesis studies of the metal-binding center of the iron-dependent propanediol oxidoreductase from *Escherichia coli* 258: 207
O'Brien, J., see Rieder, C.
Oda, M., Shiraishi, A., Hasegawa, M.: Analysis of the ternary complex formation of human urokinase with the separated two domains of its receptor 256: 411
Oda, R., see Kawamoto, T.
O'Donnell, N., see Guile, G. R.
O'Donovan, D. J., see Lardner, A. L.
Östling, J., Ronne, H.: Negative control of the Mig1p repressor by Snf1p-dependent phosphorylation in the absence of glucose 252: 162
O'Farrell, P. A., see Walsh, M. A.
Ofman, R., see Ventura, F. V.
Ogawa, H., see Haga, K.
Ogawa, K., Nishimura, S., Uchiyama, S., Kobayashi, K., Kyogoku, Y., Hayashi, M., Kobayashi, Y.: Conformation analysis of eel calcitonin – Comparison with the conformation of elcatonin 257: 331
Ogawa, T., see Kimoto, M.
Oh, B.-H., see Cha, H.-J.
Oh, J., see Chefalo, P. J.
Oh, M. H., see Maruyama, N.
Oh, M.-H., see Soboll, S.
Ohashi, S., see Arvidsson, K.
Ohgiya, S., see Kobayashi, T.
Ohi, H., see Kobayashi, H.
Oh-Ishi, S., see Matsui, T.
Ohki, T., see Maruta, S.
Ohki, T., see Maruta, S.
Ohtsu, T., Kimura, M. T., Katagiri, C.: How *Drosophila* species acquire cold tolerance – Qualitative changes of phospholipids 252: 608
Ohtsuka, A., see Yanaka, N.
Ohuchi, E., see Nakamura, H.
Oka, T., see Kimoto, M.
Okada, K., Kainou, T., Tanaka, K., Nakagawa, T., Matsuda, H., Kawamukai, M.: Molecular cloning and mutational analysis of the *ddsA* gene encoding decaprenyl diphosphate synthase from *Gluconobacter suboxydans* 255: 52
Okada, Y., see Kawamoto, T.
Okada, Y., see Nakamura, H.
Okamoto, M., see Nonaka, Y.
Okita, M., see Kimoto, M.
Okuda, E., see Maruyama, N.
Okumura, K., see Yanaka, N.
Oliva, S., see Rinaldi, A. C.
Oliver, J. D., see Elliott, J. G.
Oliver, J. D., see van der Wal, F. J.
Olivier, J. L., see Paradon, M.
Olivier, M., Cook, P., DeSanctis, J., Hel, Z., Wojciechowski, W., Reiner, N. E., Skamene, E., Radzioch, D.: Phenotypic difference between Bcg^r and Bcg^s macrophages is related to differences in protein-kinase-C-dependent signalling 251: 734
Olivier, R., see Monney, L.
Olsthoorn, A. J. J., Otsuki, T., Duine, J. A.: Negative cooperativity in the steady-state kinetics of sugar oxidation by soluble quinoprotein glucose dehydrogenase from *Acinetobacter calcoaceticus* 255: 255
Omori, K., see Yanaka, N.

Omura, H., Wieser, M., Nagasawa, T.: Pyrrole-2-carboxylate decarboxylase from *Bacillus megaterium* PYR2910, an organic-acid-requiring enzyme 253: 480
Oñaderra, M., see de los Rios, V.
Ong, D. E., see Yamamoto, M.
Ono, T., see Matsubara, Y.
Oretskaya, T., see Antsypovich, S.
Orlewski, P., see Petit, M.-C.
Osman, S. F., see Cescutti, P.
Osterhout, J. J. Jr, see Dyson, H. J.
Ostoa-Saloma, P., see Garza-Ramos, G.
Ostrovsky, A. G., see Maslennikov, I. V.
Otsu, K., see Yabuki, M.
Otsuki, T., see Olsthoorn, A. J. J.
Ottado, J., Ceccarelli, E. A.: A fully active FAD-containing precursor remains folded up to its translocation across the chloroplast membranes 253: 132
Otter, I., see Monney, L.
Otterbach, J. T., see Pasternack, R.
Otto, A., see Bergeron, F.
Otto, A., see Hennecke, M.
Otto, B., see Waschütza, G.
Otto-Bruc, A., see Li, N.
Oudot, C., Jault, J.-M., Jaquinod, M., Negre, D., Prost, J.-F., Cozzone, A. J., Cortay, J.-C.: Inactivation of isocitrate dehydrogenase kinase/phosphatase by 5′-[*p*-(fluorosulfonyl)-benzoyl]adenosine is not due to the labeling of the invariant lysine residue found in the protein kinase family 258: 579
Ouellette, M., see Leblanc, É.
Overall, M., see Yamauchi, K.
Ovod, V. V., see Knirel, Y. A.
Ovod, V. V., see Knirel, Y. A.
Ozaki, C., see Yu, H.
Ozaki, K., see Seki, T.
Ozment, C., see McClellan, J. S.
Ozoline, O. N., Fujita, N., Murakami, K., Ishihama, A.: Monitoring of RNA polymerase–DNA UP element interaction by a fluorescent probe conjugated to α subunit 253: 371
Ozon, S., see Byk, T.

Paci, M., see Coiro, V. M.
Packer, M. A., see Porteous, W. K.
Packer, N. H., see Harrison, M. J.
Packer, N. H., see Jung, E.
Padhy, L., see Khan, K. K.
Paganelli, G., see Nardone, E.
Pagano, M., see Boudjennah, L.
Pakdaman, R., Petitjean, M., El Hage Chahine, J.-M.: Transferrins – A mechanism for iron uptake by lactoferrin 254: 144
Palchaudhuri, M. R., Wille, S., Mevenkamp, G., Spiess, J., Fuchs, E., Dautzenberg, F. M.: Corticotropin-releasing factor receptor type 1 from *Tupaia belangeri* – Cloning, functional expression and tissue distribution 258: 78
Palczewski, K., see Li, N.
Palma, P. N., see Pettigrew, G. W.
Palmer, E., see McClellan, J. S.
Palmer, T., see Sargent, F.
Pamplona, R., Requena, J. R., Portero-Otín, M., Prat, J., Thorpe, S. R., Bellmunt, M. J.: Carboxymethylated phosphatidylethanolamine in mitochondrial membranes of mammals – Evidence for intracellular lipid glycoxidation 255: 685
Pan, H., see Kawamoto, T.
Pandey, S., Sopory, S. K.: Biochemical evidence for a calmodulin-stimulated calcium-dependent protein kinase in maize 255: 718
Pang, C.-Y., see Porteous, W. K.
Pangalos, M. N., see Masure, S.
Panneman, H., Ruijter, G. J. G., van den Broeck, H. C., Visser, J.: Cloning and biochemical characterisation of *Aspergillus niger* hexokinase – The enzyme is strongly inhibited by physiological concentrations of trehalose 6-phosphate 258: 223
Pansky, A., see Fasler-Kan, E.
Pantopoulos, K., see Andersen, Ø.
Paoletti, S., see Cescutti, P.
Papa, S., see Xu, T.
Papadopoulou, B., see Leblanc, É.
Papagiannopolous, P., see Litzka, O.
Papaioannou, D., see Karahalios, P.
Papir, G., Spungin-Bialik, A., Ben-Meir, D., Fudim, E., Gilboa, R., Greenblatt, H. M., Shoham, G., Lessel, U., Schomburg, D., Ashkenazi, R., Blumberg, S.: Inhibition of *Streptomyces griseus* aminopeptidase and effects of calcium ions on catalysis and binding – Comparisons with the homologous enzyme *Aeromonas proteolytica* aminopeptidase 258: 313
Paradinas, C., Gervais, A., Maurizot, J.-C., Culard, F.: Structure-specific binding recognition of a methanogen chromosomal protein 257: 372
Paradon, M., Salvat, C., Fan, Q., Bereziat, G., Olivier, J. L.: An SP1-like 5′-GAC-CACGCC-3′ sequence is critical for activity of the inflammatory phospholipase A_2 promoter and binds several non-zinc finger proteins 258: 113
Páramo, L., Lomonte, B., Pizarro-Cerdá, J., Bengoechea, J.-A., Gorvel, J.-P., Moreno, E.: Bactericidal activity of Lys49 and Asp49 myotoxic phospholipases A_2 from *Bothrops asper* snake venom – Synthetic Lys49 myotoxin II-(115–129)-peptide identifies its bactericidal region 253: 452
Paramonov, N. A., see Bartodziejska, B.
Paramonov, N. A., see Knirel, Y. A.
Pařenicová, L., Benen, J. A. E., Kester, H. C. M., Visser, J.: *pga*E encodes a fourth member of the endopolygalacturonase gene family from *Aspergillus niger* 251: 72
Parise, G., see D'Auria, S.
Park, J. A., Kim, K.-W., Kim, S. I., Lee, S. K.: Caspase 3 specifically cleaves $p21^{WAF1/CIP1}$ in the earlier stage of apoptosis in SK-HEP-1 human hepatoma cells 257: 242
Park, J. E., see Niedermeyer, J.
Park, K.-H., see Cha, H.-J.
Parmar, S., see Madgwick, P. J.
Parry, M. A. J., see Madgwick, P. J.
Parsiegla, G., Schmidt, A. K., Schulz, G. E.: Substrate binding to a cyclodextrin glycosyltransferase and mutations increasing the γ-cyclodextrin production 255: 710
Parthier, B., see Vörös, K.
Paschinger, K., see Altmann, F.
Pasheva, E., see Janoueix-Lerosey, I.
Passamonti, S., Battiston, L., Sottocasa, G. L.: Bilitranslocase can exist in two metastable forms with different affinities for the substrates – Evidence from cysteine and arginine modification 253: 84
Passeron, S., see Zelada, A.
Pasternack, R., Dorsch, S., Otterbach, J. T., Robenek, I. R., Wolf, S., Fuchsbauer, H.-L.: Bacterial pro-transglutaminase from *Streptoverticillium mobaraense* – Purification, characterisation and sequence of the zymogen 257: 570
Pastore, L., see Tessitore, A.
Patel, B., Berhane, Y., Petrovic, A., Mowbray, J.: The mitochondrial phosphoglyceroyl-ATP-containing polymer, purinogen, is unchanged by cardiac ischaemia and reperfusion but may function in the regulation of free intracellular inorganic phosphate concentrations 254: 75
Pathiaseril, A., see Woods, R. J.
Paul, C., Simar-Blanchet, A.-E., Ro, H.-S., Le Cam, A.: Characterization of three transcriptional repressor sites within the 3′ untranslated region of the rat serine protease inhibitor 2.3 gene 254: 538
Paulsen, H., see Ros, F.
Paulsson, M., see Plomann, M.
Pawelczyk, T., Matecki, A.: Localization of phospholipase C δ3 in the cell and regulation of its activity by phospholipids and calcium 257: 169
Payen, D., see Ducrocq, C.
Paz, C., see Finkielstein, C.
Pech, J.-C., see Bidonde, S.
Pecht, I., see Hampe, C. S.
Pedron, J., Brault, M., Nake, C., Miginiac, E.: Detection of abscisic-acid-binding proteins in the microsomal protein fraction of *Arabidopsis thaliana* with abscisic-acid–protein conjugates used as affinity probes 252: 385
Peelman, F., see Pérez-Méndez, O.
Pehk, T., see Kuusksalu, A.
Peleg-Shulman, T., see Bauer, C.
Pellegrin, P., Chaloin, L., Roustan, C., Méry, J., Bennes, R.: Aggregates of an amphiphilic synthetic peptide bind and deliver all-*trans* retinol and all-*trans* retinoic acid into fibroblast cells 251: 480
Pellissier, B., see Malapert, M.
Pelosi, P., see Löbel, D.
Pelosi, P., see Marchese, S.
Pennington, M. W., see Tudor, J. E.
Pepin, R., see Tissot, G.
Pereira, R., see Di Jeso, B.
Pereverzev, A., see Vajna, R.
Pérez-Méndez, O., Vanloo, B., Decout, A., Goethals, M., Peelman, F., Vandekerckhove, J., Brasseur, R., Rosseneu, M.: Contribution of the hydrophobicity gradient of an amphipathic peptide to its mode of association with lipids 256: 570
Pérez-Montfort, R., see Garza-Ramos, G.
Perez-Reyes, E., see Vajna, R.
Perham, R. N., see Lessard, I. A. D.
Perl, S., see Bangsow, T.
Perlaky, L., see Ren, Y.
Perret, A., see Louërat-Oriou, B.
Perry, M. B., see Cox, A. D.
Pes, D., see Marchese, S.
Peter, A., Lilja, H., Lundwall, Å., Malm, J.: Semenogelin I and semenogelin II, the major gel-forming proteins in human semen, are substrates for transglutaminase 252: 216
Peter, M. E., see Schulze-Osthoff, K.
Peters, K., see Eschenburg, S.

Petersen, A., see Schramm, G.
Petersen, L. C., see Linde, V.
Petersen, T. E., see Rasmussen, J. T.
Petit, M.-C., Orlewski, P., Tsikaris, V., Sakarellos-Daitsiotis, M., Sakarellos, C., Tzinia, A., Konidou, G., Soteriadou, K. P., Marraud, M., Cung, M. T.: Solution structures of the fibronectin-like *Leishmania* gp63 SRYD-containing sequence in the free and antibody-bound states – Transferred NOE and molecular dynamics studies 253: 184
Petitjean, M., see Pakdaman, R.
Petri, T., see Toschi, L.
Petrovic, A., see Patel, B.
Petrović, S., see Molenaar, D.
Petsko, G. A., see Yamakura, F.
Pette, D., see Schuler, M. J.
Pettersson, G., see Nutt, A.
Pettersson, G., see Väljamäe, P.
Pettigrew, G. W., Gilmour, R., Goodhew, C. F., Hunter, D. J. B., Devreese, B., Van Beeumen, J., Costa, C., Prazeres, S., Krippahl, L., Palma, P. N., Moura, I., Moura, J. J. G.: The surface-charge asymmetry and dimerisation of cytochrome *c*550 from *Paracoccus denitrificans* – implications for the interaction with cytochrome *c* peroxidase 258: 559
Peyton, D. H., see Clish, C. B.
Pézolet, M., see Raussens, V.
Pezzementi, L., see McClellan, J. S.
Pfeiffer, A., see Fährmann, M.
Pfeiffer, M., Bingemann, R., Klein, A.: Fusion of two subunits does not impair the function of a [NiFeSe]-hydrogenase in the archaeon *Methanococcus voltae* 256: 447
Pfeiffer, P., see Göttlich, B.
Pfeiffer, P., see Reichenberger, S.
Pfeiffer, S., see Mesgarzadeh, A.
Pfeuffer, T., see Mollner, S.
Pfizenmaier, K., see Johannes, F.-J.
Pham-Dinh, D., see della Gaspera, B.
Philipp, S., Kim, Y.-M., Dürr, I., Wenzl, G., Vogt, M., Flecker, P.: Mutational analysis of disulfide bonds in the trypsin-reactive subdomain of a Bowman-Birk-type inhibitor of trypsin and chymotrypsin – Cooperative versus autonomous refolding of subdomains 251: 854
Phillips, R. S., Doshi, K. J.: Cleavage of *Escherichia coli* tryptophan indole-lyase by trypsin at Lys406 affects the transmission of conformational changes associated with monovalent cation activation 255: 508
Piacentini, M., see Mádi, A.
Picard, C., see Labit-Le Bouteiller, C.
Pieler, T., see Theunissen, O.
Piendl, W., see Köhrer, C.
Piepersberg, W., see Beyer, S.
Pieribone, V., see Andersen, Ø.
Pierik, A. J., Hulstein, M., Hagen, W. R., Albracht, S. P. J.: A low-spin iron with CN and CO as intrinsic ligands forms the core of the active site in [Fe]-hydrogenases 258: 572
Pietri, S., Liebgott, T., Fréjaville, C., Tordo, P., Culcasi, M.: Nitrone spin traps and their pyrrolidine analogs in myocardial reperfusion injury: hemodynamic and ESR implications – Evidence for a cardioprotective phosphonate effect for 5-(diethoxyphosphoryl)-5-methyl-1-pyrroline *N*-oxide in rat hearts 254: 256
Pietri-Rouxel, F., see Gros, J.
Pilger, B. D., see Kussmann-Gerber, S.
Pin, S., see Labesse, G.
Pincheira, R., see Wang, G.
Pindon, A., Festoff, B. W., Hantaï, D.: Thrombin-induced reversal of astrocyte stellation is mediated by activation of protein kinase C β-1 255: 766
Pingoud, A., see Meiss, G.
Pingoud, A., see Schöttler, S.
Pinna, L. A., see Krehan, A.
Pipkorn, R., see Krehan, A.
Pipy, B., see Pollaud-Chérion, C.
Pires, E., see Ramalho-Santos, M.
Pisaneschi, G., see De Rinaldis, E.
Pizarro-Cerdá, J., see Páramo, L.
Pladies, E., see Kovalchuke, O.
Plomann, M., Lange, R., Vopper, G., Cremer, H., Heinlein, U. A. O., Scheff, S., Baldwin, S. A., Leitges, M., Cramer, M., Paulsson, M., Barthels, D.: PACSIN, a brain protein that is upregulated upon differentiation into neuronal cells 256: 201
Podder, S. K., see Hegde, R.
Podestá, E. J., see Finkielstein, C.
Podhradský, D., see Nesper, M.
Pohl, M., Siegert, P., Mesch, K., Bruhn, H., Grötzinger, J.: Active site mutants of pyruvate decarboxylase from *Zymomonas mobilis* – A site-directed mutagenesis study of L112, I472, I476, E473 and N482 257: 538
Poinas, A., see Doussiere, J.
Poirier, G. G., see Monney, L.
Poirier, L. A., see Vanyushin, B. F.
Politz, O., see Krah, M.
Pollard, J. R., Bugg, T. D. H.: Purification, characterisation and reaction mechanism of monofunctional 2-hydroxypentadienoic acid hydratase from *Escherichia coli* 251: 98
Pollaud-Chérion, C., Vandaele, J., Quartulli, F., Séguélas, M.-H., Decerprit, J., Pipy, B.: Involvement of calcium and arachidonate metabolism in acetylated-low-density-lipoprotein-stimulated tumor-necrosis-factor-α production by rat peritoneal macrophages 253: 345
Pollesello, P., see Cescutti, P.
Pompon, D., see Louërat-Oriou, B.
Ponomarev, M. A., see Levitsky, D. I.
Ponta, H., see Sleeman, J. P.
Pook, E., Grimm, S., Bonin, A., Winkler, T., Hillen, W.: Affinities of mAbs to Tet repressor complexed with operator or tetracycline suggest conformational changes associated with induction 258: 915
Pope, B. J., see Maciver, S. K.
Popkov, M., Lussier, I., Medvedkine, V., Estève, P.-O., Alakhov, V., Mandeville, R.: Multidrug-resistance drug-binding peptides generated by using a phage display library 251: 155
Porcu, C. M., see Rinaldi, A. C.
Porra, R. J., Urzinger, M., Winkler, J., Bubenzer, C., Scheer, H.: Biosynthesis of the 3-Acetyl and 13^1-Oxo Groups of Bacteriochlorophyll *a* in the Facultative Aerobic Bacterium, *Rhodovulum sulfidophilum* – The presence of both oxygenase and hydratase pathways for isocyclic ring formation 257: 185
Porteous, C. M., see Porteous, W. K.
Porteous, W. K., James, A. M., Sheard, P. W., Porteous, C. M., Packer, M. A., Hyslop, S. J., Melton, J. V., Pang, C.-Y., Wei, Y.-H., Murphy, M. P.: Bioenergetic consequences of accumulating the common 4977-bp mitochondrial DNA deletion 257: 192
Portero-Otín, M., see Pamplona, R.
Portugal, J., see Vaquero, A.
Porwol, T., Ehleben, W., Zierold, K., Fandrey, J., Acker, H.: The influence of nickel and cobalt on putative members of the oxygen-sensing pathway of erythropoietin-producing HepG2 cells 256: 16
Possani, L. D., see Boisbouvier, J.
Possani, L. D., see Selisko, B.
Posthumus, M. A., see Dorovska-Taran, V.
Pots, A. M., de Jongh, H. H. J., Gruppen, H., Hamer, R. J., Voragen, A. G. J.: Heat-induced conformational changes of patatin, the major potato tuber protein 252: 66
Powell, A. K., see Guile, G. R.
Powell, K. S., see Longstaff, M.
Prajapati, S., Bhakuni, V., Babu, K. R., Jain, S. K.: Alkaline unfolding and salt-induced folding of bovine liver catalase at high pH 255: 178
Prat, J., see Pamplona, R.
Prazeres, S., see Pettigrew, G. W.
Preissner, K. T., see Germer, M.
Prieur, B., Bismuth, J., Delaval, E.: Effects of adrenal steroid hormones on mitochondrial maturation during the late fetal period 252: 194
Prochnicka-Chalufour, A., see Boisbouvier, J.
Prodanov, E., see Al Kazaz, M.
Proost, P., see Wuyts, A.
Prost, J.-F., see Oudot, C.
Przybyla-Zawislak, B. D., see Manthey, G. M.
Przybyla-Zawislak, B., Dennis, R. A., Zakharkin, S. O., McCammon, M. T.: Genes of succinyl-CoA ligase from *Saccharomyces cerevisiae* 258: 736
Ptak, M., see Mandard, N.
Puigserver, A., see David, L.
Punyiczki, M., see Mádi, A.
Purnapatre, K., Varshney, U.: Uracil DNA glycosylase from *Mycobacterium smegmatis* and its distinct biochemical properties 256: 580
Pusch, K., see Albrecht, T.
Putilina, T., see Hohman, T. C.
Putnam, F. W., see Galliano, M.
Pyerin, W., see Krehan, A.

Qin, N., see Li, N.
Quadrifoglio, F., see Scaggiante, B.
Quartulli, F., see Pollaud-Chérion, C.
Quennedey, B., see Rondot, I.
Quilez, R., see De Lauzon, S.
Quirk, P. G., see Venning, J. D.

Rabilloud, T., see Blisnick, T.
Rabilloud, T., see Vuillard, L.
Rabinovich, G. A., see Iglesias, M. M.
Rachel, R., see Minuth, T.
Radics, L., see Sőti, C.
Rådmark, O., see Härle, D.
Radzioch, D., see Olivier, M.
Raemaekers, R., see Longstaff, M.
Rafie-Kolpin, M., see Chefalo, P. J.
Ragettli, S., see Wasserfallen, A.
Ragg, E., see Iametti, S.
Rahier, A., see Labit-Le Bouteiller, C.

Rahmsdorf, U., see Sleeman, J. P.
Rajalakshmi, S., see Vasudevan, S.
Raleigh, J. A., see Arteel, G. E.
Ram, D., see Lantner, F.
Ramalho-Santos, M., Veríssimo, P., Cortes, L., Samyn, B., Van Beeumen, J., Pires, E., Faro, C.: Identification and proteolytic processing of procardosin A 255: 133
Ramassamy, S., see Bidonde, S.
Ramil, E., Freire-Picos, M. A., Cerdán, M. E.: Characterization of promoter regions involved in high expression of *KlCYC1* 256: 67
Ramsay, R. J., see Christeller, J. T.
Rao, C. V., see Bian, L.
Rao, P. M., see Vasudevan, S.
Rapin, C., see Moutin, M.-J.
Rappuoli, R., see Scarselli, M.
Rardin, R. L., see Yamakura, F.
Rasmussen, J. T., Berglund, L., Rasmussen, M. S., Petersen, T. E.: Assignment of disulfide bridges in bovine CD36 257: 488
Rasmussen, M. S., see Rasmussen, J. T.
Rauly, I., see Haeuw, J.-F.
Raussens, V., de Jongh, H., Pézolet, M., Ruysschaert, J.-M., Goormaghtigh, E.: Secondary structure of the intact H^+,K^+-ATPase and of its membrane- embedded region – An attenuated total reflection infrared spectroscopy, circular dichroism and Raman spectroscopy study 252: 261
Raux, E., Schubert, H. L., Woodcock, S. C., Wilson, K. S., Warren, M. J.: Cobalamin (vitamin B_{12}) biosynthesis – Cloning, expression and crystallisation of the *Bacillus megaterium* S-adenosyl-L-methionine-dependent cobalt-precorrin-4 transmethylase CbiF 254: 341
Rebouillat, D., Marié, I., Hovanessian, A. G.: Molecular cloning and characterization of two related and interferon-induced 56-kDa and 30-kDa proteins highly similar to 2′-5′ oligoadenylate synthetase 257: 319
Rechinsky, V. O., see Frolova, L. Y.
Reddig, T., see Banci, L.
Reddy, G. P., Hayat, U., Xu, Q., Reddy, K. V., Wang, Y., Chiu, K.-W., Morris, J. G. Jr, Bush, C. A.: Structure determination of the capsular polysaccharide from *Vibrio vulnificus* strain 6353 255: 279
Reddy, K. V., see Reddy, G. P.
Rees, C., see Grasser, K. D.
Rehfeld, J. F., see Johnsen, A. H.
Reich, J., see Štros, M.
Reichenberger, S., Pfeiffer, P.: Cloning, purification and characterization of DNA polymerase β from *Xenopus laevis* – Studies on its potential role in DNA-end joining 251: 81
Reichenberger, S., see Göttlich, B.
Reichert, J., see Kress, S.
Reid, D. G., see Hodges, D. J.
Reinemer, P., see Hage, T.
Reiner, N. E., see Olivier, M.
Reintamm, T., see Kuusksalu, A.
Ren, Y., Busch, R. K., Perlaky, L., Busch, H.: The 58-kDa microspherule protein (MSP58), a nucleolar protein, interacts with nucleolar protein p120 253: 734
Renaudin, J.-P., see Desbrosses, G.
Renkema, G. H., Boot, R. G., Au, F. L., Donker-Koopman, W. E., Strijland, A., Muijsers, A. O., Hrebicek, M., Aerts, J. M. F. G.: Chitotriosidase, a chitinase, and the 39-kDa human cartilage glycoprotein, a chitin-binding lectin, are homologues of family 18 glycosyl hydrolases secreted by human macrophages 251: 504
Renz, P., see Schulze, B.
Requena, J. M., see Jiménez-Ruiz, A.
Requena, J. R., see Pamplona, R.
Rescigno, A., see Rinaldi, A. C.
Rettig, W. J., see Niedermeyer, J.
Reumann, S., Maier, E., Heldt, H. W., Benz, R.: Permeability properties of the porin of spinach leaf peroxisomes 251: 359
Reuter, G., see Kelm, A.
Reutter, W., see Hinderlich, S.
Rey, H., see Fassy, F.
Reymond, M. T., see Jeng, M.-F.
Ricchelli, F., Gobbo, S., Moreno, G., Salet, C., Brancaleon, L., Mazzini, A.: Photophysical properties of porphyrin planar aggregates in liposomes 253: 760
Rice, D. W., see Yip, K. S. P.
Rich, P., see Bröker, S.
Richards, J. C., see Sadovskaya, I.
Richards, J. C., see Wakarchuk, W. W.
Richardson, J. P., see Duncan, M. E.
Richter, G., see Rieder, C.
Richter, R., see Ziegler, K.
Ridder, L., Briganti, F., Boersma, M. G., Boeren, S., Vis, E. H., Scozzafava, A., Veeger, C., Rietjens, I. M. C. M.: Quantitative structure/activity relationship for the rate of conversion of C4–substituted catechols by catechol-1,2-dioxygenase from *Pseudomonas putida* (arvilla) C1 257: 92
Rider, M. H., see Bertrand, L.
Rider, M. H., see Depré, C.
Riedel, E., see Luhm, J.
Rieder, C., Eisenreich, W., O'Brien, J., Richter, G., Götze, E., Boyle, P., Blanchard, S., Bacher, A., Simon, H.: Rearrangement reactions in the biosynthesis of molybdopterin – An NMR study with multiply $^{13}C/^{15}N$ labelled precursors 255: 24
Riel, S., see Simons, J.-W. F. A.
Rietjens, I. M. C. M., see Dorovska-Taran, V.
Rietjens, I. M. C. M., see Ridder, L.
Rijken, D. C., see Noorman, F.
Rinaldi, A. C., Porcu, C. M., Oliva, S., Curreli, N., Rescigno, A., Sollai, F., Rinaldi, A., Finazzi-Agró, A., Sanjust, E.: Biosynthesis of the topaquinone cofactor in copper amine oxidases – Evidence from model studies 251: 91
Rinaldi, A., see Rinaldi, A. C.
Ringe, D., see Yamakura, F.
Ringel, M., see Simon, J.
Rink, L., see Luhm, J.
Rispoli, A., see Tessitore, A.
Ro, H.-S., see Paul, C.
Robb, F. T., see Yip, K. S. P.
Robenek, I. R., see Pasternack, R.
Roberts, D. B., Mulvany, W. J., Dwek, R. A., Rudd, P. M.: Mutant analysis reveals an alternative pathway for N-linked glycosylation in *Drosophila melanogaster* 253: 494
Roberts, L. M., see Day, P. J.
Robertson, B., see Nilsson, G.
Robinson, C., see Bellotti, V.
Roch, P., see Vignal, E.
Rodriguez, I. R., see Grechez-Cassiau, A.
Rodriguez, M. H., see Boisbouvier, J.
Rodríguez, R., see Ledesma, A.
Rodríguez de Córdoba, S., see Heine-Suñer, D.
Roelofs, J. C. A. A., see Fraaije, M. W.
Rösel, J., see Wittlin, S.
Rolfs, A., see Wenger, R. H.
Rollin, C., see Dominguez, H.
Rols, M.-P., Delteil, C., Golzio, M., Teissié, J.: Control by ATP and ADP of voltage-induced mammalian-cell-membrane permeabilization, gene transfer and resulting expression 254: 382
Romanowska, E., see Katzenellenbogen, E.
Romarís, M., see Molist, A.
Romsicki, Y., Sharom, F. J.: The ATPase and ATP-binding functions of P-glycoprotein – Modulation by interaction with defined phospholipids 256: 170
Roncero, C., see Cos, T.
Rondot, I., Quennedey, B., Delachambre, J.: Structure, organization and expression of two clustered cuticle protein genes during the metamorphosis of an insect, *Tenebrio molitor* 254: 304
Ronne, H., see Östling, J.
Rooman, M., Gilis, D.: Different derivations of knowledge-based potentials and analysis of their robustness and context-dependent predictive power 254: 135
Ros, F., Bassi, R., Paulsen, H.: Pigment-binding properties of the recombinant photosystem II subunit CP26 reconstituted *in vitro* 253: 653
Ros, J., see Obradors, N.
Rosano, C., see Nardone, E.
Rosato, N., see Di Venere, A.
Rose, U. M., see Heikoop, J. C.
Rosenberger, R. F., see Kolettas, E.
Rosseneu, M., see Lambert, G.
Rosseneu, M., see Pérez-Méndez, O.
Rossi, M., see D'Auria, S.
Rotari, V., see Senyuk, V.
Roth, M., see Leismann, O.
Rothe, C., Lehle, L.: Sorting of invertase signal peptide mutants in yeast dependent and independent on the signal-recognition particle 252: 16
Rothery, R. A., Weiner, J. H.: Interaction of a menaquinol binding site with the [3Fe-4S] cluster of *Escherichia coli* fumarate reductase 254: 588
Rourke, I. J., see Johnsen, A. H.
Roussel, G., see della Gaspera, B.
Roustan, C., see Bartegi, A.
Roustan, C., see Pellegrin, P.
Rouy, D., see Lambert, G.
Rowan, A. D., see Hodges, D. J.
Roy, S., see Ghosh, R.
Roy, S. K., see Yoko-o, T.
Rozalski, A., see Bartodziejska, B.
Rozek, M., see Siatecka, M.
Rozera, C., see de Marco, A.
Rubin, H., see Elleingand, E.
Rubio, V., Llorente, P., Britton, H. G.: Mechanism of carbamoyl phosphate synthetase from *Escherichia coli* – Binding of the ATP molecules used in the reaction and sequestration by the enzyme of the ATP molecule that yields carbamoyl phosphate 255: 262
Rubio, V., see Marina, A.

Rudd, P. M., see McAlister, M. S. B.
Rudd, P. M., see Roberts, D. B.
Ruddock, L. W., see Klappa, P.
Rudt, F., see Theunissen, O.
Ruelland, E., see Krimm, I.
Rüstow, B., see Guthmann, F.
Rüterjans, H., see Mesgarzadeh, A.
Rüterjans, H., see Winkelmann, R.
Ruffet, M.-L., see Droux, M.
Rugman, P. A., see Sargent, F.
Ruijter, G. J. G., see Panneman, H.
Ruiter, J., see Ventura, F. V.
Ruiz-Arribas, A., Zhadan, G. G., Kutyshenko, V. P., Santamaría, R. I., Cortijo, M., Villar, E., Fernandez-Abalos, J. M., Calvete, J. J., Shnyrov, V. L.: Thermodynamic stability of two variants of xylanase (Xys1) from *Streptomyces halstedii* JM8 253: 462
Rulewicz, G., see McClellan, J. S.
Rundlöf, T., Weintraub, A., Widmalm, G.: Structural determination of the O-antigenic polysaccharide from *Escherichia coli* O35 and cross-reactivity to *Salmonella arizonae* O62 258: 139
Ruysschaert, J.-M., see Martin, I.
Ruysschaert, J.-M., see Nilsson, G.
Ruysschaert, J.-M., see Oberg, K. A.
Ruysschaert, J.-M., see Raussens, V.
Ruysschaert, J.-M., see Wang, X.-M.
Ryall, R. L., see Grover, P. K.
Rzhetsky, A., see Yoshida, A.

Saavedra-Lira, E., see Garza-Ramos, G.
Sablin, S. O., Yankovskaya, V., Bernard, S., Cronin, C. N., Singer, T. P.: Isolation and characterization of an evolutionary precursor of human monoamine oxidases A and B 253: 270
Sadovskaya, I., Brisson, J.-R., Khieu, N. H., Mutharia, L. M., Altman, E.: Structural characterization of the lipopolysaccharide O-antigen and capsular polysaccharide of *Vibrio ordalii* serotype O:2 253: 319
Sadovskaya, I., Brisson, J.-R., Lam, J. S., Richards, J. C., Altman, E.: Structural elucidation of the lipopolysaccharide core regions of the wild-type strain PAO1 and O-chain-deficient mutant strains AK1401 and AK1012 from *Pseudomonas aeruginosa* serotype O5 255: 673
Sääf, A., Wallin, E., von Heijne, G.: Stop-transfer function of pseudo-random amino acid segments during translocation across prokaryotic and eukaryotic membranes 251: 821
Saez, J. M., see Le Roy, C.
Safaiyan, F., Lindahl, U., Salmivirta, M.: Selective reduction of 6-O-sulfation in heparan sulfate from transformed mammary epithelial cells 252: 576
Safayhi, H., see Sailer, E.-R.
Sagi-Eisenberg, R., see Zussman, A.
Sailer, E.-R., Schweizer, S., Boden, S. E., Ammon, H. P. T., Safayhi, H.: Characterization of an acetyl-11-keto-β-boswellic acid and arachidonate-binding regulatory site of 5-lipoxygenase using photoaffinity labeling 256: 364
Sainz, G., Tricot, C., Foray, M.-F., Marion, D., Dideberg, O., Stalon, V.: Kinetic studies of allosteric catabolic ornithine carbamoyltransferase from *Pseudomonas aeruginosa* 251: 528
Saito, K., see Manabe, T.
Sakaki, Y., see Mizuki, K.
Sakaki, Y., see Nakamura, R.
Sakamaki, K., Tsukumo, S.-i., Yonehara, S.: Molecular cloning and characterization of mouse caspase-8 253: 399
Sakamoto, K., see Yamada, S.
Sakarellos, C., see Petit, M.-C.
Sakarellos-Daitsiotis, M., see Petit, M.-C.
Sakurai, Y., see Matsui, T.
Sala, N., see Iametti, S.
Saleh, A., see Merten, M. D.
Salehzada, T., see Martinand, C.
Salem, J., see Elleingand, E.
Salerno, J. C., see Hastings, S. F.
Salet, C., see Ricchelli, F.
Salmain, M., Gorfti, A., Jaouen, G.: Side-chain selective and covalent labelling of proteins by organometallic complexes of heavy transition metals – Possible application in radio-crystallography of proteins 258: 192
Salmivirta, M., see Safaiyan, F.
Salnikow, J., see Miao, J.
Salomon, Y., see Tyagi, R. K.
Salvat, C., see Paradon, M.
Salvato, B., see Dainese, E.
Salzet, M., see Chopin, V.
Samama, J. P., see Alazard, R.
Samatani, E., see Camani, C.
Samejima, M., see Igarashi, K.
Sampaio, C. A. M., see Serrano, S. M. T.
Samuelsson, B., see Härle, D.
Samyn, B., see Ramalho-Santos, M.
Sandin, A., see Johnsen, A. H.
Sandoval, F., see Tuena de Gómez-Puyou, M.
Sandoval, I. V., see Di Jeso, B.
Sanekata, K., see Ito, A.
Sanjust, E., see Rinaldi, A. C.
Santamaría, R. I., see Ruiz-Arribas, A.
Santambrogio, P., see Nardone, E.
Santimone, M., see Al Kazaz, M.
Santoro, M. G., see de Marco, A.
Santus, R., see Kuznetsov, S. V.
Santus, R., see Morlière, P.
Sapp, M., see McClellan, J. S.
Sargent, F., Ballantine, S. P., Rugman, P. A., Palmer, T., Boxer, D. H.: Reassignment of the gene encoding the *Escherichia coli* hydrogenase 2 small subunit – Identification of a soluble precursor of the small subunit in a *hypB* mutant 255: 746
Sari, M.-A., see De Lauzon, S.
Sarma, D. S. R., see Vasudevan, S.
Sasagawa, T., see Kimoto, M.
Sasaki, T., see Göhring, W.
Sato, H., see Ito, A.
Sato, T., see Ito, A.
Satrustegui, J., see Di Jeso, B.
Sauer, K., Thauer, R. K.: Methanol:coenzyme M methyltransferase from *Methanosarcina barkeri* – Identification of the active-site histidine in the corrinoid-harboring subunit MtaC by site-directed mutagenesis 253: 698
Sauge-Merle, S., see Elleingand, E.
Sautiere, P., see Chevaillier, P.
Sautiere, P., see Flahaut, C.
Sawada, T., see Maruyama, N.
Sayers, Z., see Bektaş, M.
Scaggiante, B., Morassutti, C., Dapas, B., Tolazzi, G., Ustulin, F., Quadrifoglio, F.: Human cancer cell lines growth inhibition by GT_n oligodeoxyribonucleotides recognizing single-stranded DNA-binding proteins 252: 207
Scaloni, A., see Marchese, S.
Scapozza, L., see Kussmann-Gerber, S.
Scarselli, M., Esposito, G., De Magistris, M. T., Domenighini, M., Rappuoli, R., Burroni, G., Bernini, A., Niccolai, N.: NMR studies on the structure/function correlations of T-cell-epitope analogs from pertussis toxin 254: 313
Schade, B., see Wille, U.
Schäfer, C., see Harrer, R.
Schägger, H., see Breese, K.
Schägger, H., see Hirsch, W.
Schatz, H., see Fährmann, M.
Schauer, R., see Kelm, A.
Schauer, R., see Kelm, S.
Schauer, R., see Strenge, K.
Schechter, I., see Lantner, F.
Scheer, H., see Porra, R. J.
Scheff, S., see Plomann, M.
Scheffler, I. E., see Au, H. C.
Scheffner, M., see Nuber, U.
Scheiner, O., see Sowka, S.
Scheller, U., see Zimmer, T.
Schepelmann, S., see Bangsow, T.
Scheper, G. C., see Kleijn, M.
Schild, L., Gellerich, F.-N.: Effect of the extramitochondrial adenine nucleotide pool size on oxidative phosphorylation in isolated rat liver mitochondria 252: 508
Schiller, P. W., see Carpenter, K. A.
Schindler, R., Mentlein, R., Feldheim, W.: Purification and characterization of retinyl ester hydrolase as a member of the non-specific carboxylesterase supergene family 251: 863
Schink, B., see Schöcke, L.
Schirawski, J., Unden, G.: Menaquinone-dependent succinate dehydrogenase of bacteria catalyzes reversed electron transport driven by the proton potential 257: 210
Schlaak, M., see Schramm, G.
Schleuning, W.-D., see Konakova, M.
Schleuning, W.-D., see Toschi, L.
Schmid, K., see Andersen, C.
Schmidt, A. K., see Parsiegla, G.
Schmidt, E., see Simon, J.
Schmidt, M., Löffler, G.: Induction of aromatase activity in human adipose tissue stromal cells by extracellular nucleotides – Evidence for P2-purinoceptors in adipose tissue 252: 147
Schmidt, M., see Eriksson, T. L. J.
Schnapp, A., see Niedermeyer, J.
Schnarr, B., see Moriggl, R.
Schneider, T., see Vajna, R.
Schneider-Mergener, J., see Mukhija, S.
Schobert, B.: Do ATP^{4-} and Mg^{2+} bind stepwise to the F_1-ATPase of *Halobacterium saccharovorum*? 254: 363
Schöcke, L., Schink, B.: Membrane-bound proton-translocating pyrophosphatase of *Syntrophus gentianae*, a syntrophically benzoate-degrading fermenting bacterium 256: 589
Schoemaker, H. E., see Tuynman, A.

Schönbrunn, E., Svergun, D. I., Amrhein, N., Koch, M. H. J.: Studies on the conformational changes in the bacterial cell wall biosynthetic enzyme UDP-*N*-acetylglucosamine *enol*pyruvyltransferase (MurA) 253: 406
Schöttler, S., Wenz, C., Lanio, T., Jeltsch, A., Pingoud, A.: Protein engineering of the restriction endonuclease *Eco*RV – Structure-guided design of enzyme variants that recognize the base pairs flanking the recognition site 258: 184
Schomburg, D., see Papir, G.
Schomburg, D., see Völkel, D.
Schoner, W., Mertens, W., Helms, M., Fortes, G.: Binding of the $Co(NH_3)_4$ derivative of (2′)3′-*O*-[*N*-methyl-anthraniloyl]-ATP to the E_2ATP site of Na^+/K^+-transporting ATPase lowers the conformational flexibility of its E_1ATP site 253: 245
Schoner, W., see Linnertz, H.
Schoofs, L., see Vanden Broeck, J.
Schramm, G., Bufe, A., Petersen, A., Schlaak, M., Becker, W.-M.: Molecular and immunological characterization of group V allergen isoforms from velvet grass pollen (*Holcus lanatus*) 252: 200
Schramm, M., see Vajna, R.
Schreiber, G., see Yamauchi, K.
Schreuder, H. A., see Eppink, M. H. M.
Schricker, R., see Bogengruber, E.
Schröder, J.-M., see Noso, N.
Schröter, T., Hatzfeld, O. M., Gemeinhardt, S., Korn, M., Friedrich, T., Ludwig, B., Link, T. A.: Mutational analysis of residues forming hydrogen bonds in the Rieske [2Fe-2S] cluster of the cytochrome bc_1 complex in *Paracoccus denitrificans* 255: 100
Schromm, A. B., see Luhm, J.
Schubert, D., see Shima, S.
Schubert, H. L., see Raux, E.
Schünemann, V., see Müller, K.
Schuldiner, S., see Schwaiger, M.
Schuler, M. J., Pette, D.: Quantification of thyroid hormone receptor isoforms, 9-*cis* retinoic acid receptor γ, and nuclear receptor co-repressor by reverse-transcriptase PCR in maturing and adult skeletal muscles of rat 257: 607
Schulz, G. E., see Parsiegla, G.
Schulze, B., Vogler, B., Renz, P.: Biosynthesis of vitamin B_{12} in anaerobic bacteria – Experiments with *Eubacterium limosum* on the transformation of 5-hydroxy-6-methylbenzimidazole, its nucleoside, its cobamide, and of 5-hydroxybenzimidazolylcobamide in vitamin B_{12} 254: 620
Schulze, W., see Elies, R.
Schulze-Osthoff, K., Ferrari, D., Los, M., Wesselborg, S., Peter, M. E.: *Review*. Apoptosis signaling by death receptors 254: 439
Schumann, R. R., see Luhm, J.
Schunck, W.-H., see Zimmer, T.
Schwab, H., see Wäspi, U.
Schwaiger, M., Lebendiker, M., Yerushalmi, H., Coles, M., Gröger, A., Schwarz, C., Schuldiner, S., Kessler, H.: NMR investigation of the multidrug transporter EmrE, an integral membrane protein 254: 610
Schwartz, T. W., see Nielsen, S. M.
Schwarz, C., see Schwaiger, M.
Schwarz, M., see Kress, S.
Schwarz, S. E., see Nuber, U.
Schweizer, E., see Dittrich, F.
Schweizer, E., see Hoja, U.
Schweizer, S., see Sailer, E.-R.
Schwenzer, B., see Jankowsky, E.
Schwöppe, C., see Möhlmann, T.
Scopes, D. A., Bautista, J. M., Naylor, C. E., Adams, M. J., Mason, P. J.: Amino acid substitutions at the dimer interface of human glucose-6-phosphate dehydrogenase that increase thermostability and reduce the stabilising effect of NADP 251: 382
Scougall, K. T., see Jan, G.
Scozzafava, A., see Ridder, L.
Sebald, W., see Hage, T.
Sebald, W., see Letzelter, F.
Sebban-Kreuzer, C., Blanchard, L., Bersch, B., Blackledge, M. J., Marion, D., Dolla, A., Guerlesquin, F.: ^{1}H-NMR study of the structural influence of Y64 substitution in *Desulfovibrio vulgaris* Hildenborough cytochrome c_{553} 251: 787
Sebban-Kreuzer, C., Dolla, A., Guerlesquin, F.: The formate dehydrogenase-cytochrome c_{553} complex from *Desulfovibrio vulgaris* Hildenborough 253: 645
Sedlák, E., see Nesper, M.
Seelig, A.: A general pattern for substrate recognition by P-glycoprotein 251: 252
Segre, A. L., see Coiro, V. M.
Séguélas, M.-H., see Pollaud-Chérion, C.
Seifert, R., Lee, T. W., Lam, Van T., Kobilka, B. K.: Reconstitution of β_2-adrenoceptor–GTP-binding-protein interaction in Sf9 cells – High coupling efficiency in a β_2-adrenoceptor-G_{α_s} fusion protein 255: 369
Seiki, M., see Ito, A.
Seki, T., Isono, K., Ozaki, K., Tsukahara, Y., Shibata-Katsuta, Y., Ito, M., Irie, T., Katagiri, M.: *Priority Paper*. The metabolic pathway of visual pigment chromophore formation in *Drosophila melanogaster* – All-*trans* (3*S*)-3-hydroxyretinal is formed from all-*trans* retinal via (3*R*)-3-hydroxyretinal in the dark 257: 522
Selisko, B., Garcia, C., Becerril, B., Gómez-Lagunas, F., Garay, C., Possani, L. D.: Cobatoxins 1 and 2 from *Centruroides noxius* Hoffmann constitute a subfamily of potassium-channel-blocking scorpion toxins 254: 468
Senchenkova, S. N., Zatonsky, G. V., Shashkov, A. S., Knirel, Y. A., Jansson, P.-E., Weintraub, A., Albert, M. J.: Structure of the O-antigen of *Vibrio cholerae* O155 that shares a putative D-galactose 4,6-cyclophosphate-associated epitope with *V. cholerae* O139 Bengal 254: 58
Senyuk, V., Rotari, V., Becker, C., Zakharov, A., Horstmann, C., Müntz, K., Vaintraub, I.: Does an asparaginyl-specific cysteine endopeptidase trigger phaseolin degradation in cotyledons of kidney bean seedlings? 258: 546
Serani, L., see Ducrocq, C.
Serrano, S. M. T., Hagiwara, Y., Murayama, N., Higuchi, S., Mentele, R., Sampaio, C. A. M., Camargo, A. C. M., Fink, E.: Purification and characterization of a kinin-releasing and fibrinogen-clotting serine proteinase (KN-BJ) from the venom of *Bothrops jararaca*, and molecular cloning and sequence analysis of its cDNA 251: 845
Sethson, I., see Trogen, G.-B.
Seydel, U., see Brandenburg, K.
Seydel, U., see Luhm, J.
Shabarova, Z., see Antsypovich, S.
Shafiee, A., see Motamedi, H.
Shafir, I., Feng, W., Shoshan-Barmatz, V.: Dicyclohexylcarbodiimide interaction with the voltage-dependent anion channel from sarcoplasmic reticulum 253: 627
Shapiro, A. B., Ling, V.: Stoichiometry of coupling of rhodamine 123 transport to ATP hydrolysis by P-glycoprotein 254: 189
Shapiro, A. B., Ling, V.: Transport of LDS-751 from the cytoplasmic leaflet of the plasma membrane by the rhodamine-123-selective site of P-glycoprotein 254: 181
Sharom, F. J., see Romsicki, Y.
Shashkov, A. S., Arbatsky, N. P., Widmalm, G., Knirel, Y. A., Zych, K., Sidorczyk, Z.: Structure and cross-reactivity of the O-specific polysaccharide of *Proteus penneri* strain 26, another neutral *Proteus* O-antigen containing 2-acetamido-2,6-dideoxy-L-glucose (*N*-acetyl-L-quinovosamine) 253: 730
Shashkov, A. S., see Bartodziejska, B.
Shashkov, A. S., see Katzenellenbogen, E.
Shashkov, A. S., see Senchenkova, S. N.
Shaw, L., see Kelm, A.
She, M., Dong, W.-J., Umeda, P. K., Cheung, H. C.: Tryptophan mutants of troponin C from skeletal muscle – An optical probe of the regulatory domain 252: 600
She, M. Y., see Kobayashi, H.
Sheard, P. W., see Porteous, W. K.
Shen, C. K.-F., see Huang, Y.-L.
Shen, Y., see Costa, M.
Shennan, K. I. J., see Jan, G.
Shiau, P.-F., see Ho, H.-C.
Shibata, K., see Kobayashi, H.
Shibata-Katsuta, Y., see Seki, T.
Shibuya, M., see Kushiro, T.
Shima, S., Tziatzios, C., Schubert, D., Fukada, H., Takahashi, K., Ermler, U., Thauer, R. K.: Lyotropic-salt-induced changes in monomer/dimer/tetramer association equilibrium of formyltransferase from the hyperthermophilic *Methanopyrus kandleri* in relation to the activity and thermostability of the enzyme 258: 85
Shimada, H., see Fraser, P. D.
Shimizu, N., see Miyazawa, K.
Shimizu, S., see Liu, J.-Q.
Shimizu, T., see Suzuki, Y.
Shimohigashi, Y., see Kashima, A.
Shinoda, T., see Miura, K.
Shinohara, H., see Kobayashi, H.
Shintani, H., see Kawamoto, T.
Shiraishi, A., see Oda, M.
Shirras, A. D., see Houard, X.
Shnyrov, V. L., see Levitsky, D. I.
Shnyrov, V. L., see Ruiz-Arribas, A.
Shoham, G., see Papir, G.
Shoshan-Barmatz, V., see Shafir, I.
Shotton, D. M., see McAlister, M. S. B.
Shrivo, I., see De Vos, P.
Shudo, K., see Fujimoto, Y.
Shutov, A. D., Braun, H., Chesnokov, Y. V., Bäumlein, H.: A gene encoding a vicilin-like protein is specifically expressed in fern spores – Evolutionary pathway of seed storage globulins 252: 79

Siatecka, M., Rozek, M., Barciszewski, J., Mirande, M.: Modular evolution of the Glx-tRNA synthetase family – Rooting of the evolutionary tree between the bacteria and archaea/eukarya branches 256: 80
Siccardi, A. G., see Nardone, E.
Sick, C., see Weining, K. C.
Sidoli, A., see Nardone, E.
Sidorczyk, Z., see Shashkov, A. S.
Sidorkina, O. M., see Kuznetsov, S. V.
Siebert, H.-C., see Gilleron, M.
Siegert, P., see Pohl, M.
Siemienski, K., see Johannes, F.-J.
Sierra, J. M., see Hernández, G.
Sild, V., see Nutt, A.
Sild, V., see Väljamäe, P.
Silhol, M., see Martinand, C.
Silve, S., see Labit-Le Bouteiller, C.
Simala-Grant, J. L., Weiner, J. H.: Modulation of the substrate specificity of *Escherichia coli* dimethylsulfoxide reductase 251: 510
Simar-Blanchet, A.-E., see Paul, C.
Simon, H., see Rieder, C.
Simon, J., Gross, R., Ringel, M., Schmidt, E., Kröger, A.: Deletion and site-directed mutagenesis of the *Wolinella succinogenes* fumarate reductase operon 251: 418
Simon, J., see Klimmek, O.
Simonet, G., see Vanden Broeck, J.
Simons, J.-W. F. A., van Kampen, M. D., Riel, S., Götz, F., Egmond, M. R., Verheij, H. M.: Cloning, purification and characterisation of the lipase from *Staphylococcus epidermidis* – Comparison of the substrate selectivity with those of other microbial lipases 253: 675
Simonsen, J. L., see Frolova, L. Y.
Simpson, C. G., see Leader, D. J.
Simpson, R. J., see Grover, P. K.
Singer, T. P., see Sablin, S. O.
Sippola, K., Kanervo, E., Murata, N., Aro, E.-M.: A genetically engineered increase in fatty acid unsaturation in *Synechococcus* sp. PCC 7942 allows exchange of D1 protein forms and sustenance of photosystem II activity at low temperature 251: 641
Sjöbring, U., see Svensson, H. G.
Sjölinder, M., see Tornhamre, S.
Sjövall, J., see Nilsson, G.
Skamene, E., see Olivier, M.
Sladeczek, F., see Le Bouffant, F.
Slee, R., see MacIver, B.
Sleeman, J. P., Rahmsdorf, U., Steffen, A., Ponta, H., Herrlich, P.: CD44 variant exon v5 encodes a tyrosine that is sulphated 255: 74
Sluis-Cremer, N., Wallace, L., Burke, J., Stevens, J., Dirr, H.: Aflatoxin B1 and sulphobromophthalein binding to the dimeric human glutathione *S*-transferase A1-1: a fluorescence spectroscopic analysis 257: 434
Sluse, F., see Soetens, O.
Smalås, A. O., see Helland, R.
Smestad-Paulsen, B., see Bulone, V.
Smicun, Y., Kopf, E., Miskin, R.: The 3′-untranslated region of the urokinase gene enhances the expression of chimeric genes in cultured cells and correlates with specific brain expression in transgenic mice 251: 704
Smidt, M. P., Snippe, L., van Keulen, G., Ab, G.: The bZip transcription factor vitellogenin-binding protein is post transcriptional down regulated in chicken liver 256: 106
Smith, J. C., see Sopková-de Oliveira Santos, J.
Smith, M. A., see Jackson, F. M.
Smolders, N., see Oberg, K. A.
Smonou, I., see Tsigos, I.
Smulders, R. H. P. H., see van de Klundert, F. A. J. M.
Smulevich, G., see Neri, F.
Snippe, L., see Smidt, M. P.
Sobel, A., see Byk, T.
Sobol, A. G., see Maslennikov, I. V.
Soboll, S., Oh, M.-H., Brown, G. C.: Control of oxidative phosphorylation, gluconeogenesis, ureagenesis and ATP turnover in isolated perfused rat liver analyzed by top-down metabolic control analysis 254: 194
Sodano, P., see Mandard, N.
Soejima, M., see Koda, Y.
Söling, H.-D., see Ferrari, D. M.
Sørensen, U. B., see Karlsson, C.
Soetens, O., Crabeel, M., El Moualij, B., Duyckaerts, C., Sluse, F.: Transport of arginine and ornithine into isolated mitochondria of *Saccharomyces cerevisiae* 258: 702
Sőti, C., Radics, L., Yahara, I., Csermely, P.: Interaction of vanadate oligomers and permolybdate with the 90-kDa heat-shock protein, Hsp90 255: 611
Sokolova, E. A., Starkova, N. N., Vorotyntseva, T. I., Zamolodchikova, T. S.: A serine protease from the bovine duodenal mucosa, chymotrypsin-like duodenase 255: 501
Solano, A., see Finkielstein, C.
Solano, F., see Martínez-Esparza, M.
Sollai, F., see Rinaldi, A. C.
Song, Z., see Kurachi, S.
Sonnier, M., Cresteil, T.: Delayed ontogenesis of CYP1A2 in the human liver 251: 893
Sooryanarayana, P. P., Adiga, P. R., Visweswariah, S. S.: Refolding of native and recombinant chicken riboflavin carrier (or binding) protein: evidence for the formation of non-native intermediates during the generation of active protein 258: 411
Sopková-de Oliveira Santos, J., Smith, J. C., Delaforge, M., Virelizier, H., Jankowski, C. K.: Oxidation of tetrahydro-β-carboline by cytochrome P-450$_{cam}$ – Determination and rationalisation of product distribution 251: 398
Sopory, S. K., see Pandey, S.
Sorimachi, H., see Kouchi, Z.
Soteriadou, K. P., see Petit, M.-C.
Sotomayor, C., see Iglesias, M. M.
Sottocasa, G. L., see Passamonti, S.
Soulié, S., de Foresta, B., Møller, J. V., Bloomberg, G. B., Groves, J. D., le Maire, M.: Spectroscopic studies of the interaction of Ca^{2+}-ATPase-peptides with dodecyl maltoside and its brominated analog 257: 216
Sourgen, F., see Krebs, D.
Souri, M., Aoyama, T., Yamaguchi, S., Hashimoto, T.: Relationship between structure and substrate-chain-length specificity of mitochondrial very-long-chain acyl-coenzyme A dehydrogenase 257: 592
Sowka, S., Wagner, S., Krebitz, M., Arija-Mad-Arif, S., Yusof, F., Kinaciyan, T., Brehler, R., Scheiner, O., Breiteneder, H.: cDNA cloning of the 43-kDa latex allergen Hev b 7 with sequence similarity to patatins and its expression in the yeast *Pichia pastoris* 255: 213
Spangenberg, O., see Kuhlendahl, S.
Spector, A., see Li, D. W.-C.
Speijer, D., see Nijtmans, L. G. J.
Spencer, J. A., Jeenes, D. J., Mackenzie, D. A., Haynie, D. T., Archer, D. B.: Determinants of the fidelity of processing glucoamylase-lysozyme fusions by *Aspergillus niger* 258: 107
Spener, F., see Guthmann, F.
Sperling, P., see Dittrich, F.
Speziale, P., see Joh, D.
Spiess, A.-N., see Hansis, C.
Spiess, J., see Palchaudhuri, M. R.
Sprinzl, M., see Nesper, M.
Spungin-Bialik, A., see Papir, G.
Srisodsuk, M., Kleman-Leyer, K., Keränen, S., Kirk, T. K., Teeri, T. T.: Modes of action on cotton and bacterial cellulose of a homologous endoglucanase-exoglucanase pair from *Trichoderma reesei* 251: 885
Staeheli, P., see Weining, K. C.
Stäsche, R., see Hinderlich, S.
Stafford, W. F., see Kordowska, J.
Stalon, V., see Sainz, G.
Stalz, W.-D., see Jäger, H.
Stanners, C. P., see Koops, M. D.
Stark, W., see Bergwerff, A. A.
Starkova, N. N., see Sokolova, E. A.
Stefano, G. B., see Chopin, V.
Steffen, A., see Sleeman, J. P.
Steinhilber, D., see Härle, D.
Stelling, J., see Desbrosses, G.
Stenberg, Y., Drakenberg, T., Dahlbäck, B., Stenflo, J.: Characterization of recombinant epidermal growth factor (EGF)-like modules from vitamin-K-dependent protein S expressed in *Spodoptera* cells – The cofactor activity depends on the N-terminal EGF module in human protein S 251: 558
Stenflo, J., see Stenberg, Y.
Stephanopoulos, G., see Follstad, B. D.
Steppuhn, J. A., see Laub, M.
Steppuhn, J. A., see Majetschak, M.
Stetter, K. O., see Andrä, S.
Stetter, K. O., see Dirmeier, R.
Stetter, K. O., see Minuth, T.
Steup, M., see Albrecht, T.
Stevens, D. A., see Newton, R.
Stevens, J., see Sluis-Cremer, N.
Stevens, R. C., see Bjørgo, E.
Steyaert, J., see Loverix, S.
Stifani, S., see Grbavec, D.
Stillman, T. J., see Yip, K. S. P.
Stobart, A. K., see Jackson, F. M.
Stoeva, S., see Eschenburg, S.
Stoppini, M., see Bellotti, V.
Stover, D. R., see Wittlin, S.
Strecker, G., see Morelle, W.
Stremler, K. E., see Balland, A.
Strenge, K., Schauer, R., Bovin, N., Hasegawa, A., Ishida, H., Kiso, M., Kelm, S.: Glycan specificity of myelin-associated glycoprotein and sialoadhesin deduced from interactions with synthetic oligosaccharides 258: 677

Strenge, K., see Kelm, S.
Strid, Å., see Brosché, M.
Strijland, A., see Renkema, G. H.
Stringer, B. W., see Mahony, D.
Stromer, T., see Klappa, P.
Štros, M., Reich, J.: Formation of large nucleoprotein complexes upon binding of the high-mobility-group (HMG) box B-domain of HMG1 protein to supercoiled DNA 251: 427
Strosberg, A. D., see Gros, J.
Strube, K.-H., see Friedrich, T.
Sturgill, T. W., see Malarkey, K.
Subbaraya, I., see Li, N.
Subbi, J., see Kuusksalu, A.
Subtil, A., Dautry-Varsat, A.: Several weak signals in the cytosolic and transmembrane domains of the interleukin-2-receptor β chain allow for its efficient endocytosis 253: 525
Sudoh, M., see Yabe, T.
Süss, K.-H., see Teige, M.
Sugahara, K., see Yamada, S.
Sugimoto, S., see Fujimoto, Y.
Sugino, D., see Kobayashi, H.
Sugio, S., see Kashima, A.
Sugiyama, M., see Manabe, T.
Sugiyama, T., see Katahira, M.
Suidan, H. S., see Andjelković, M.
Sullivan, P. A., see Christeller, J. T.
Sumegi, B., see Than, N. G.
Sumimoto, H., see Mizuki, K.
Sumimoto, H., see Nakamura, R.
Sunde, M., see Bellotti, V.
Suzuki, K., see Kouchi, Z.
Suzuki, K.-M., Hayashi, N., Hosoya, N., Takahashi, T., Kosaka, T., Hosoya, H.: Secretion of tetrain, a *Tetrahymena* cysteine protease, as a mature enzyme and its identification as a member of the cathepsin L subfamily 254: 6
Suzuki, M., see Matsui, T.
Suzuki, N., see Mikami, T.
Suzuki, Y., Tanokura, M., Shimizu, T.: Evidence for existence of multiple conformations of kinesin and ncd motor domains in solution revealed by ^{31}P-NMR of the tightly bound ADP 257: 466
Svensson, H. G., Hoogenboom, H. R., Sjöbring, U.: Protein LA, a novel hybrid protein with unique single-chain Fv antibody- and Fab-binding properties 258: 890
Svensson, L. T., see Lindquist, P. J. G.
Svensson, S., Hedberg, J. J., Höög, J.-O.: Structural and functional divergence of class II alcohol dehydrogenase – Cloning and characterisation of rabbit liver isoforms of the enzyme 251: 236
Svergun, D. I., see Schönbrunn, E.
Swaving, J., see van Wely, K. H. M.
Swaving, J., see Westphal, A. H.
Sykes, A. G., see Im, S.-c.
Sykes, B. D., see Gauthier, S. Y.
Sykes, B. D., see Markley, J. L.
Sykes, B. D., see Maruta, S.
Syu, W.-J., see Yan, B.-S.

Taanman, J.-W., see Nijtmans, L. G. J.
Tachibana, K., see Minami, T.
Tada, M., see Yabuki, M.
Tahiri, K., see Chauvet, G.
Tai, G.-H., see Huckerby, T. N.
Taka, H., see Yamakura, F.
Takagaki, M., see Kurachi, S.
Takagi, M., see Zimmer, T.
Takahashi, K., see Shima, S.
Takahashi, S., see Takahashi, Y.
Takahashi, T., see Suzuki, K.-M.
Takahashi, Y., Takahashi, S., Yoshimi, T., Miura, T.: Hypoxia-induced expression of phosphoglycerate mutase B in fibroblasts 254: 497
Takayama, H., see Ezumi, Y.
Takebayashi, S.-I., see Yanaka, N.
Takemori, H., see Nonaka, Y.
Takenawa, T., see Yu, H.
Takeshige, K., see Mizuki, K.
Takeshige, K., see Nakamura, R.
Takeshita, S., see Kanai, T.
Takeuchi, H.-a., see Yamauchi, K.
Takeuchi, Y., see Maruyama, N.
Talfournier, F., Colloc'h, N., Mornon, J.-P., Branlant, G.: Comparative study of the catalytic domain of phosphorylating glyceraldehyde-3-phosphate dehydrogenases from bacteria and archaea via essential cysteine probes and site-directed mutagenesis 252: 447
Tam, M. H., see Yan, B.-S.
Tanabe, M., see Kawazoe, Y.
Tanaka, A., see Kanai, T.
Tanaka, K., see Okada, K.
Tanaka, T., see Mino, T.
Tanfani, F., see D'Auria, S.
Tang, J. X., see Goldmann, W. H.
Taniai, K., see Yang, J.
Tanokura, M., see Suzuki, Y.
Tarrago-Litvak, L., see Dufour, E.
Tashlitsky, V., see Antsypovich, S.
Taton, M., see Labit-Le Bouteiller, C.
Taube, R., Avidan, O., Bakhanashvili, M., Hizi, A.: DNA synthesis exhibited by the reverse transcriptase of mouse mammary tumor virus: Processivity and fidelity of misinsertion and mispair extension 258: 1032
Tauc, P., see Kuznetsov, S. V.
Tavitian, A., see Janoueix-Lerosey, I.
Taylor, N. A., see Jan, G.
Techniková, Z., see Vomastek, T.
Teeri, T. T., see Srisodsuk, M.
Tegoni, M., see Maibèche-Coisne, M.
Teichberg, S., see Kapurniotu, A.
Teige, M., Melzer, M., Süss, K.-H.: Purification, properties and *in situ* localization of the amphibolic enzymes D-ribulose 5-phosphate 3-epimerase and transketolase from spinach chloroplasts 252: 237
Teissié, J., see Rols, M.-P.
Tennant, L. L., see Jeng, M.-F.
Teo, S.-H., see Grasser, K. D.
Terao, T., see Kobayashi, H.
Teruel, J. A., see Velasco-Guillén, I.
Tessitore, A., Pastore, L., Rispoli, A., Cilenti, L., Toniato, E., Flati, V., Farina, A. R., Frati, L., Gulino, A., Martinotti, S.: Two γ-interferon-activation sites (GAS) on the promoter of the human intercellular adhesion molecule (ICAM-1) gene are required for induction of transcription by IFN-γ 258: 968
Testi, M. G., see Harrer, R.
Teunis, C. J., see Dorovska-Taran, V.
Than, G. N., see Than, N. G.
Than, N. G., Sumegi, B., Than, G. N., Kispal, G., Bohn, H.: Cloning and sequence analysis of cDNAs encoding human placental tissue protein 17 (PP17) variants 258: 752
Thauer, R. K., see Heim, S.
Thauer, R. K., see Künkel, A.
Thauer, R. K., see Sauer, K.
Thauer, R. K., see Shima, S.
Theunissen, O., Rudt, F., Pieler, T.: Structural determinants in 5S RNA and TFIIIA for 7S RNP formation 258: 758
Thibault, P., see Cox, A. D.
Thibault, P., see Wakarchuk, W. W.
Thiele, B.-J., see Thiele, H.
Thiele, H., Berger, M., Lenzner, C., Kühn, H., Thiele, B.-J.: Structure of the promoter and complete sequence of the gene coding for the rabbit translationally controlled tumor protein (TCTP) P23 257: 62
Thiyagarajan, M. M., Waldman, S. A., Noè, M., Kmiec, E. B.: Binding characteristics of *Ustilago maydis* topoisomerase I to DNA containing secondary structures 255: 347
Thomas, A. A. M., see Kleijn, M.
Thomas, J. O., see Grasser, K. D.
Thomas, S., Fell, D. A.: A control analysis exploration of the role of ATP utilisation in glycolytic-flux control and glycolytic-metabolite-concentration regulation 258: 956
Thompson, D. A., Weigel, R. J.: Characterization of a gene that is inversely correlated with estrogen receptor expression (ICERE-1) in breast carcinomas 252: 169
Thompson, J., see Koops, M. D.
Thompson, M. W., Miller, J., Maurizi, M. R., Kempner, E.: Importance of heptameric ring integrity for activity of *Escherichia coli* ClpP 258: 923
Thomsen, K. K., see Krah, M.
Thórólfsson, M., see Ásgeirsson, B.
Thorpe, S. R., see Pamplona, R.
Thulasiraman, V., Xu, Z., Uma, S., Gu, Y., Chen, J.-J., Matts, R. L.: Evidence that Hsc70 negatively modulates the activation of the heme-regulated eIF-2α kinase in rabbit reticulocyte lysate 255: 552
Thurman, R. G., see Arteel, G. E.
Tickle, I. J., see Bunting, K.
Timmins, P. A., see Holt, C.
Timmis, K. N., see Armengaud, J.
Timpl, R., see Göhring, W.
Timson, D. J., Trayer, H. R., Trayer, I. P.: The N-terminus of A1-type myosin essential light chains binds actin and modulates myosin motor function 255: 654
Tissot, G., Pepin, R., Job, D., Douce, R., Alban, C.: Purification and properties of the chloroplastic form of biotin holocarboxylase synthetase from *Arabidopsis thaliana* overexpressed in *Escherichia coli* 258: 586
Titani, K., see Matsui, T.
Titmuss, S. J., see Lindner, R. A.
Tjaden, J., see Möhlmann, T.
Tölö, H., see Nyman, T. A.
Toffanin, R., see Cescutti, P.
Tolazzi, G., see Scaggiante, B.
Tomancak, P., see Muckenthaler, M.
Tomiyama, M., see Colbeau, A.
Toniato, E., see Tessitore, A.

Toomey, D., Mayhew, S. G.: Purification and characterisation of NADH oxidase from *Thermus aquaticus* YT-1 and evidence that it functions in a peroxide-reduction system 251: 935
Tordo, P., see Pietri, S.
Tormay, P., Wilting, R., Lottspeich, F., Mehta, P. K., Christen, P., Böck, A.: Bacterial selenocysteine synthase – Structural and functional properties 254: 655
Tornhamre, S., Sjölinder, M., Lindberg, Å., Ericsson, I., Näsman-Glaser, B., Griffiths, W. J., Lindgren, J. Å.: Demonstration of leukotriene-C_4 synthase in platelets and species distribution of the enzyme activity 251: 227
Torres, C. R., Vasconcelos, E. G., Ferreira, S. T., Verjovski-Almeida, S.: Divalent cation dependence and inhibition of *Schistosoma mansoni* ATP diphosphohydrolase by fluorosulfonylbenzoyl adenosine 251: 516
Torres, J. A., see Boisbouvier, J.
Tort, J. F., see Hola-Jamriska, L.
Torzewska, A., see Bartodziejska, B.
Toschi, L., Bringmann, P., Petri, T., Donner, P., Schleuning, W.-D.: Fibrin selectivity of the isolated protease domains of tissue-type and vampire bat salivary gland plasminogen activators 252: 108
Tosi, M., see Lener, M.
Touab, M., see Molist, A.
Towatari, T., Miyamura, T., Kondo, A., Kato, I., Inoue, M., Yano, M., Kido, H.: The structures of asparagine-linked oligosaccharides of rat liver cathepsin L reflect the substrate specificity of lysosomal α-mannosidase 256: 163
Toyofuku, T., see Yabuki, M.
Tran, Q. H., Unden, G.: Changes in the proton potential and the cellular energetics of *Escherichia coli* during growth by aerobic and anaerobic respiration or by fermentation 251: 538
Traugh, J. A., see Chang, Y.-W. E.
Trautwein, A. X., see Kröckel, M.
Trautwein, A. X., see Müller, K.
Trayer, H. R., see Timson, D. J.
Trayer, I. P., see Al-Hillawi, E.
Trayer, I. P., see Timson, D. J.
Tressl, R., see Wanner, P.
Triantafillidou, D., see Tsiboli, P.
Tricot, C., see Sainz, G.
Trilla, J. A., see Cos, T.
Trinchera, M., see Valli, M.
Troalen, F., see Krebs, D.
Trogen, G.-B., Edlund, U., Larsson, G., Sethson, I.: The solution NMR structure of a blue-green algae hepatotoxin, microcystin-RR – A comparison with the structure of microcystin-LR 258: 301
Tsetlin, V. I., see Lugovskoy, A. A.
Tsetlin, V. I., see Maslennikov, I. V.
Tsetlin, V. I., see Utkin, Y. N.
Tsiboli, P., Triantafillidou, D., Franceschi, F., Choli-Papadopoulou, T.: Studies on the Zn-containing S14 ribosomal protein from *Thermus thermophilus* 256: 136
Tsigos, I., Velonia, K., Smonou, I., Bouriotis, V.: Purification and characterization of an alcohol dehydrogenase from the Antarctic psychrophile *Moraxella* sp. TAE123 254: 356
Tsikaris, V., see Petit, M.-C.
Tsubuki, S., see Matsubara, Y.
Tsuchihashi, K., see Mikami, T.
Tsuda, E., see Morinaga, T.
Tsuda, H., see Yamada, S.
Tsugita, A., see Kamo, M.
Tsuji, H., see Kimoto, M.
Tsukahara, Y., see Seki, T.
Tsukumo, S.-i., see Sakamaki, K.
Tudor, J. E., Pennington, M. W., Norton, R. S.: Ionisation behaviour and solution properties of the potassium-channel blocker ShK toxin 251: 133
Tuena de Gómez-Puyou, M., Sandoval, F., García, J. J., Gómez-Puyou, A.: Synthesis and release of ATP by soluble mitochondrial F1 in complex with its inhibitor protein during dimethylsulfoxide-water transitions 255: 303
Tuena de Gómez-Puyou, M., see Garza-Ramos, G.
Tuite, M. F., see Mottagui-Tabar, S.
Turano, P., see Assfalg, M.
Turano, P., see Banci, L.
Turco, S. J., see Martin, I.
Tuynman, A., Vink, M. K. S., Dekker, H. L., Schoemaker, H. E., Wever, R.: The sulphoxidation of thioanisole catalysed by lactoperoxidase and *Coprinus cinereus* peroxidase: Evidence for an oxygen-rebound mechanism 258: 906
Tyagi, R. K., Azrad, A., Degani, H., Salomon, Y.: Stimulation of fructose 1,6-bisphosphate production in melanoma cells by α-melanocyte-stimulating hormone – $^{31}P/^{13}C$-NMR and ^{32}P-labeling studies 258: 68
Tziatzios, C., see Shima, S.
Tzinia, A., see Petit, M.-C.

Uchibayashi, T., see Iguchi, K.
Uchiyama, S., see Ogawa, K.
Uchiyama, T., see Ezumi, Y.
Ueda, H., see Asano, T.
Ueda, M., see Kanai, T.
Ueda, N., see Bisogno, T.
Uesugi, S., see Katahira, M.
Ughetto, G., see Ettorre, A.
Ugorski, M., see Kłopocki, A. G.
Uhlén, S., see Dambrova, M.
Uhlmann, H., see Iametti, S.
Ulmke, C., see Andersen, C.
Uma, S., see Thulasiraman, V.
Umeda, P. K., see She, M.
Umemura, K., see Kanai, T.
Un, S., see Elleingand, E.
Unden, G., see Schirawski, J.
Unden, G., see Tran, Q. H.
Urbanke, C., see Meiss, G.
Uriarte, M., see Marina, A.
Urvil, P. T., see Gal, S. W.
Urzinger, M., see Porra, R. J.
Usami, Y., see Iguchi, K.
Ustulin, F., see Scaggiante, B.
Usui, E., see Kawamoto, T.
Utkin, Y. N., Krivoshein, A. V., Davydov, V. L., Kasheverov, I. E., Franke, P., Maslennikov, I. V., Arseniev, A. S., Hucho, F., Tsetlin, V. I.: Labeling of *Torpedo californica* nicotinic acetylcholine receptor subunits by cobratoxin derivatives with photoactivatable groups of different chemical nature at Lys23 253: 229
Utkin, Y. N., see Lugovskoy, A. A.
Utsumi, S., see Maruyama, N.

Vaccaro, M. I., see Calvo, E. L.
Väljamäe, P., Sild, V., Pettersson, G., Johansson, G.: The initial kinetics of hydrolysis by cellobiohydrolases I and II is consistent with a cellulose surface-erosion model 253: 469
Vaintraub, I., see Senyuk, V.
Vajna, R., Schramm, M., Pereverzev, A., Arnhold, S., Grabsch, H., Klöckner, U., Perez-Reyes, E., Hescheler, J., Schneider, T.: New isoform of the neuronal Ca^{2+} channel α1E subunit in islets of Langerhans and kidney – Distribution of voltage-gated Ca^{2+} channel α1 subunits in cell lines and tissues 257: 274
Valli, M., Gallanti, A., Bozzaro, S., Trinchera, M.: β-1,3-galactosyltransferase and α-1,2-fucosyltransferase involved in the biosynthesis of type-1-chain carbohydrate antigens in human colon adenocarcinoma cell lines 256: 494
Van Beeumen, J., see Hu, W.
Van Beeumen, J., see Pettigrew, G. W.
Van Beeumen, J., see Ramalho-Santos, M.
Van Berkel, W. J. H., see Eppink, M. H. M.
van Berkel, W. J. H., see Fraaije, M. W.
Van Damme, J., see Wuyts, A.
Van de Casteele, M., see Wilquet, V.
van de Klundert, F. A. J. M., Smulders, R. H. P. H., Gijsen, M. L. J., Lindner, R. A., Jaenicke, R., Carver, J. A., de Jong, W. W.: The mammalian small heat-shock protein Hsp20 forms dimers and is a poor chaperone 258: 1014
van de Lande, M., see Wilquet, V.
Van den Bogert, C., see Nijtmans, L. G. J.
van den Boogaart, P., see Heikoop, J. C.
van den Broeck, H. C., see Panneman, H.
van den Heuvel, L. P. W. J., see Groffen, A. J. A.
van den Heuvel, R. H. H., see Fraaije, M. W.
van der Drift, C., see Wassenaar, R. W.
van der Rest, M. E., see Molenaar, D.
van der Wal, F. J., Oliver, J. D., High, S.: The transient association of ERp57 with N-glycosylated proteins is regulated by glucose trimming 256: 51
van der Zwan, M., see Cox, A. D.
Van Driessche, G., see Hu, W.
Van Haastert, P. J. M., see Heikoop, J. C.
van Hage-Hamsten, M., see Eriksson, T. L. J.
van Kampen, M. D., see Simons, J.-W. F. A.
van Keulen, G., see Smidt, M. P.
van Kuppevelt, T. H., see Groffen, A. J. A.
van Oostrum, J., see Bergwerff, A. A.
van Rooijen, J. J. M., Kamerling, J. P., Vliegenthart, J. F. G.: Sulfated di-, tri- and tetra-antennary N-glycans in human Tamm-Horsfall glycoprotein 256: 471
Van Veldhoven, P. P., see Wylin, T.
van Wely, K. H. M., Swaving, J., Driessen, A. J. M.: Translocation of the precursor of α-amylase into *Bacillus subtilis* membrane vesicles 255: 690
Vandaele, J., see Pollaud-Chérion, C.
Vandekerckhove, J., see Lambert, G.
Vandekerckhove, J., see Pérez-Méndez, O.

Vanden Broeck, J., Chiou, S.-J., Schoofs, L., Hamdaoui, A., Vandenbussche, F., Simonet, G., Wataleb, S., De Loof, A.: Cloning of two cDNAs encoding three small serine protease inhibiting peptides from the desert locust *Schistocerca gregaria* and analysis of tissue-dependent and stage-dependent expression 254: 90
Vandenbroeck, K., Martens, E., Billiau, A.: GroEL/ES chaperonins protect interferon-γ against physicochemical stress – Study of tertiary structure formation by α-casein quenching and ELISA 251: 181
Vandenbussche, F., see Vanden Broeck, J.
Vandenbussche, G., see Nilsson, G.
Vanloo, B., see Lambert, G.
Vanloo, B., see Pérez-Méndez, O.
Vanyushin, B. F., Lopatina, N. G., Wise, C. K., Fullerton, F. R., Poirier, L. A.: Butylated hydroxytoluene modulates DNA methylation in rats 256: 518
Vaquero, A., Portugal, J.: Modulation of DNA-protein interactions in the P1 and P2 c-*myc* promoters by two intercalating drugs 251: 435
Varshney, U., see Purnapatre, K.
Vårum, K. M., see Kristiansen, A.
Vašák, M., see Bogumil, R.
Vasconcelos, E. G., see Torres, C. R.
Vasudevan, S., Laconi, E., Rao, P. M., Rajalakshmi, S., Sarma, D. S. R., La Piana, G., Fransvea, E., Marzulli, D., Lofrumento, N. E.: Cycloheximide sensitivity of orotic acid biosynthesis induced by ammonia and glycine administration 251: 597
Vater, J., see Miao, J.
Vayssiere, J.-L., see Mignotte, B.
Vazeux, G., Wilk, S., Wilk, E., Corvol, P., Llorens-Cortès, C.: Production and properties of a recombinant soluble form of aminopeptidase A 254: 671
Veeger, C., see Dorovska-Taran, V.
Veeger, C., see Ridder, L.
Veerkamp, J. H., see Groffen, A. J. A.
Veglia, G., see Coiro, V. M.
Vegners, R., see Hübner, S.
Veitch, D. P., Gilham, D., Cornell, R. B.: The role of histidine residues in the HXGH site of CTP:phosphocholine cytidylyltransferase in CTP binding and catalysis 255: 227
Velasco-Guillén, I., Corbalán-García, S., Gómez-Fernández, J. C., Teruel, J. A.: Location of *N*-cyclohexyl-*N'*-(4-dimethylamino-α-naphthyl)carbodiimide-binding site in sarcoplasmic reticulum Ca^{2+}-transporting ATPase 253: 339
Veldema, J. S., see Heikoop, J. C.
Veldhuizen, E., see Nilsson, G.
Veldman, R. J., see Babia, T.
Velonia, K., see Tsigos, I.
Vendrell, J., see Gomis-Rüth, F. X.
Venien-Bryan, C., see Alazard, R.
Venning, J. D., Bizouarn, T., Cotton, N. P. J., Quirk, P. G., Jackson, J. B.: Stopped-flow kinetics of hydride transfer between nucleotides by recombinant domains of proton-translocating transhydrogenase 257: 202
Ventura, F. V., Ijlst, L., Ruiter, J., Ofman, R., Costa, C. G., Jakobs, C., Duran, M., De Almeida, I. T., Bieber, L. L., Wanders, R. J. A.: Carnitine palmitoyltransferase II specificity towards β-oxidation intermediates – Evidence for a reverse carnitine cycle in mitochondria 253: 614
Ventura, S., see Gomis-Rüth, F. X.
Vergnolle, C., see Jouannic, N.
Vergote, J., Moretti, J.-L., De Vries, E. G. E., Garnier-Suillerot, A.: Comparison of the kinetics of active efflux of ^{99m}Tc-MIBI in cells with P-glycoprotein-mediated and multidrug-resistance protein-associated multidrug-resistance phenotypes 252: 140
Verhasselt, P., see Masure, S.
Verheij, H. M., see Lang, D. A.
Verheij, H. M., see Simons, J.-W. F. A.
Verjovski-Almeida, S., see Torres, C. R.
Vermaas, W., see He, Q.
Vermaas, W., see Lince, M. T.
Vermaas, W., see Manna, P.
Vernotte, C., see Ajlani, G.
Veríssimo, P., see Ramalho-Santos, M.
Vértesy, L., see Kurz, M.
Vertommen, D., see Bertrand, L.
Vetriani, C., see Yip, K. S. P.
Vetter, S., see Leclerc, E.
Veyssiere, G., see Darne, C.
Viale, A. M., see Dionisi, H. M.
Vidal, F., Colomé, C., Martínez-González, J., Badimon, L.: Atherogenic concentrations of native low-density lipoproteins down-regulate nitric-oxide-synthase mRNA and protein levels in endothelial cells 252: 378
Vignais, P. M., see Colbeau, A.
Vignais, P. V., see Doussiere, J.
Vignal, E., Chavanieu, A., Roch, P., Chiche, L., Grassy, G., Calas, B., Aumelas, A.: Solution structure of the antimicrobial peptide ranalexin and a study of its interaction with perdeuterated dodecylphosphocholine micelles 253: 221
Vihinen, M., see Herrala, A.
Vihko, P., see Herrala, A.
Viksø-Nielsen, A., see Blennow, A.
Vilcinskas, A., see Wedde, M.
Villalba, M., see Ledesma, A.
Villar, E., see Ruiz-Arribas, A.
Villard, C., see David, L.
Villena, J., see Molist, A.
Villmann, C., see Waschütza, G.
Vinci, G., see Lener, M.
Vinçon, M., see Moutin, M.-J.
Vink, M. K. S., see Tuynman, A.
Virelizier, H., see Sopková-de Oliveira Santos, J.
Virji, S., see Crompton, M.
Vis, E. H., see Ridder, L.
Vishnuvardhan, D., see Gal, S. W.
Visser, J., see Panneman, H.
Visser, J., see Pařenicová, L.
Visweswariah, S. S., see Sooryanarayana, P. P.
Vivien, D., see Komesli, S.
Vliegenthart, J. F. G., see Gilleron, M.
Vliegenthart, J. F. G., see van Rooijen, J. J. M.
Vo, H., see Koepf, E. K.
Völkel, D., Blankenfeldt, W., Schomburg, D.: Large-scale production, purification and refolding of the full-length cellular prion protein from Syrian golden hamster in *Escherichia coli* using the glutathione *S*-transferase-fusion system 251: 462
Voelter, W., see Kapurniotu, A.
Vörös, K., Feussner, I., Kühn, H., Lee, J., Graner, A., Löbler, M., Parthier, B., Wasternack, C.: Characterization of a methyljasmonate-inducible lipoxygenase from barley (*Hordeum vulgare* cv. Salome) leaves 251: 36
Vogels, G. D., Wassenaar, R. W.
Vogler, B., see Schulze, B.
Vogt, M., see Philipp, S.
Voisin, P., see Grechez-Cassiau, A.
Volkmer, J., see Elliott, J. G.
Vomastek, T., Nádvorník, R., Janeček, J., Techniková, Z., Weiser, J., Branny, P.: Characterisation of two putative protein Ser/Thr kinases from actinomycete *Streptomyces granaticolor* both endowed with different properties 257: 55
von der Lieth, C.-W., see Gilleron, M.
von Heijne, G., see Sääf, A.
Voorma, H. O., see Kleijn, M.
Vopper, G., see Plomann, M.
Voragen, A. G. J., see Pots, A. M.
Vorauer, K., see Altmann, F.
Vorholt, J. A., see Künkel, A.
Vorotyntseva, T. I., see Sokolova, E. A.
Votruba, I., see Fojtová, M.
Vovelle, F., see Mandard, N.
Vrhovski, B., Weiss, A. S.: *Review*. Biochemistry of tropoelastin 258: 1
Vuillard, L., Rabilloud, T., Goldberg, M. E.: Interactions of non-detergent sulfobetaines with early folding intermediates facilitate *in vitro* protein renaturation 256: 128
Vuillard, L., see Blisnick, T.
Vuust, J., see Høgdall, E. V. S.
Vynios, D. H., see Karahalios, P.

Wada, Y., see Maruyama, N.
Wäspi, U., Misteli, B., Hasslacher, M., Jandrositz, A., Kohlwein, S. D., Schwab, H., Dudler, R.: The defense-related rice gene *Pir7b* encodes an α/β hydrolase fold protein exhibiting esterase activity towards naphthol AS-esters 254: 32
Wagner, J. T., Lüdemann, H., Färber, P. M., Lottspeich, F., Krauth-Siegel, R. L.: Glutamate dehydrogenase, the marker protein of *Plasmodium falciparum* – Cloning, expression and characterization of the malarial enzyme 258: 813
Wagner, R., see Hinnah, S. C.
Wagner, S., see Sowka, S.
Wahren, B., see Millar, A. L.
Wajant, H., see Johannes, F.-J.
Wakarchuk, W. W., Gilbert, M., Martin, A., Wu, Y., Brisson, J.-R., Thibault, P., Richards, J. C.: Structure of an α-2,6-sialylated lipooligosaccharide from *Neisseria meningitidis* immunotype L1 254: 626
Wakselman, M., see Blanco, J.
Waldman, S. A., see Thiyagarajan, M. M.
Walker, V. K., see Gauthier, S. Y.
Wallace, L., see Sluis-Cremer, N.
Wallin, E., see Sääf, A.
Walls, A. F., see McEuen, A. R.
Wallukat, G., see Elies, R.
Walse, B., Kihlberg, J., Drakenberg, T.: Conformation of desmopressin, an analogue of the peptide hormone vasopressin, in aqueous solution as determined by NMR spectroscopy 252: 428
Walsh, D. M., see El-Agnaf, O. M. A.

Walsh, M. A., McCarthy, A., O'Farrell, P. A., McArdle, P., Cunningham, P. D., Mayhew, S. G., Higgins, T. M.: X-ray crystal structure of the *Desulfovibrio vulgaris* (Hildenborough) apoflavodoxin-riboflavin complex 258: 362
Wanders, R. J. A., see Ventura, F. V.
Wane, Y.-Q., see Hohman, T. C.
Wang, A. H.-J., see Bauer, C.
Wang, C.-L. A., see Kordowska, J.
Wang, G., Pincheira, R., Zhang, J.-T.: Dissection of drug-binding-induced conformational changes in P-glycoprotein 255: 383
Wang, J. M., see Wuyts, A.
Wang, X.-M., Wattiez, R., Brossier, F., Mock, M., Falmagne, P., Ruysschaert, J.-M., Cabiaux, V.: Use of a photoactivatable lipid to probe the topology of PA63 of *Bacillus anthracis* in lipid membranes 256: 179
Wang, Y., see Letzelter, F.
Wang, Y., see Miyazawa, K.
Wang, Y., see Reddy, G. P.
Wanner, P., Tressl, R.: Purification and characterization of two enone reductases from *Saccharomyces cerevisiae* 255: 271
Ward, J. M., see Crompton, M.
Warren, M. J., see Raux, E.
Waschütza, G., Dengler, U., Villmann, C., Böttinger, H., Otto, B.: Interferon-γ variants with deletions in the AB surface loop – Flexibility is a critical point for receptor binding 256: 303
Wassenaar, R. W., Keltjens, J. T., van der Drift, C.: Activation and reaction kinetics of the dimethylamine/coenzyme M methyltransfer in *Methanosarcina barkeri* strain Fusaro 258: 597
Wassenaar, R. W., Keltjens, J. T., Van Der Drift, C., Vogels, G. D.: Purification and characterization of dimethylamine:5-hydroxybenzimidazolyl-cobamide methyltransferase from *Methanosarcina barkeri* Fusaro 253: 692
Wasserfallen, A., Ragettli, S., Jouanneau, Y., Leisinger, T.: A family of flavoproteins in the domains Archaea and Bacteria 254: 325
Wasternack, C., see Vörös, K.
Wataleb, S., see Vanden Broeck, J.
Watanabe, N., Nakada, K., Kobayashi, Y.: Processing and release of tumor necrosis factor α 253: 576
Watanabe, Y., see Yu, H.
Waterman, M. R., see Nonaka, Y.
Watkins, N. J., see Leader, D. J.
Watkins, S., see Galliano, M.
Watters, J. A., see Leader, D. J.
Wattiez, R., see Wang, X.-M.
Watty, A., Weise, C., Dreger, M., Franke, P., Hucho, F.: The accessible surface of the nicotinic acetylcholine receptor – Identification by chemical modification and cross-linking with ^{14}C-dimethyl suberimidate 252: 222
Waugh, S. M., see Balland, A.
Wedde, M., Weise, C., Kopacek, P., Franke, P., Vilcinskas, A.: Purification and characterization of an inducible metalloprotease inhibitor from the hemolymph of greater wax moth larvae, *Galleria mellonella* 255: 535
Weeds, A. G., see Maciver, S. K.
Wei, S. M., see Debelle, L.
Wei, Y.-H., see Porteous, W. K.
Weigel, R. J., see Thompson, D. A.
Weiner, J. H., see Rothery, R. A.
Weiner, J. H., see Simala-Grant, J. L.
Weining, K. C., Sick, C., Kaspers, B., Staeheli, P.: A chicken homolog of mammalian interleukin-1β: cDNA cloning and purification of active recombinant protein 258: 994
Weintraub, A., see Färnbäck, M.
Weintraub, A., see Hygge Blakeman, K.
Weintraub, A., see Landersjö, C.
Weintraub, A., see Marie, C.
Weintraub, A., see Rundlöf, T.
Weintraub, A., see Senchenkova, S. N.
Weise, C., see Hinderlich, S.
Weise, C., see Watty, A.
Weise, C., see Wedde, M.
Weiser, J., see Vomastek, T.
Weiss, A. S., see Vrhovski, B.
Welch, C. J., see Dambrova, M.
Welfle, H., see Krah, M.
Welinder, K. G., see Neri, F.
Wellein, C., see Hoja, U.
Wellinghausen, N., see Luhm, J.
Welte, T., see Mayr, S.
Wende, W., see Leismann, O.
Wenger, R. H., Kvietikova, I., Rolfs, A., Camenisch, G., Gassmann, M.: Oxygen-regulated erythropoietin gene expression is dependent on a CpG methylation-free hypoxia-inducible factor-1 DNA-binding site 253: 771
Wenk, M., Mayr, E.-M.: *Myxococcus xanthus* spore coat protein S, a stress-induced member of the $\beta\gamma$-crystallin superfamily, gains stability from binding of calcium ions 255: 604
Wenz, C., see Schöttler, S.
Wenzl, G., see Philipp, S.
Wesselborg, S., see Schulze-Osthoff, K.
Westermann, P., see Bulygin, K.
Westphal, A. H., Swaving, J., Jacobs, L., de Kok, A.: Purification and characterization of a flavoprotein involved in the degradation of epoxyalkanes by *Xanthobacter* Py2 257: 160
Westphal, A. H., see Berg, A.
Wever, R., see Tuynman, A.
Weyher, E., see Budisa, N.
Whitley, P., see Eriksson, T. L. J.
Whytock, S., see Maciver, S. K.
Widdowson, D. A., see Misawa, E.
Widmalm, G., see Färnbäck, M.
Widmalm, G., see Hygge Blakeman, K.
Widmalm, G., see Landersjö, C.
Widmalm, G., see Marie, C.
Widmalm, G., see Rundlöf, T.
Widmalm, G., see Shashkov, A. S.
Wiederkehr, M., see Fasler-Kan, E.
Wieland, H. A., Eckard, C. P., Doods, H. N., Beck-Sickinger, A. G.: Probing of the neuropeptide Y–Y_1-receptors interaction with anti-receptor antibodies 255: 595
Wieser, M., Fujii, N., Yoshida, T., Nagasawa, T.: Carbon dioxide fixation by reversible pyrrole-2-carboxylate decarboxylase from *Bacillus megaterium* PYR2910 257: 495
Wieser, M., see Omura, H.
Wikberg, J. E. S., see Dambrova, M.
Wilk, E., see Vazeux, G.
Wilk, S., see Vazeux, G.
Wilkes, B. C., see Carpenter, K. A.
Wilkins, P. C., see Buzy, A.
Wilkinson, S. G., see Gaur, D.
Willassen, N. P., see Helland, R.
Wille, S., see Palchaudhuri, M. R.
Wille, U., Schade, B., Duszenko, M.: Characterization of glycerol uptake in bloodstream and procyclic forms of *Trypanosoma brucei* 256: 245
Williams, K. L., see Jung, E.
Williams, S. G., see Mills, J.
Williams, T. A., see Houard, X.
Williamson, M. P., see Iwadate, M.
Willis, A. C., see McAlister, M. S. B.
Willison, J. C., see Jouanneau, Y.
Wilquet, V., Gaspar, J. A., van de Lande, M., Van de Casteele, M., Legrain, C., Meiering, E. M., Glansdorff, N.: Purification and characterization of recombinant *Thermotoga maritima* dihydrofolate reductase 255: 628
Wilson, G. J., see Huang, W.
Wilson, K. S., see Eschenburg, S.
Wilson, K. S., see Raux, E.
Wilting, R., see Tormay, P.
Wind, R. D., Buitelaar, R. M., Dijkhuizen, L.: Engineering of factors determining α-amylase and cyclodextrin glycosyltransferase specificity in the cyclodextrin glycosyltransferase from *Thermoanaerobacterium thermosulfurigenes* EM1 253: 598
Windegger, M., see Mayr, S.
Wing, D. R., see Chen, Y.-J.
Wing, D. R., see Guile, G. R.
Wing, D. R., see Zamze, S.
Winkelmann, R., Geschwindner, S., Haun, M., Rüterjans, H.: Solution structure of the recombinant oxidized rabbit uteroglobin using homonuclear and heteronuclear multidimensional NMR 258: 521
Winkler, H. H., see Möhlmann, T.
Winkler, J., see Porra, R. J.
Winkler, T., see Pook, E.
Winter, H. C., see Kurachi, S.
Wintergerst, E. S., see Asmis, R.
Wintjens, R., see Oberg, K. A.
Wintzingerode, F. v., see Diehl, A.
Wise, C. K., see Vanyushin, B. F.
Witt, H., Malatesta, F., Nicoletti, F., Brunori, M., Ludwig, B.: Cytochrome-*c*–binding site on cytochrome oxidase in *Paracoccus denitrificans* 251: 367
Wittershagen, A., see Klimmek, O.
Wittlin, S., Rösel, J., Stover, D. R.: One-step purification of cathepsin D by affinity chromatography using immobilized propeptide sequences 252: 530
Wittwer, M., see Chiquet, M.
Wobus, U., see Albrecht, T.
Wohlfarth, G., see Kaufmann, F.
Wojciechowski, W., see Olivier, M.
Wolf, S., see Pasternack, R.
Wolfenstein-Todel, C., see Iglesias, M. M.
Wollmer, A., see Hassiepen, U.
Wood, S. P., see Bunting, K.
Woodcock, S. C., see Raux, E.
Woodland, M. P., see Misawa, E.
Woods, R. J., Pathiaseril, A., Wormald, M. R., Edge, C. J., Dwek, R. A.: The high degree of internal flexibility observed for an oligomannose oligosaccharide does not alter the overall topology of the molecule 258: 372

Wormald, M. R., see Woods, R. J.
Wouters, J., see Bertrand, L.
Wright, H. T., see Janciauskiene, S.
Wright, P. E., see Dyson, H. J.
Wright, P. E., see Markley, J. L.
Wu, C.-W., see Han, C.-L.
Wu, Y., see Wakarchuk, W. W.
Wu, T.-H., Chow, L.-P., Lin, J.-Y.: Sechiumin, a ribosome-inactivating protein from the edible gourd, *Sechium edule* Swartz – Purification, characterization, molecular cloning and expression 255: 400
Wüthrich, K., see Markley, J. L.
Wuyts, A., Proost, P., Lenaerts, J.-P., Ben-Baruch, A., Van Damme, J., Wang, J. M.: Differential usage of the CXC chemokine receptors 1 and 2 by interleukin-8, granulocyte chemotactic protein-2 and epithelial-cell-derived neutrophil attractant-78 255: 67
Wyborn, N. R., see Mills, J.
Wylin, T., Baes, M., Brees, C., Mannaerts, G. P., Fransen, M., Van Veldhoven, P. P.: Identification and characterization of human PMP34, a protein closely related to the peroxisomal integral membrane protein PMP47 of *Candida boidinii* 258: 332
Wyns, L., see Loverix, S.

Xia, Z., Broadhurst, R. W., Laue, E. D., Bryant, D. A., Golbeck, J. H., Bendall, D. S.: Structure and properties in solution of PsaD, an extrinsic polypeptide of photosystem I 255: 309
Xodo, L. E., see Marsich, E.
Xu, G., see Bell, S. L.
Xu, Q., see Reddy, G. P.
Xu, T., Candita, C., Amoruso, G., Papa, S.: The N-termini of the α and β subunits at the top of F_1 stabilize the energy-transfer function in the mitochondrial F_1F_o ATP synthase 252: 155
Xu, Z., see Thulasiraman, V.

Yabe, T., Yamada-Okabe, T., Nakajima, T., Sudoh, M., Arisawa, M., Yamada-Okabe, H.: Mutational analysis of chitin synthase 2 of *Saccharomyces cerevisiae* – Identification of additional amino acid residues involved in its catalytic activity 258: 941
Yabuki, M., Toyofuku, T., Otsu, K., Nishida, M., Kuzuya, T., Hori, M., Tada, M.: Involvement of NF-Y in transcriptional regulation of the phospholamban gene 258: 744
Yachida, Y., see Mikami, T.
Yahara, I., see Sőti, C.
Yamada, H., see Liu, J.-Q.
Yamada, M., see Ito, A.
Yamada, S., Yamane, Y., Sakamoto, K., Tsuda, H., Sugahara, K.: Structural determination of sulfated tetrasaccharides and hexasaccharides containing a rare disaccharide sequence, -3GalNAc(4,6-disulfate)β1-4IdoAα1-, isolated from porcine intestinal dermatan sulfate 258: 775
Yamada-Okabe, H., see Yabe, T.
Yamada-Okabe, T., see Yabe, T.
Yamaguchi, S., see Souri, M.
Yamakawa, M., see Yang, J.
Yamakura, F., Rardin, R. L., Petsko, G. A., Ringe, D., Hiraoka, B. Y., Nakayama, K., Fujimura, T., Taka, H., Murayama, K.: Inactivation and destruction of conserved Trp159 of Fe-superoxide dismutase from *Porphyromonas gingivalis* by hydrogen peroxide 253: 49
Yamamoto, E., see Nakamura, H.
Yamamoto, H., see Iguchi, K.
Yamamoto, M., Dräger, U. C., Ong, D. E., McCaffery, P.: Retinoid-binding proteins in the cerebellum and choroid plexus and their relationship to regionalized retinoic acid synthesis and degradation 257: 344
Yamamoto, M., see Yang, J.
Yamamoto, S., see Bisogno, T.
Yamamoto, Y., see Matsui, T.
Yamane, Y., see Yamada, S.
Yamashita, H., see Kimoto, M.
Yamauchi, K., Takeuchi, H.-a., Overall, M., Dziadek, M., Munro, S. L. A., Schreiber, G.: Structural characteristics of bullfrog (*Rana catesbeiana*) transthyretin and its cDNA – Comparison of its pattern of expression during metamorphosis with that of lipocalin 256: 287
Yamazaki, A., see Li, N.
Yamazaki, J., see Matsui, T.
Yamazaki, M., see Manabe, T.
Yan, B.-S., Tam, M. H., Syu, W.-J.: Self-association of the C-terminal domain of the hepatitis-C virus core protein 258: 100
Yan, W., see Kawamoto, T.
Yanaka, N., Kotera, J., Ohtsuka, A., Akatsuka, H., Imai, Y., Michibata, H., Fujishige, K., Kawai, E., Takebayashi, S.-I., Okumura, K., Omori, K.: Expression, structure and chromosomal localization of the human cGMP-binding cGMP-specific phosphodiesterase PDE5A gene 255: 391
Yanakiev, P., see Meijerink, P. H. S.
Yang, H. C., see Huang, Y.-L.
Yang, J., Yamamoto, M., Ishibashi, J., Taniai, K., Yamakawa, M.: Isolation, cDNA cloning and gene expression of an antibacterial protein from larvae of the coconut rhinoceros beetle, *Oryctes rhinoceros* 255: 734
Yang, Q., see Kurachi, S.
Yankovskaya, V., see Sablin, S. O.
Yano, K., see Fujimoto, Y.
Yano, M., see Towatari, T.
Yao, J., see Dyson, H. J.
Yasuda, H., see Morinaga, T.
Yau, L., Elliot, T., Lalonde, C., Zahradka, P.: Repression of phospho*enol*pyruvate carboxykinase gene activity by insulin is blocked by 3-aminobenzamide but not by PD128763, a selective inhibitor of poly(ADP-ribose) polymerase 253: 91
Yea, C., see Fassy, F.
Yerushalmi, H., see Schwaiger, M.
Yin, S.-J., see Han, C.-L.
Yip, K. S. P., Britton, K. L., Stillman, T. J., Lebbink, J., de Vos, W. M., Robb, F. T., Vetriani, C., Maeder, D., Rice, D. W.: Insights into the molecular basis of thermal stability from the analysis of ion-pair networks in the Glutamate Dehydrogenase family 255: 336
Yoko-o, T., Roy, S. K., Jigami, Y.: Differences in *in vivo* acceptor specificity of two galactosyltransferases, the *gmh3*$^+$ and *gma12*$^+$ gene products from *Schizosaccharomyces pombe* 257: 630
Yokota, H., see Kobayashi, T.
Yonehara, S., see Sakamaki, K.
Yonezawa, N., see Kudo, K.
Yoon, H.-G., see Cha, H.-J.
Yoshida, A., Rzhetsky, A., Hsu, L. C., Chang, C.: *Review*. Human aldehyde dehydrogenase gene family 251: 549
Yoshida, T., see Wieser, M.
Yoshimi, T., see Takahashi, Y.
Young, D., see Bunting, K.
Youson, J. H., see Andersen, Ø.
Yu, H., Fukami, K., Watanabe, Y., Ozaki, C., Takenawa, T.: Phosphatidylinositol 4,5-bisphosphate reverses the inhibition of RNA transcription caused by histone H1 251: 281
Yuan Li, J., see Le Roy, C.
Yuasa, A., see Kobayashi, T.
Yuasa, U., see Mino, T.
Yuda, M., see Miura, K.
Yura, M., see Miura, K.
Yusof, F., see Sowka, S.

Zachara, N. E., see Harrison, M. J.
Zachowski, A., Guerbette, F., Grosbois, M., Jolliot-Croquin, A., Kader, J.-C.: Characterisation of acyl binding by a plant lipid-transfer protein 257: 443
Zähringer, H., Holzer, H., Nwaka, S.: Stability of neutral trehalase during heat stress in *Saccharomyces cerevisiae* is dependent on the activity of the catalytic subunits of cAMP-dependent protein kinase, Tpk1 and Tpk2 255: 544
Zahradka, P., see Yau, L.
Zajc-Kreft, K., see Brank, M.
Zajonc, D., see Dittrich, F.
Zakharkin, S. O., see Przybyla-Zawislak, B.
Zakharov, A., see Senyuk, V.
Žákovská, A., Nováková, O., Balcarová, Z., Bierbach, U., Farrell, N., Brabec, V.: DNA interactions of antitumor *trans*-[$PtCl_2(NH_3)$(quinoline)] 254: 547
Zambetti, G. P., see Fessing, M. Y.
Zamolodchikova, T. S., see Sokolova, E. A.
Zamze, S., see Chen, Y.-J.
Zamze, S., see Guile, G. R.
Zamze, S., Harvey, D. J., Chen, Y.-J., Guile, G. R., Dwek, R. A., Wing, D. R.: Sialylated N-glycans in adult rat brain tissue – A widespread distribution of disialylated antennae in complex and hybrid structures 258: 243
Zanna, L., see Haeuw, J.-F.
Zatonsky, G. V., see Katzenellenbogen, E.
Zatonsky, G. V., see Senchenkova, S. N.
Zdorovenko, G. M., see Knirel, Y. A.
Zegzouti, H., see Bidonde, S.
Zelada, A., Passeron, S., Lopes Gomes, S., Cantore, M. L.: Isolation and characterisation of cAMP-dependent protein kinase from *Candida albicans* – Purification of the regulatory and catalytic subunits 252: 245
Zerhouni, S., see Oberg, K. A.
Zhadan, G. G., see Ruiz-Arribas, A.
Zhang, J.-T., see Wang, G.
Zhang, K., see Li, N.

Zhang, Y., see Bunting, K.
Zheng, C., see Guo, C.
Zheng-Fischhöfer, Q., Biernat, J., Mandelkow, E.-M., Illenberger, S., Godemann, R., Mandelkow, E.: Sequential phosphorylation of Tau by glycogen synthase kinase-3β and protein kinase A at Thr212 and Ser214 generates the Alzheimer-specific epitope of antibody AT100 and requires a paired-helical-filament-like conformation 252: 542
Zhou, N.-Y., see Misawa, E.
Zidovetzki, R., see Goldberg, E. M.
Ziegler, K., Diener, A., Herpin, C., Richter, R., Deutzmann, R., Lockau, W.: Molecular characterization of cyanophycin synthetase, the enzyme catalyzing the biosynthesis of the cyanobacterial reserve material multi-L-arginyl-poly-L-aspartate (cyanophycin) 254: 154
Zierold, K., see Porwol, T.
Zierz, S., see Gellerich, F. N.
Zimmer, T., Scheller, U., Takagi, M., Schunck, W.-H.: Mutual conversion of fatty-acid substrate specificity by a single amino-acid exchange at position 527 in *P*-450Cm2 and *P*-450Alk3A 256: 398
Zimmerman, J. K., see Hilderman, R. H.
Zimmermann, R., see Elliott, J. G.
Zimmermann, R., see Klappa, P.
Zimmermann, W., see Koops, M. D.
Zinke, H., see Bangsow, T.
Ziv, E., see Lantner, F.
Zorin, N. A., see Colbeau, A.
Zorn, I., see Meijerink, P. H. S.
Zussman, A., Hermuet, S., Sagi-Eisenberg, R.: Stimulation of Ca^{2+}-dependent exocytosis and arachidonic acid release in cultured mast cells (RBL-2H3) by a GTPase-deficient mutant of $G\alpha i_3$ 258: 144
Zwilling, R., see Geier, G.
Zych, K., see Shashkov, A. S.

Keyword index

Aβ aggregation 256: 560
ABO 256: 379
abscisic acid 252: 385
acarbose 252: 100; 253: 251
acceptor site 253: 517
2-acetamido-2,6-dideoxy-L-glucose 253: 730
3-acetamido-3,6-dideoxy-D-galactose 258: 657; 258: 716
Acetobacterium dehalogenans 253: 706; 257: 515
3-acetyl formation 257: 185
acetylated low-density lipoprotein 253: 345
N-acetylated units 251: 335
acetylcholinesterase 251: 374; 258: 419
N-acetylglucosamine 256: 119
N-acetylglucosamine kinase 252: 133
acetylglutamate kinase 253: 280
N-acetylmannosamine kinase 252: 133
O-acetylserine (thiol) lyase 255: 235
aciclovir 255: 472
Acinetobacter 251: 189; 254: 404
actin 254: 413; 256: 142
actin binding 251: 262; 255: 654
actin-binding proteins 251: 613; 256: 388
actin-caldesmon interface 254: 571
actin cytoskeleton 254: 202
actin-depolymerizing factors 256: 388
actinomycin D 251: 435
activated protein C 252: 553
activating transcription factor 2 258: 123
activation mechanism 251: 839
activator 254: 111
activator protein-1 256: 190
active-site 256: 398; 258: 572
active-site cysteine 252: 133
active-site inhibitor 254: 433
active-site mutants 258: 320
active-site residue 257: 101
O-acyl sulfatide 255: 289
acylated polyamine 251: 998; 258: 437
O-acylation 255: 289
acylcarnitine ester 253: 614
acyl-CoA dehydrogenase 257: 592
acyl-CoA thioesterase 251: 631; 256: 60
acyl-coenzyme A ester 253: 614
adaptation 256: 45
adenine A-chain interaction 254: 596
adenine nucleotide 252: 508
adenine nucleotide translocase 258: 729
adenomatous polyposis coli 253: 591
adenosine triphosphatase 252: 277; 255: 93; 258: 986
adenosine triphosphatase-inhibitor protein 255: 303
adenosine triphosphate activity 256: 170
S-adenosylhomocysteine hydrolase 252: 347
adenosylhomocysteine nucleosidase 256: 155
S-adenosyl-L-methionine 254: 341
adenylate kinase 254: 490
adhesin 258: 515
adipose tissue (human) 252: 147
ADP 254: 172; 254: 382
ADP-ribosylation 253: 91
adrenoceptor 251: 590
β_2-adrenoceptor 255: 369
adrenocorticotropic hormone 256: 190
adrenodoxin 251: 673
adrenodoxin mutant 251: 673
advanced glycosylation endproduct 251: 208
aerobic/anaerobic transition 251: 538
Aeromonas proteolytica 258: 313
affinity chromatography 251: 874; 255: 516
affinity electrophoresis 252: 331
affinity purification 252: 530
aflatoxin B1 257: 434
agglutinin 252: 416
aggregation substance 258: 515
agonist 251: 659
agrin 254: 123
Ah receptor 258: 803
airway 251: 19
alcohol dehydrogenase 251: 236; 254: 25; 254: 356; 258: 207
alcohol-related disease 254: 25
aldehyde dehydrogenase 254: 356
aldosterone synthase 258: 869
aldosterone synthesis 252: 458
alkaline phosphatase 251: 496
alkaline unfolding 255: 178
alkylphenol 253: 712
allergen 255: 739; 258: 454
alliinase 257: 21
Allium 257: 21
allostery 251: 528; 256: 350
alternate biochemical pathway 253: 494
alternative splicing 253: 390; 257: 85
alveolar basement membrane 254: 123
alveolar macrophage 253: 430
alveolar type-II cell 253: 430
Alzheimer's disease 252: 542; 256: 560; 258: 53; 258: 157; 258: 291
AMBER 258: 372
amide-urea transport system 251: 45
amiloride-binding protein 251: 320
amino acid amide 255: 698
amino acid sequence 251: 329; 251: 613; 251: 863; 252: 90; 252: 400; 254: 602; 255: 638; 258: 29; 258: 460
amino acid sequence preference 255: 462
amino acids 252: 113
amino side of Ser/Thr peptide-bond cleavage 255: 162
aminoacylation in thermophiles 251: 744
3-aminobenzamide 253: 91
aminoglycoside biosynthesis 258: 1059
N-(6-aminohexyl)-5-chloro-1-naphthalenesulfonamide (W-7) 251: 353
aminopeptidase 254: 671; 258: 313
aminophospholipid translocase 254: 202
aminophospholipids 255: 685
amino-terminal fragment 253: 817
ammonium chloride 254: 428
amphibian egg jelly coat 252: 253
amphioxus 258: 419
amphipathic peptide 255: 116; 256: 570
amphiphilic α-helix 257: 331
α-amylase 252: 100; 253: 598
α-amylase inhibitor 255: 710
amylin 251: 208
amyloid 256: 560; 258: 157
β-amyloid 258: 53
amyloid precursor protein 258: 291
amyloidogenesis 251: 208
amyloidosis 258: 61
amyotrophic lateral sclerosis 251: 716
β-amyrin synthase 256: 238
anaerobic aromatic metabolism 251: 946
anaerobic reductase 251: 510
anaerobic respiration 251: 538
analog 253: 1
anandamide 254: 634
androgen 256: 541
5α-androst-16-en-3-one 252: 563
angiotensin 253: 146
angiotensin I-converting enzyme 257: 599
angiotensin I-converting enzyme substrates 257: 599
angiotensin II 251: 448
8-anilino-1-naphthalene sulfonate 253: 406
annexin 253: 766
anthracycline 258: 350
anthrax toxin 256: 179
antibacterial protein 255: 734
antibiotic 252: 500; 253: 406
antibiotic production 254: 347
antibodies 255: 595
anti-cancer 256: 253
anticancer drugs design 258: 350
O-antigen 251: 189; 251: 534; 251: 980; 253: 730; 254: 58; 254: 168; 254: 378; 256: 488; 258: 139
antigen-antibody interaction 253: 184
anti-Gram-negative site 256: 404
antimicrobial 253: 221
antimicrobial polypeptide 251: 565
antioxidative defense 256: 184
anti-receptor sera 255: 595
antisense oligonucleotide 257: 506
antisense RNA 253: 309; 254: 248
antistasin-type inhibitor 254: 692
α-1-antitrypsin 254: 460
α-1-antitrypsin-(358–394)-peptide 254: 460
antitumor activity 254: 547
antiviral 256: 334
Ap_4A receptor 258: 396
apcE gene 257: 154
apolipoproteins 253: 328
apoprotein 251: 781
apoptosis 251: 295; 252: 1; 252: 400; 253: 36; 253: 107; 253: 399; 254: 38; 254: 209; 254: 282; 254: 439; 254: 460; 257: 242; 257: 351; 258: 19
apoptosis protection 257: 47
aptamer 252: 553
Arabidopsis 258: 402
Arabidopsis thaliana 252: 353; 252: 385; 258: 485; 258: 586
arachidonate 253: 345
arachidonic acid 256: 60; 256: 364; 258: 144
Archaea 252: 447; 254: 325; 255: 93; 255: 336; 256: 97; 257: 372
archaea lineage 256: 80
archaeon 258: 837
architectural protein 257: 372

architecture 258: 533
arginine 258: 702
arginine catabolism 253: 280
aromatase cytochrome *P*-450 252: 147
arsenate respiration 255: 647
Artemia salina 251: 269
artificial hemoprotein 257: 121
Ascaris suum 253: 804
asparaginyl-specific endopeptidase 258: 546
aspartic protease 252: 530; 255: 133
aspartic-protease inhibitor 254: 160
Aspergillus nidulans 251: 244; 251: 758
Aspergillus niger 251: 72; 258: 107; 258: 223
assembly 254: 389
astacin 253: 796
Astacus astacus 253: 796
astaxanthin biosynthesis 252: 229
astrocyte 255: 766
Atlantic cod 255: 638
ATP 254: 382
ATP analogue 252: 520; 256: 229
ATP binding 255: 262; 256: 170
ATP diphosphohydrolase 251: 516
ATP synthase 252: 155; 255: 87; 256: 589; 258: 710
ATP synthesis 255: 303
ATP transport 253: 627
ATP/ADP ratio 252: 325
ATP/ADP transporter 252: 353
ATPase 257: 472; 258: 956
ATPase site 256: 229
ATP-binding site 251: 522; 251: 682; 258: 579
ATP-dependent protease 258: 923
attenuated total reflection 252: 261
A-type flavoprotein 254: 325
autocrine/paracrine role 257: 506
autoimmunity 254: 558
autophosphorylation 257: 55
avian myeloblastosis virus 258: 1032
avidin 256: 453
axonal guidance 254: 14
Azotobacter vinelandii 252: 45

Bacillus megaterium 254: 341
Bacillus stearothermophilus 253: 251; 257: 500
Bacillus subtilis 255: 690; 257: 210
bacteria 255: 279
bacterial adhesion 258: 897
bacterial cytochrone-*c* peroxidase 258: 29
bacterial expression system 252: 59
bacterial outer-membrane protein 255: 446
bacterial polysaccharide 253: 730
bacterial polysaccharide structure 256: 488
bactericidal 253: 452
bacteriocin 251: 565
baculovirus 256: 36
baculovirus expression system 257: 592
base catalyst 252: 447
basement membrane 255: 60
bax 257: 351
Bax 258: 19
Bcg gene 251: 734
Bcl-2 251: 295; 252: 1; 254: 439; 258: 19
Bcl-x(L) 258: 19
bdellastasin 253: 212
bdellin 253: 212
benzoyl-CoA 251: 907
benzoyl-CoA pathway 256: 148
benzoyl-CoA reductase 251: 946; 255: 618; 256: 148
β_3 251: 590
bikunin 252: 339; 253: 817
bile-salt-activated lipase/cholesterol esterase 251: 863
bilirubin 253: 84
bilitranslocase 253: 84
binding 251: 19
binding domain 258: 396
binding kinetics 258: 710
binding protein 252: 385; 258: 794
binding sites 258: 710
bioactivity 253: 354
biodegradation 251: 98
bioenergetic defect 257: 192
biosensor analysis 257: 11
biosynthesis 251: 91; 255: 24; 255: 755
biosynthesis of bacteriochlorophyll *a* 257: 185
biosynthesis of molybdopterin 255: 24
biotin 258: 586
biotin-containing protein 254: 520
BiP/GRP78 251: 304
blood coagulation factor XII 258: 355
boswellic acid 256: 364
Bothrops jararaca 251: 845
bound water 251: 781
bovine copper amine oxidase genes 251: 320
bovine liver catalase 255: 178
bovine serum albumin 258: 192
bovine submaxillary mucin 258: 603
box C/D small nucleolar RNA 253: 154
bradykinin 252: 569
brain 251: 704; 256: 24; 257: 112; 258: 243
brain protein 256: 201
breast cancer 252: 169; 254: 634; 258: 271
brominated detergent 257: 216
B-type lamin 251: 729
Bufo arenarum 252: 253
bullfrog (*Rana catesbeiana*) 256: 287
Burkholderia vietnamiensis 258: 696
butylated hydroxytoluene 256: 518
bZip 256: 106

^{13}C enrichment 252: 360
C1 inhibitor 254: 117
Ca^{2+}-binding proteins 258: 454
Ca^{2+}/calmodulin-dependent kinase 255: 718
Ca^{2+}/calmodulin-dependent protein kinase II 255: 516
Ca^{2+} channels 257: 274
Ca^{2+}-transporting ATPase 253: 339
Caco-2 cells 255: 698
Caenorhabditis elegans 253: 583; 254: 230
calcitonin 257: 331
calcium 251: 605; 253: 345; 255: 67; 255: 482; 255: 492; 257: 169; 258: 567
calcium activation 253: 720
calcium and magnesium dependence 251: 516
calcium-binding 251: 558; 253: 57
calcium-binding proteins 252: 591; 257: 457
calcium-dependent protein kinase 251: 605
calcium mobilization 252: 147
calcium modulation 258: 313
calcium oxalate crystals 253: 637
calcium phosphate 252: 73
calcium titration 252: 600
calcium-transporting ATPase 251: 682
calcofluor resistance 256: 419
calcyclin 253: 57
caldesmon 253: 57
calmodulin 255: 422; 255: 482; 255: 492; 255: 516; 255: 718; 258: 567
calmodulin antagonist 251: 353
calmodulin-binding domain 258: 567
calmodulin–lysine-21 isopeptidyl-ubiquitin 255: 422
cambialistic superoxide dismutase 253: 49
cAMP 252: 245; 256: 75; 258: 68
cAMP-dependent protein kinase 252: 245; 255: 544
cAMP-responsive-element-binding protein 258: 123
cancer 256: 518
cancer cell adhesion 253: 309
Candida albicans 252: 245
cannabinoid 254: 634
capsid/chemistry/genetics 257: 69
capsular polysaccharide 253: 319; 255: 296
carbamate kinase 253: 280
carbamoyl phosphate and ammonia metabolism 251: 597
carbamoyl-phosphate synthetase 253: 280; 255: 262
carbohydrate 256: 471; 258: 603
carbohydrate analysis 253: 202
carbohydrate antigen 256: 494
carbohydrate specificity 254: 679
carbon monoxide 255: 755; 258: 572
carbon monoxide dehydrogenase 255: 755
carboxyfullerene 254: 38
carboxylesterase 257: 142
carcinoembryonic antigen 258: 233
carcinoembryonic antigen gene family 253: 778
cardiac muscle 256: 535
cardosin 255: 133
carnitine 253: 614
carotenoid 252: 229
carrier 258: 702
carrier protein 253: 84; 255: 446
casein 252: 73
caspases 252: 1; 253: 76; 253: 399; 254: 439; 257: 242
catalytic antibody 257: 121
catalytic mechanism 255: 227; 256: 155
catalytic site 258: 941
catechol-1,2-dioxygenase 257: 92
cathepsins 252: 530; 253: 804; 254: 6; 255: 527; 256: 163
CbiF 254: 341
CCAAT-binding proteins 251: 758; 258: 744
CCAAT/enhancer-binding protein 253: 619; 254: 538
CD 258: 445
CD26 256: 369
CD36 257: 488
CD44 255: 74
CD5 257: 131
CD95 (APO-1/Fas) 254: 439
Cdc24p 251: 583

Cdc2-like or Cdk-like kinase 257: 112
cDNA 254: 558; 255: 391; 255: 432
cDNA cloning 251: 443; 252: 200; 255: 734; 257: 21; 257: 142; 258: 419; 258: 794; 258: 863
cDNA cloning and sequence analysis 258: 752
cDNA expression cloning 258: 994
cDNA sequence 251: 36; 251: 236; 251: 613; 252: 314
CDP-D-glucose synthase 258: 1059
cecropin-like 257: 263
cell adhesion 252: 185; 253: 669
cell detachment 253: 766
cell differentiation 254: 371; 258: 233
cell growth 251: 998
cell line 256: 342
cell panning 252: 36
cell wall 253: 552
cell-free coupled transcription-translation 257: 255
cellobiohydrolase 251: 885; 253: 101; 256: 119; 256: 279
cellobiose dehydrogenase 253: 101
cellular fibronectin 255: 246
cellular localization 251: 480
cellular recognition 258: 677
cellular retinoic-acid-binding protein 257: 344
cellular retinol-binding protein 257: 344
cellulase 251: 971; 253: 101; 253: 469; 256: 119; 256: 279; 258: 200
cellulose 253: 469; 258: 200
cellulose-binding domain 256: 279
central nervous system 251: 691
Centruroides noxius 254: 468
ceramide 251: 295; 258: 233
cGMP 253: 42
C/H correlation 251: 991
chain length of fatty acid 252: 608
chaperone 251: 181
chaperone-like activity 258: 1014
chaperonin 255: 93; 258: 837
characterization 257: 160; 257: 570
chemical cleavage 255: 162
chemical cross-linking 252: 222; 255: 196
chemical modification 252: 133; 258: 579
chemical protein modification 253: 371
chemical shift 257: 479
chemical-shift variation 251: 288; 251: 787
chemokine 253: 114; 255: 67
chemotaxis 255: 67
chick 257: 362
chicken 258: 44; 258: 994
chimeric receptor 254: 505
chiral discrimination 257: 522
chitin synthase 258: 941
chitin synthase III 256: 419
chitinase 251: 504
chitosan 251: 335
chitotriosidase 251: 504
CH-π interaction 255: 12
Chlamydomonas reinhardtii 255: 185
p-chloromercuribenzoate 257: 427
chlorophyll fluorescence 256: 595
chlorophyll synthesis 253: 161
chlorophyll-geranylgeranyl reductase 251: 413
chloroplast 251: 36; 253: 606; 257: 78; 258: 586
chloroplast enzymes 252: 237
chloroplast protein import 253: 132
cholesterol 253: 107
cholinesterase 258: 419
chondrocyte 256: 503
chondroitin sulfate 251: 114
chromatin 258: 460
chromatin remodeling 251: 9
chromatography 254: 356
chromophore 257: 522
chromosomal localization 254: 558; 258: 355
chromosome 8 254: 297
chronic progressive external ophthalmoplegia 257: 192
Chrysiogenes arsenatis 255: 647
chymase 253: 300; 256: 461
chymotrypsin 254: 90
circular dichroism 251: 480; 251: 565; 253: 462; 255: 580; 255: 588; 257: 380; 258: 157; 258: 214
cisplatin 256: 253
citric acid cycle 254: 395
c-jun 256: 541
clamp 254: 209
clamp loader 254: 209
clathrin 253: 525
clearance 251: 804
cloning 253: 675
ClpP 258: 923
clusterin 254: 282
c-myc 251: 435
^{13}C-NMR 255: 125
coated-pit-independent endocytosis 253: 525
cobalamin 253: 698
cobalt 256: 16
cobalt-precorrin-4 254: 341
cobatoxin 254: 468
5′ codon context 257: 249
cofilin 256: 388
coiled-coil 253: 236
cold adaptation 254: 356; 255: 638; 256: 317
cold tolerance 252: 608
collagen 255: 60
collagen fibrillogenesis 254: 580
collagen XII 257: 362
collagenase 255: 246
colon carcinoma 254: 371; 256: 494
common receptor γ chain 257: 11
competitive binding assay 254: 318
competitive inhibition 254: 363
complement 252: 36; 254: 117
complement 5a receptor 252: 36
complementation analysis 256: 88
complementation of yeast mutant 258: 402
complex formation 256: 36
complex II 251: 164
computer modelling 256: 303
concanavalin A 251: 353; 256: 503
conformation 251: 448; 254: 238; 254: 547; 257: 101
conformational analysis 252: 416; 255: 455
conformational change 252: 66; 253: 406; 255: 383; 256: 411
conformational flexibility of ATP site 253: 245
congenital erythropoietic porphyria 257: 149
β-conglycinin 258: 854
conjugate vaccine 255: 446
connexin phosphorylation 255: 37
conotoxin 254: 238
consensus pattern 252: 90
continuous-flow ESR 254: 256
co-operative binding 257: 434
cooperativity 255: 255
copper 251: 716; 257: 622
copper amine oxidase 251: 91
copper cluster 255: 172
Coprinus cinereus peroxidase 251: 830; 258: 906
copurifying RNA 251: 244
core oligosaccharide 255: 673
core protein 258: 100
co-response coefficient 258: 956
corrinoid 253: 698
corrinoid enzymes 258: 597
corrinoid protein 253: 692; 253: 706; 257: 515
corticotropin 256: 75
Corynebacterium C12 253: 173
Corynebacterium glutamicum 254: 96
creatine kinase 254: 172
Crmp 254: 14
cross-linked DNA duplex 255: 414
cross-linking 251: 487; 252: 372; 254: 63; 256: 411; 257: 586
cross-reactivity 258: 139
cruciform DNA 255: 347
cryptic splicing 256: 221
crystal structure 253: 194; 254: 333; 256: 453
α-crystallin 258: 170
crystalline cellulose 251: 885
$\beta\gamma$-crystallins 255: 604
CTP binding 255: 227
CTP:phosphocholine cytidylyltransferase 255: 227
cultured human cell 254: 389
cumulus extracellular stabilizing factor 252: 339
Cunninghamella echinulata 256: 112
curvature 258: 846
cuticle protein gene 254: 304
CXC chemokine 258: 994
cyanide 253: 743; 258: 572
cyanobacteria 251: 142; 254: 154; 255: 309; 256: 595; 257: 154; 258: 301
cyanophycin synthetase 254: 154
cybrids 257: 192
cyclic AMP 258: 78
cyclic phosphate 251: 986
cycloartenol 256: 88
cycloartenol synthase 256: 238
γ-cyclodextrin 255: 710
cyclodextrin glycosyltransferase 253: 598
cyclohexa-1,5-diene-1-carboxyl-CoA hydratase 255: 618
cyclohexene oxide 253: 173
cycloheximide 251: 597
cyclophilin 252: 441; 258: 729
CYP1 254: 111
CYP11B1 252: 458

CYP11B2 252: 458
CYP1A1 251: 893; 258: 803
CYP1A2 251: 893
cysteine pK_a 255: 185
cysteine protease 253: 76; 254: 6; 256: 163
cysteine residue 253: 684
cysteine synthase 255: 235
cysteine synthesis in plants 255: 235
cystine knot 253: 123
cytochrome 258: 559
cytochrome *b* 251: 418
cytochrome bc_1 complex 255: 100
cytochrome *bd* 255: 317
cytochrome *c* 254: 662; 256: 271
cytochrome c_{553} 251: 288; 251: 787; 253: 645
cytochrome oxidase 258: 132
cytochrome *P*-450 253: 659; 256: 190; 256: 398; 257: 522; 257: 577
cytochrome $P\text{-}450_{cam}$ 251: 398
cytochrome-*c* oxidase 251: 367; 252: 194; 252: 325; 254: 389
cytokine receptor 251: 25; 254: 514; 255: 1; 258: 831
cytokine-receptor isoform 255: 1
cytokines 251: 812; 255: 60; 256: 325
cytokinin 258: 794
cytolysin 252: 284
cytoplasmic loop 251: 522
cytosine-block repeats 258: 93
cytoskeletal dynamics 256: 388
cytoskeleton 252: 305; 252: 537; 256: 142
cytotoxicity 252: 207; 255: 400

D1 257: 78
D1 reaction-center protein 251: 641
death receptor 254: 439
decarboxylase 253: 480
decoding site 255: 409
decorin 254: 266
defense-related esterase 254: 32
degradation 254: 643
degradation of extracellular matrix 253: 67
deletion 257: 154
O-demethylase 253: 706; 257: 515
denervation 256: 45
3-deoxy-D-*manno*-oct-2-ulosonic acid transferase 254: 404
deoxyribonuclease 258: 540
dephosphorylation 251: 496
depressant insect toxin 254: 44
dermatan sulfate 258: 775
desaturase substrate 252: 513
desensitization 255: 67
desmopressin 252: 428
destruction of tryptophan residue 253: 49
Desulfovibrio 251: 454
Desulfovibrio vulgaris 258: 362
detoxification 251: 549
development 252: 194; 253: 42; 254: 282
developmental genetics 257: 529
dexamethasone 251: 374; 254: 81
diabetes 256: 310
diacylglycerol 258: 722
diamine oxidase 251: 320
diapause 251: 269
dibenzofuran 253: 437
Dictyostelium 256: 359
Dictyostelium discoideum 251: 275; 253: 517
dicyclohexylcarbodiimide 253: 627
dienoyl-CoA hydratase 255: 618; 256: 148
differential display 252: 169; 254: 497
differential scanning calorimetry 251: 275; 253: 462
differentiation 254: 209; 256: 379
diffusion 254: 172
diflavin flavoprotein 254: 325
dihydrofolate reductase 255: 628
dihydrolipoyl acetyltransferase 258: 491
dihydrolipoyl dehydrogenase 258: 491
dihydroxypropyladenine 252: 347
3,5-diiodothyronine 252: 325
diiron 254: 480
dimer 253: 123; 258: 521; 258: 1014
dimer interface 251: 382
dimerization 258: 100; 258: 559
dimethyl suberimidate 252: 222
dimethylamine 253: 692; 258: 597
dimethylglycine dehydrogenase 257: 556
dimethylsulfoxide 255: 303
dimethylsulfoxide reductase 251: 510
dioxin 253: 437
dioxin-responsive elements 258: 803
dioxygenase 253: 437
dipeptidyl peptidases 253: 300; 254: 650; 255: 527; 256: 369
discontinuous DNA synthesis 251: 81
dissociation 251: 775
distal histidine 257: 547
distance geometry 257: 331
disulfide 253: 123
disulfide bond 251: 472; 251: 854; 255: 107
disulfide bridge pattern 257: 488
disulfide linkages 258: 445
disulfide reductase 257: 160
disulfide reduction 252: 314
disulphide bonds 257: 131
DNA 254: 547; 256: 253
DNA bending 253: 787; 257: 372
DNA intercalation 258: 350
DNA methyl transferase 256: 518
DNA methylation 252: 347; 256: 518
DNA modification 251: 899
DNA polymerase β 251: 81
DNA polymerase δ 254: 209
DNA polymerase I 252: 124
DNA sequence 251: 329
DNA synthesis 253: 10; 258: 1032
DNA topoisomerase 255: 347
DNA-binding 256: 106
DnaK 251: 724
DNA-protein interaction 253: 371
DNase I 256: 142
DNase I hypersensitivity 256: 550
docking 251: 367
domain interface 251: 854
domain structure 253: 357; 253: 598
dopa decarboxylase 253: 810
dopamine 253: 810
dopamine β-hydroxylase 257: 622
dopamine β-monooxygenase 257: 622
double-stranded RNA 257: 319
double-zinc metalloenzyme 258: 313
down-regulation 255: 1
Drosophila 252: 608; 253: 27; 257: 522; 257: 529; 257: 599
Drosophila melanogaster 253: 494; 254: 230; 257: 522; 257: 599
drug binding 257: 457
drug delivery 251: 480
drug targets 258: 813
drug-binding peptide 251: 155
drug/DNA complex 258: 350
DSB repair 258: 387
duodenal mucosa 255: 501
dynamic light scattering 254: 413

E26 transformation-specific-1 258: 879
E6-associated protein 254: 643
easter 257: 615
ecto-ATPase 251: 516
ectopeptidase 254: 671
eel calcitonin 257: 331
effect of lyotropic salts 258: 85
effector 252: 290
α1E isoforms 257: 274
elastase 251: 839; 254: 90; 255: 638
elastin 258: 1
electron microscopy 251: 427; 252: 268
electron transfer 251: 54; 251: 367; 253: 751; 258: 362; 258: 559
electron transport 251: 142
electronic absorption 251: 830
electron-transfer chain 254: 395
electron-transfer flavoprotein 255: 125
electropermeabilization 254: 382
electrophoretic mobility shift assay 258: 93
electrophysiology 255: 698
electroporation 254: 382
electrospray-ionization collision-induced dissociation 253: 485
electrostatic 258: 559
electrostatic interaction 251: 133; 251: 367; 253: 645
ELISA 252: 385; 253: 430
elongation factor 251: 201; 255: 81; 256: 142; 258: 986
elongation mutant 252: 477
elsamicin A 251: 435
embryo 253: 399
EmrE protein 254: 610
enantiomer 255: 271
enantioselective sulphoxidation 258: 906
enantioselectivity 254: 333
endo-1,3-β-glucanase 257: 101
endocytosis 254: 527
endoglucanase 251: 885; 256: 279
endoplasmic reticulum 251: 304; 251: 821; 252: 372; 254: 1; 254: 420; 255: 570; 256: 51
endopolygalacturonase 251: 72
endothelial cell 252: 378; 253: 36
endothelin-2 257: 380
endotoxin 258: 686
energetics 257: 286
energy conservation 252: 467; 256: 589
energy coupling 252: 155
energy transfer 256: 595
engineering substrate specificity 252: 458
enolase 251: 775
*enol*pyruvyltransferase 253: 406
enone reductase 255: 271

enoyl-CoA hydratase 255: 618
enteric bacteria 254: 679
enterobacteria 251: 980
Enterococcus faecalis 258: 515
enterotoxigenic *Escherichia coli* 251: 534; 254: 168; 254: 378
enzyme 254: 90; 254: 433; 255: 12
enzyme activity 255: 329
enzyme engineering 255: 710
enzyme II lactose 257: 389
enzyme inhibition 256: 310
enzyme inhibitor 255: 12
enzyme kinetics 252: 100; 254: 363; 255: 255; 257: 577; 258: 320
enzyme mechanism 255: 262
eosinphil 253: 114
eotaxin 253: 114
epidermal-growth-factor module 251: 558
epidermal-growth-factor receptor 253: 545
epidermal melanocytes 255: 139
epithelial cell 254: 81
epitope mapping 252: 542; 257: 11
epoxide 254: 480
epoxide degradation 257: 160
epoxide hydrolase 253: 173; 254: 32
EPR 254: 588; 258: 1001
EPR spectroscopy 258: 485
equilibrium 257: 495
Equus caballus 255: 432
ER retrieval signal 258: 291
ERp28 255: 570
ERp29 251: 304; 255: 570
ERp57/GRP58 256: 51
erythroid lineage 256: 379
erythropoietin 253: 771
Escherichia coli 251: 122; 251: 510; 251: 538; 255: 24; 255: 220; 258: 207
Escherichia coli 4.5S RNA 251: 175
Escherichia coli hydrogenase 3 252: 467
E-selectin ligand 253: 309
ESI-MS 258: 164
esterase 253: 675
esterified sulfatide 255: 289
estrogen 254: 63
estrogen receptor 252: 169
ethanol dehydrogenase 257: 409
ethanolamine 253: 10
ethanolamine kinase 253: 10
ether-cleavage 253: 706; 257: 515
ethylene 253: 20
Eubacterium limosum 254: 620
eukaryotic DNA replication 254: 209
eukaryotic initiation factor 253: 27; 253: 531
evolution 251: 549; 255: 45
evolution of aminoacylation systems 251: 744
exocytosis 258: 144
exopolysaccharide 251: 971
exon mutation 256: 221
exon trapping 254: 297
5′-3′ exonuclease 252: 124
expression 257: 562; 258: 223
expression in *Escherichia coli* 255: 628
extended X-ray absorption fine structure 255: 172
extension regions 258: 854
extracellular matrix 252: 339; 258: 1
extracellular signal-regulated kinase 258: 976
F_0F_1 ATP synthase 251: 122; 252: 277
F_0F_1 reconstitution 252: 155
F_1 252: 155
F_1-adenosinetriphosphatase 254: 363
F_1-ATPase 258: 710
facilitated diffusion 256: 245
FAD 251: 946; 255: 125
fatty acid derivatives 257: 443
fatty acid elongation 252: 477
fatty acid oxidation 253: 614
fatty-acid substrate specificity 256: 398
fatty-acid-binding protein 251: 781; 253: 430
ferredoxin 251: 946; 253: 437; 258: 465; 258: 502
ferredoxin-$NADP^+$ oxidoreductase 251: 724
ferredoxin-$NADP^+$ reductase 253: 132
ferric citrate 253: 139
ferrioxamine 258: 1001
ferritin 254: 223
fetal alcohol syndrome 254: 25
fibril 254: 460; 258: 61
fibrillin 256: 221
fibrinogen 252: 569
fibrinogen cofactor 252: 108
fibroblast 253: 114; 254: 497
fibroblast growth factor-2 258: 271
fibromodulin 254: 580
fibronectin 258: 897
FIII/YY1 255: 563
FIL1 256: 212
filamentous phage 252: 36
filter-binding assay 256: 97
first-pass metabolism 254: 25
fission yeast 257: 630
FK506 gene cluster 256: 528
FK506-binding protein 252: 441
FK506-binding protein/rapamycin-associated protein 253: 531
FLAG epitope 251: 122
flavin 255: 125
flavocytochrome *b* 251: 649
flavodoxin 257: 577; 258: 362
flavodoxin $NADP^+$ oxidoreductase 257: 577
flavodoxin signature 254: 325
flavoprotein 251: 935; 253: 292; 253: 712; 257: 160
flavoprotein monooxygenase 253: 194
flavorubredoxin 254: 325
fluorescence 252: 600; 253: 462; 253: 606; 257: 443; 258: 1009
fluorescence quenching 252: 331; 253: 339; 257: 337
fluorescence resonance energy transfer 252: 277
fluorescence spectroscopy 256: 570; 258: 170
fluorescence-energy transfer 255: 580
fluorescent carbodiimide 253: 339
fluorescent MgATP complex analogs 253: 245
fluorescent probe 253: 371
fluorosulfonylbenzoyl adenosine 251: 516
fmdDEF 251: 45
α/β fold 254: 32
fold recognition 254: 135
folding 251: 682; 253: 1
folding free energy 254: 135
folic acid 251: 768
follitropin 256: 359
formamidopyrimidine-DNA glycosylase 253: 413
formate dehydrogenase 253: 645
Fourier-transform infrared 256: 179
Fourier-transform infrared spectroscopy 252: 261; 255: 588
four-way junction 253: 787; 257: 372
fragmentation 251: 405
free-radical scavenger 253: 445
frequency-domain fluorometry 251: 522
frog retina 252: 591
fructokinase 257: 85
fructose 1,6-bisphosphate 258: 68
fructose 2,6-bisphosphate 258: 277
fructose metabolism 254: 96
fructose 6-phosphate 254: 490
FSBA 258: 579
fucorhamnan 258: 696
fucose 251: 804; 258: 623
fucosyltransferase 256: 379
fumarate reductase 251: 418; 253: 292; 254: 588
functional activity 252: 59
functional analysis 251: 262
functional recovery 254: 256
fungal glycosylation 256: 119
fusion peptide 258: 150
fusion protein 255: 369; 258: 107
FUT1 256: 379

D-galactose 4,6-cyclophosphate 254: 58
β-galactosidase 255: 206
β-galactoside-binding lectin 252: 400
galactosyltransferase 257: 630
galectin-1 252: 400
Galleria mellonella 255: 535
gastric 252: 261
GATA-1 258: 879
GCN5 251: 9
gel retardation 251: 427
gelatinase 255: 246
gelatinase B 258: 37
gelin 253: 212
gelsolin 251: 613; 258: 846
gene 251: 605
gene cloning 253: 280
gene duplication 254: 304; 258: 355
gene evolution 252: 79
gene expression 251: 704; 252: 185; 253: 445; 253: 619; 253: 771; 253: 796; 254: 275; 254: 304; 255: 734; 256: 24; 258: 113; 258: 491
gene family 251: 72; 251: 549
gene fusion 256: 447
gene localization 254: 650
gene organization 254: 650; 257: 62
gene promoter 257: 362
gene regulation 256: 106; 256: 436; 256: 447; 258: 803
gene replacement 256: 447
gene structure 254: 103; 254: 685; 256: 24
general odorant-binding proteins 258: 768
genetic code 256: 80
genetic disease 251: 549
genetic variant 251: 329; 251: 549
genome 255: 391

genomic organization 251: 549; 258: 355
Geodia cydonium 257: 420
geranylgeranyl reductase 251: 413
germin 252: 79
germinating seeds 258: 546
ginsenoside Rh2 257: 242
gliadin 255: 739
glial-cell-line-derived neurotrophic factor 251: 622
glomerular basement membrane 254: 123
glucagon 254: 527
glucocorticoid 254: 81; 256: 190
glucocorticoid myopathy 251: 374
glucocorticoid receptor 253: 619
glucokinase 258: 223
Gluconobacter suboxydans 255: 52
glucose dehydrogenase 255: 255
glucose-fructose oxidoreductase 251: 955
glucose-methanol-choline oxidoreductase 252: 90
glucose oxidase 252: 90
glucose repression 252: 162; 256: 212
glucose-6-phosphate dehydrogenase 251: 382
glucosylceramide 258: 233
glutamate dehydrogenase 255: 336; 258: 813
glutaminase 254: 428
glutamine synthetase 254: 70
glutaminyl-tRNA synthetase 256: 80
γ-glutamyl transpeptidase 256: 297
glutathione peroxidase 253: 445
glutathione *S*-transferase 257: 434
glutathione *S*-transferase–fusion protein 251: 462
GLYCAM 258: 372
N-glycan 252: 118
glyceraldehyde-3-phosphate dehydrogenase 252: 447
glycerol uptake 256: 245
glycerol-ester hydrolase 257: 142
glycine 255: 220
glycoamidase 252: 118
glycolysis 254: 490; 258: 277; 258: 956
P-glycoprotein 251: 155; 251: 252; 252: 140; 254: 181; 254: 189; 255: 383; 256: 170
glycoprotein 251: 107; 252: 492; 253: 354; 257: 630; 258: 603
glycosaminoglycan 251: 114; 251: 991; 253: 499; 254: 371; 258: 669
glycosaminonoglycan 252: 339
glycosidase 253: 485
N-glycosidase 257: 255
glycosyl transfer 258: 1050
O-glycosylation 253: 517
glycosylation 251: 812; 253: 485; 253: 494; 257: 131; 257: 228
glycosylphosphatidylinositol 251: 389
glycosyltransferase 254: 626; 256: 494
glycosyltransferase mechanism 255: 710
glycoxidation 255: 685
glycyl-tRNA synthetase 251: 744
Golgi mannosidase I 253: 494
gonadotropin 256: 359
G-protein-coupled receptor 255: 363
G-protein-coupled receptor kinase 255: 363
grass pollen allergen 252: 200
Greek-key topology 255: 604
GroEL 251: 181
Groucho 258: 339
growth factor 251: 622
growth inhibitory factor 255: 172
growth phase 254: 6
growth-blocking peptide 253: 810
growth-hormone receptor 255: 1
G_s-protein 255: 369
GTP-binding protein 251: 314; 258: 144
guanine nucleotide 252: 305
guanine-nucleotide-binding-regulatory-protein–coupled receptor 251: 217
guanosine 3′,5′-phosphate 255: 391
guanoxabenz 257: 178
guanylate kinase 252: 305
guanylate-cyclase-activating protein 252: 591

haematophagous 254: 290
Haemophilus somnus 253: 507
Hafnia alvei 251: 980
hairpins 256: 580
halophilic enzymes 258: 85
HAP transcription complex 251: 758
Hap1 254: 111
hapten-protein conjugate 252: 385
hatching enzyme 253: 796
heart 254: 103; 258: 277
heart mitochondria 254: 172
heart perfusion 254: 75
heat and oxidative stress 255: 552
heat-shock 255: 356; 255: 552; 255: 703
heat-shock factor 256: 334
heat-shock protein 256: 334
heat-shock transcription factor 255: 356
heat-shock-factor diversity 253: 390
heat-shock-factor gene 253: 390
heat-shock-factor mRNA 253: 390
heavy chain 255: 107
helicase 254: 558
α-helix 253: 221
helix 257: 380
heme 258: 820
heme protein 256: 16
heme structure 251: 830
heme-cavity structure 253: 751
heme-regulated eIF-2α kinase 255: 552
hemocyanin 256: 350
hemoprotein 258: 820
hen egg white lysozyme 258: 192
heparan sulfate 252: 576
heparan sulfate proteoglycan 254: 123
heparin 253: 300; 256: 461
hepatitis-C virus 258: 100
hepatocyte 251: 804
hepatocyte growth factor activator 258: 355
hepatoma 253: 771
hepatoma cell 258: 113
herpes simplex virus 255: 472
HES proteins 258: 339
heterodimer 251: 343
heterodisulfide reductase 253: 292
heterogeneity 251: 812; 256: 350
heterologous expression 253: 20; 254: 154; 255: 739
Hev b 7 255: 213
Hevea 255: 213
hexamerin 258: 929
hexokinase 258: 223
high hydrostatic pressure 255: 206
high-affinity binding 258: 831
high-mannose-type oligosaccharide 251: 107
high-mobility-group box 251: 427
high-mobility-group protein 1 (HMG1) 251: 427; 253: 787
HIOMT gene 258: 44
Hirudo medicinalis 256: 297
His tag 255: 87
histamine 253: 300
histamine-releasing capacity 252: 200
histamine-releasing factor 257: 62
histidine-containing phosphocarrier protein 252: 51
histone acetylation 251: 9
(histone) gene expression 256: 436
histone gene promoter 256: 436
histone H1 251: 281; 256: 436
HIV 256: 369; 258: 164
H^+,K^+-exchanging ATPase 252: 261
HL60 257: 344
^{2}H-NMR 258: 722
^{1}H-NMR spectroscopy 251: 335; 253: 751; 257: 263
Hoechst 33342 254: 181; 254: 189
holocarboxylase synthetase 258: 586
holoenzyme 257: 427
holoenzyme structure 251: 667
holoprotein 251: 781
homology modeling 253: 751; 255: 336
Hordeum vulgare cv. Salome 251: 36
hormones 256: 60; 258: 277
horse 255: 432
horse dander allergen 253: 202
HPLC 258: 623
Hsc70 255: 552
Hsp70 251: 724
H^+-transporting ATPase 251: 496
human 251: 667; 254: 103; 254: 558; 255: 391; 256: 36; 257: 362
human aldose reductase 256: 310
human cancer cell line 252: 207
human cartilage glycoprotein of 39 kDa 251: 504
human choriocarcinoma cell 253: 545
human choriogonadotropin 253: 354; 256: 359
human elastin 258: 533
human fibroblast 254: 266
human immunodeficiency virus 251: 487; 256: 334; 257: 69
human immunodeficiency virus integrase 253: 236
human liver 251: 893
human mannose receptor 251: 107
human N^G,N^G-dimethylarginine dimethylaminohydrolase 258: 863
human peripheral blood mononuclear cells 256: 369
human serum albumin 251: 329; 253: 637
human Src-like adaptor protein 254: 297
human tissue factor 254: 129
human transforming growth factor β 254: 505
human umbilical vein endothelial cells 252: 378
human uterine cervical fibroblast 251: 353
human-immunodeficiency-virus-1 envelope protein gp120 252: 441

HupUV protein 251: 65
HXGH site 255: 227
hyaluronic acid 252: 339
hyaluronic-acid-binding protein 252: 339
hyb 255: 746
hybrid cluster 251: 454
hybrid protein 253: 817; 258: 890
hydra 255: 703
hydratase 251: 98
hydride transfer 252: 447
hydrogen bonding 251: 252
hydrogen peroxide 253: 49
hydrogenase 252: 467; 258: 572
hydrogenase synthesis 251: 65
hydrogen-deuterium exchange 251: 65; 258: 214
α/β hydrolase fold 253: 173
hydrolysis 253: 469; 256: 179; 257: 286; 258: 200
hydrophobic 257: 562
hydrostatic pressure 251: 775
2-hydroxy ketone 257: 538
p-hydroxybenzoate hydroxylase 253: 194
4-hydroxybenzoyl-CoA reductase 251: 916
18-hydroxy-deoxycorticosterone 258: 869
19-hydroxy-deoxycorticosterone 258: 869
2-hydroxyglutaryl-CoA dehydratase 256: 148
N-hydroxyguanidine 257: 178
hydroxylaminolysis 257: 236
hydroxylase 252: 229; 254: 602
11β-hydroxylase 258: 869
5-hydroxy-6-methylbenzimidazole 254: 620
5-hydroxy-6-methylbenzimidazole-α-D-ribofuranoside 254: 620
hydroxynitrile lyase 254: 32
2-hydroxypentadienoic acid 251: 98
3-hydroxypimelyl-CoA 256: 148
3-hydroxyretinal 257: 522
hypercholesterolemia 252: 378
hyperthermophiles 258: 85
hyperthermophilic 252: 486; 258: 837
hyperthermophilic bacterium 258: 1050
hyperthermophilic enzymes 258: 85
hypF gene 251: 65
hypoxia 253: 743; 253: 771; 254: 497
hypoxia marker 253: 743

Ig-binding protein 258: 890
IgE-binding capacity 252: 200
IIB domain 257: 389
IIC domain 257: 389
I-κB 254: 81
illegitimate recombination 258: 387
imipramine 251: 893
immune cross-reactivity 251: 405
immunofluorescence microscopy 252: 391
immunomodulator 254: 565
immunostaining 256: 494
in situ localization 252: 237
in vitro assay 252: 229
in vitro expression 258: 419
in vitro mutagenesis 252: 108
in vitro selection 252: 553
in vivo protein folding 251: 724
inactivation 251: 955
inborn error 253: 614
inclusion bodies 255: 588
infectivity 251: 462
influenza virus 258: 320
infrared spectroscopy 258: 214; 258: 686
inhibition 258: 150
inhibition of protein synthesis 255: 400
inhibitor 254: 90; 256: 155; 256: 317
inhibitor complex 255: 12
inhibitor of apoptosis protein 254: 439
inhibitor studies 256: 245
inhibitory conformation 255: 12
initiation 258: 820
initiation-factor-4E-binding protein 253: 531
inner nuclear membrane 251: 729
inositolphospholipid 258: 846
inositolphospholipid 3-kinase 253: 531
inositolphospholipid signaling 253: 357
insect 254: 50; 254: 290; 254: 304; 258: 929
insect defence peptide 256: 404
insect immunity 254: 50; 255: 535; 255: 734; 257: 615
insecticidal protein 252: 299
insulin 253: 10; 253: 91; 254: 527; 255: 580; 258: 271
integral membrane proteins 251: 729; 258: 332
integrin 253: 552
interaction of ATP-binding sites 253: 245
intercellular adhesion molecule 1 258: 968
interferon 254: 248; 254: 514
interferon-α 253: 485
interferon-γ 251: 181; 256: 303; 258: 968
interferon-γ-activation sites 258: 968
interferon-induced protein 257: 319
interferon response 254: 117
inter-α-inhibitor 255: 107
interleukin-1β 253: 76; 258: 994
interleukin-1β-converting enzyme homolog 253: 76
interleukin-2 receptor 253: 525
interleukin-4 257: 11
internalization signal 253: 525
intersubunit contact 251: 667
inter-α-trypsin inhibitor 252: 339
intestinal peptide transport 255: 698
intestine 258: 948
intracellular calcium 252: 583
intracellular phosphate 254: 75
intradiol cleavage 257: 92
intrinsic fluorescence 255: 206
intron 254: 297
ion channel 253: 606
ionic-strength dependence 251: 367
ion-pair network 255: 336
iron 254: 144; 254: 223; 254: 230; 258: 207; 258: 572
iron limitation 251: 54
iron metabolism 254: 144
iron reductase 258: 1001
iron regulation 254: 230
iron-regulatory protein 254: 223; 254: 230
iron-responsive element 254: 223
iron-sulfur cluster 254: 588
iron-sulfur flavin 251: 916
iron-sulfur protein 251: 54; 253: 292; 258: 1001
iron-sulfur subunit 251: 164
iron-superoxide dismutase 253: 49
iron transport 253: 139
iron uptake 254: 144; 258: 1022
ischaemia 258: 277
ischemia/reperfusion injury 254: 256
islet amyloid polypeptide 251: 208
islets of Langerhans 257: 274
2-isobutyl-3-methoxypyrazine 252: 563
isocitrate dehydrogenase kinase/phosphatase 258: 579
isocyclic ring E formation 257: 185
isoenzyme 251: 343
isoform 251: 195; 252: 200; 253: 20; 256: 461; 258: 586
isopeptide-bond cleavage 256: 297
isoprenoid 255: 52
isotope-exchange reaction 252: 360
isozyme 251: 236; 257: 85

Janus kinase 255: 1
Janus kinase/signal transducer and activator of transcription (JAK/STAT) pathway 251: 25
juvenile hormone regulation 258: 929

kallikrein 251: 845
90-kDa heat-shock protein 251: 181
58-kDa microspherule protein 253: 734
keratinocyte 256: 75
ketohexokinase 257: 85
kidney 252: 194; 257: 274
kinesin 257: 466
kinetic isotope effect 253: 712
kinetic property 258: 1040
kinetics 253: 469; 253: 645
kinetics of phosphodiesterase hydrolysis 255: 414
kinin 251: 845
kininogenase 251: 845
KlCpf1p binding 256: 67
KlCYC1 256: 67
Kluyveromyces fragilis 257: 427
Kluyveromyces lactis gene expression 256: 67
α-K-toxin 254: 468

labelling 258: 192
lactococcin 251: 565
lactoferrin 254: 144
lactoperoxidase 258: 906
lactosaminoglycan 253: 499
lamin B 253: 107
laminarinase 257: 101
lamprey 254: 223
large subunit 253: 476
laser-flash photolysis 258: 132
latex allergy 255: 213
LDS-751 254: 181
lead ribozyme 255: 727
lead tetraacetate oxidation 258: 603
lecithin-cholesterol acyltransferase 256: 570
lectin 251: 504; 252: 59; 252: 416; 254: 217; 254: 596
leech 253: 212; 254: 565; 254: 692
legumain 258: 546
Leishmania 251: 389; 251: 768
Leishmania gp63 253: 184
lens 257: 351
lens cultures 255: 37
leucine-rich repeat 251: 389

leukotriene 254: 275
leukotriene-C_4 synthase 251: 227
leukotriene synthesis inhibitor 256: 364
Lewis^x determinant 251: 691
Leydig cells 258: 53
Lhcb5 253: 653
lifetime distribution 257: 337
ligand binding 251: 335; 255: 604; 258: 78; 258: 768
ligand-binding site 252: 222; 255: 595
ligand effects on unfolding 255: 439
ligation 258: 387
light harvesting 253: 653
light stimulation 258: 1009
light-harvesting complex 255: 196
Limax flavus 254: 217
limited proteolysis 253: 720; 254: 50; 256: 36; 258: 214
linkage region 258: 669
O-linked *N*-acetylglucosamine 253: 517
O-linked oligosaccharides 258: 603
lipase 254: 333
lipid A 258: 686
lipid bilayer 258: 722
lipid bilayer membrane 254: 679
lipid binding 253: 328
lipid mixing 258: 150
lipid vesicle 251: 448; 252: 284
lipid-peptide interaction 256: 570
lipocalin 256: 287
lipocalin protein 253: 202
lipodepsinonapeptide 257: 449
lipooligosaccharide 254: 626
lipophosphoglycan 258: 150
lipopolysaccharide biosynthesis 254: 404
lipopolysaccharide inducibility 258: 994
lipopolysaccharides 251: 189; 251: 534; 251: 980; 253: 319; 253: 730; 254: 58; 254: 168; 254: 378; 255: 673; 256: 325; 256: 488; 258: 657; 258: 696; 258: 716
liposome 253: 760
5-lipoxygenase 254: 275; 256: 364
lipoyl domain 252: 45
liver 253: 84; 254: 420; 254: 527; 254: 538; 255: 685
liver development 252: 178
liver mitochondria and pyrimidine biosynthesis 251: 597
localization 257: 169
long target RNA 254: 129
long-term stability 255: 604
loop 257: 154
loop 6 253: 476
low-density lipoprotein 252: 378; 254: 460
low-density-lipoprotein-receptor-related protein 251: 804
low ionic strength 256: 271
low molecular mass glutenin 255: 739
LOX2-type linoleate 13-lipoxygenase 251: 36
LPS–protein interaction 258: 686
luciferase activity 256: 436
lung fibroblast 253: 430
Lupinus luteus 256: 80
Lycopersicon esculentum 253: 20; 253: 445
lysine aminotransferase 254: 347
lysine biosynthesis 251: 716
lysine catabolism 253: 720
lysine-oxoglutarate reductase 253: 720
lysophosphatidic acid 251: 314
lysosomal 256: 163
lysosome 251: 295; 254: 527
lysozyme 251: 335; 256: 128; 258: 107; 258: 686
lysyl oxidase 258: 1

M2 acetylcholine receptor 251: 659
macrophages 251: 504; 251: 734; 253: 345
magnetic susceptibility tensor 256: 261
Maillard reaction 255: 685
maize 257: 443
majastridin 255: 87
major-histocompatibility-complex class II 254: 313
malaria 258: 813
malate dehydrogenase 254: 395
malate oxidase 254: 395
MALDI-MS 258: 579
maleimidobenzoyl-actin-caldesmon complex 254: 571
malonyl-CoA decarboxylase 257: 395
malonyl-CoA synthetase 257: 395
maltogenic amylase 253: 251
maltopentaose 252: 100
Mamestra brassicae 258: 768
mammal 254: 1
mammalian cell expression 252: 108
mammalian fertilization 252: 492
mammalian target of rapamycin 253: 531
mammary gland 258: 784
manganese dependence 251: 874
manganese(II) complex 252: 25
O-mannosylation 253: 560
Marchantia polymorpha 255: 196
Marfan syndrome 256: 221
MarR protein family 251: 916
mass spectrometry 251: 114; 254: 602; 255: 162; 258: 29; 258: 164
mast cells 253: 300; 256: 461; 258: 144
matABC 257: 395
mathematical modeling 252: 360
matrix metalloprotease 253: 67; 255: 246
matrix metalloprotease-2/gelatinase A 251: 353
matrix metalloproteinase-9 258: 37
matrix-assisted laser-desorption ionization time of flight 253: 485
matrix-assisted laser-desorption-ionization mass spectrometry 253: 560
matrix-assisted laser-desorption-ionization MS 252: 118; 257: 420; 258: 623
Matteuccia struthiopteris 252: 79
maximum life-span 255: 685
MC1 257: 372
mechanical stimulation 253: 445
mechanical stress 257: 362
mechanism 257: 160
medaka fish 253: 42
megakaryocyte 258: 879
melanin 254: 50; 257: 615
melanocortin 257: 31
melanocyte-stimulating-hormone receptor 257: 31
melanogenesis 255: 139
melanoma 258: 68
melanotransferrin 256: 503
α-melanotropin 258: 68
melatonin 258: 44
melittin tetramer 257: 479
membrane 252: 537; 253: 107; 255: 690
membrane anchor 258: 19
membrane association 257: 41
membrane bound 252: 486
membrane domain 255: 455
membrane fusion 253: 328; 256: 570
membrane insertion 251: 217; 256: 179
membrane lipid 251: 641
membrane permeabilization 252: 284
membrane potential 251: 538
membrane protein 251: 217; 251: 821; 254: 610; 257: 202
membrane type-1 matrix metalloprotease (MT1-MMP) 251: 353
membrane-bound transferrin-like protein 256: 503
membrane–protein interaction 257: 472
menaquinone 254: 588
mesophilic and thermophilic *Methanococcus* 256: 97
metabolic control analysis 254: 194
metabolic flux 252: 360
metabolic-control analysis 258: 956
metabolism 253: 743
metabolism of one-carbon amino acids 257: 556
metal binding 252: 124
metal ion 255: 727
metal substitution 251: 673
metal-binding site 258: 207
metalloenzyme stoichiometry 257: 622
metalloenzymes 257: 622
metalloprotease 252: 299; 253: 796
metalloprotease inhibitor 255: 535
metalloprotease/disintegrin family 253: 36
metalloproteases 255: 535
metallothioneins 255: 172
metamorphosis 254: 304; 256: 287
methane oxidation 254: 602
Methanococcus voltae 256: 447
methanogenesis 253: 692; 258: 597
methanogenic Archaea 252: 467; 253: 698; 258: 85
methanol metabolism 253: 698
Methanopyrus 255: 93
Methanosarcina barkeri 252: 467; 253: 692; 253: 698; 258: 597
methionine 253: 1
methotrexate resistance 251: 768
N^6-methyladenine 251: 899
N-methyl-D-aspartate receptor expression 252: 391
methylation 253: 771
5-methyldeoxycytidine 256: 518
24-methylene lophenol 256: 88
Methylophilus methylotrophus 251: 45
methylpyridine 256: 253
8-*O*-methyltransferase 251: 874
methyltransferase 253: 692; 253: 698; 253: 706; 257: 515
MgADP 257: 466
500-MHz ^{1}H-NMR 258: 775
micelle 253: 221
Michaelis constant 252: 477
microantibody 258: 164

microcystins 258: 301
microfibril-associated glycoprotein 258: 1
α_1-microglobulin 253: 637
β2-microglobulin 258: 61
microperoxidase-8 253: 659
microsomal fraction 252: 178
microtubule 253: 591
microtubule-associated protein 252: 542; 253: 591
midgut 254: 290
MIG1 252: 162
milk fat globule membrane proteins 257: 488
milk-clotting enzyme 255: 133
Mimosa pudica 258: 1009
minor chlorophyll *a*/*b* protein 253: 653
minor chlorophyll-*a*/*b*-binding protein 255: 196
mismatched DNA bases 255: 347
mite 251: 443
mitochondria 252: 1; 254: 194; 255: 156; 256: 212; 258: 702; 258: 736
mitochondrial DNA 257: 192
mitochondrial nuclease 256: 112
mitochondrial solute transporters 258: 332
mitogen-activated protein kinase 253: 421; 253: 531; 253: 545; 258: 271
mitogen-activated-protein-kinase pathway 255: 1
mitogenesis 256: 75
mixed disulfide 257: 299
mixed solvents 257: 263
mmtA gene 258: 1050
mode of action 254: 44; 258: 200
model 258: 533
model study 251: 91
modular polyketide synthase 256: 528
moenomycin A 252: 500
Mössbauer 251: 454
Mössbauer spectroscopy 258: 1001
MOG 258: 478
molecular chaperone 251: 724; 252: 372; 255: 611; 256: 51; 258: 170
molecular cloning 251: 413; 258: 813
molecular docking 254: 480
molecular dynamics 251: 398; 252: 500; 253: 184; 257: 449; 258: 372
molecular modeling 252: 416; 255: 329; 256: 404
molecular motor 255: 654; 257: 466
molecular orbital calculation 257: 92
molecular phylogeny 256: 80; 258: 929
moloney murine leukemia virus 257: 69
molybdate 255: 611
molybdenum 251: 916; 255: 755
molybdoenzyme 251: 510
Mono Mac 6 254: 275
monoamine oxidase 253: 270
monoclonal antibodies 251: 659; 256: 535; 258: 37; 258: 411
monocytes 256: 550
monomer 255: 178
monooxygenase 254: 480
monovalent cation 255: 508
morphogenesis 256: 419
mouse complement 254: 117
mouse liver 251: 631
mouse mammary tumor virus 258: 1032
mRNA 251: 374
mRNA and protein expression 258: 752
mRNA cap structure 253: 27
Mu repressor 252: 408
Muc2 253: 123
mucin 253: 123
Mucor 252: 513
multidrug resistance 251: 155; 251: 252; 252: 140; 254: 181; 254: 189; 254: 610; 255: 383; 256: 170
multidrug-resistance protein 252: 140
multienzyme complex 252: 45
multiheme cytochrome 256: 261
multiple-turnover catalyst 254: 129
multipotential S6 kinase 251: 201
multistep mechanism 251: 955
muscarinic acetylcholine receptor 255: 363
muscle contraction 252: 520; 256: 229
mutagenesis 251: 590; 252: 45; 253: 161; 254: 490; 255: 60; 256: 453; 257: 309
mutant 258: 502
mutant proteins 257: 11
mutants 251: 830; 253: 1
mutation 255: 472; 257: 1; 257: 592
mutational analysis 257: 500
MVDP 256: 541
mycobacteria 256: 580
Mycobacterium bovis BCG 251: 734
Mycobacterium tuberculosis 251: 795; 258: 485
myelin 258: 478
myelin-associated glycoprotein 255: 663; 258: 677
myocardial ischaemia 254: 75
myosin 252: 520; 255: 654; 256: 229
myosin head 251: 275
myosin heavy chains 256: 45
myosin light chains 255: 654; 257: 457
myosin V 257: 529
myotoxin 253: 452

NADH oxidase 251: 935
NADH/NAD^+ ratio 254: 96
NADH:ubiquinone oxidoreductase 252: 467
NADPH binding 253: 194
NADPH oxidase 251: 573; 251: 583; 251: 649
NADPH-cytochrome *P*-450 reductase 258: 1040
Na^+/H^+ exchanger 257: 228
Na^+/K^+-exchanging ATPase 251: 522
Na^+/K^+-transporting ATPase 253: 245
nanoelectrospray mass spectrometry 253: 507
2-naphthoflavone 258: 948
nascent peptide 255: 409; 257: 249
ncd 257: 466
nearest neighbour analysis 257: 586
necrosis 253: 766
Neisseria meningitidis 254: 626
nematode cuticle 255: 588
neomycin 258: 986
nerve-growth-factor signaling 251: 195
nervous system 253: 810
nesting 256: 350
neuraminidase 258: 320
neuromuscular junction 253: 382; 254: 123
neuron 256: 201
neuronal development 254: 14; 258: 339
neuropeptide Y 255: 595
α-neurotoxin 253: 229
neurturin 251: 622
neutral N-glycan 251: 691
neutralization 258: 164
neutron scattering 252: 73
neutrophil 251: 649
NH exchange 251: 288; 251: 787
nickel 255: 746; 256: 16
Nicotiana tabacum 251: 496
nicotinic acetylcholine receptor 252: 222; 253: 229; 254: 238; 255: 455
[NiFeSe]-hydrogenase 256: 447
nikkomycin 254: 347
nitric oxide 252: 378; 253: 146
nitric oxide synthase inhibitor 258: 863
nitrogen fixation 251: 54
nitrogen metabolism 254: 428
nitrosation 253: 146
nitrous acid 253: 146
N-linked carbohydrate chain 252: 492
N-linked glycans 258: 243; 258: 854
N-linked glycosylation 252: 372; 256: 51
N-linked oligosaccharide sequence 253: 494
NMDA receptor expression 256: 427
^{15}N-NMR 255: 125
NMR 251: 114; 251: 133; 251: 288; 251: 448; 251: 781; 251: 787; 251: 971; 251: 986; 252: 51; 252: 253; 252: 428; 252: 500; 252: 520; 253: 221; 253: 319; 253: 507; 253: 560; 253: 645; 253: 787; 254: 96; 254: 168; 254: 238; 254: 313; 254: 378; 254: 610; 255: 24; 255: 125; 255: 185; 255: 279; 255: 289; 255: 309; 255: 455; 255: 462; 255: 611; 255: 673; 255: 727; 256: 253; 256: 261; 256: 271; 256: 279; 256: 404; 256: 471; 257: 31; 257: 131; 257: 331; 257: 380; 257: 420; 257: 449; 257: 466; 258: 68; 258: 107; 258: 139; 258: 170; 258: 372; 258: 445; 258: 502
NMR NH temperature coefficient 253: 236
NMR structure 257: 69
NOE 257: 479; 258: 372
non-Aβ component of Alzheimer's disease amyloid 258: 157
non-catabolic protein ubiquitylation 255: 482; 255: 492
non-catabolic ubiquitylation 255: 422
non-conventional yeast 256: 67
nonenzymatic palmitoylation 257: 236
non-homologous DNA end joining 251: 81; 258: 387
non-nucleoside reverse transcriptase inhibitor 251: 487
non-oxidative decarboxylation 253: 480; 257: 495
non-ribosomal peptide synthesis 254: 154
non-specific carboxylesterase 251: 863
non-specific cross-reacting antigen 253: 778
non-transferrin-bound iron 253: 139
Notch signaling 258: 339
NPY receptor 255: 595
Nramp1 251: 734
N-terminal sequence 251: 227
N-terminal sequencing 253: 202; 255: 329
NTH1 expression 255: 544
nuclear envelope 251: 729

nuclear factor-κB 254: 81; 254: 439
nuclear factor-κB activation 257: 47
nuclear factor-κB-DNA interaction 255: 414
nuclear lamina 251: 729
nuclear Overhauser effect 252: 416
nuclear protein 258: 93
nuclear receptor co-repressor 257: 607
nuclear receptors 253: 619
nuclear respiratory factor 251: 164
nuclear ribonuclease P 251: 244
nuclease 251: 924
nuclease C1 256: 112
nuclease inhibitor 251: 924
nuclei 253: 545
nucleolar localization 257: 319
nucleolar protein 253: 734
nucleolus 253: 734
nucleosome 251: 9
nucleotide binding 254: 363; 257: 472; 258: 710
nucleotide sequence 257: 409; 258: 454; 258: 460; 258: 1050
nucleotide signaling 252: 147
nucleotide store 254: 75
nucleotide-exchange factor 255: 81
nucleus 251: 281
nutritional regulation 251: 631

obesity 253: 619
odorant-binding protein 252: 563; 254: 318
oesophageal cancer 258: 37
oil biosynthesis 252: 513
Ole e 3 258: 454
oleamide 254: 634
olfaction 254: 318; 258: 768
2′-5′ oligoadenylate synthetase 257: 319
(2′-5′)oligoadenylate 257: 420
oligodeoxyribonucleotide 252: 207
oligomannose type 256: 163
oligomer 258: 1014
oligomerisation 252: 408
oligosaccharide 252: 253; 257: 630; 258: 372; 258: 623
olive-pollen allergy 258: 454
ontogenesis 251: 893
oogenesis 257: 529
o-phthalaldehyde 257: 586
optical spectroscopies 258: 533
oral squamous cell carcinoma 253: 67
organic acid 253: 480
ornithine 258: 702
ornithine carbamoyltransferase 251: 528
orotic acid and carcinogenesis 251: 597
Oryctes rhinoceros 255: 734
osteoclastogenesis 254: 685
overexpression 252: 169; 255: 746
overexpression in tumor 258: 752
overflow metabolism 254: 96
ovine placenta 252: 400
α-oxidation 251: 907
oxidative phosphorylation 252: 508; 254: 172
oxidoreductase 252: 486
oxidosqualene cyclase 256: 238
oxygen binding 256: 350
oxygen consumption 256: 16
oxygen evolution 252: 268
oxygen exchange 253: 659
oxygen incorporation 253: 659
oxygenase 252: 229
oxygenase-catalyzed and hydratase-catalyzed cyclization 257: 185
oxygen-rebound mechanism 258: 906

p11 protein 257: 112
p120 253: 734
p21$^{WAF1/CIP1}$ 257: 242
p40^{phox} 251: 573; 251: 583
P-450 258: 869
P-450 interaction 258: 1040
p47^{phox} 251: 573
p53 257: 351
p67^{phox} 251: 573; 251: 583
p97 256: 503
Panax ginseng 256: 238
pancreas 254: 282
pancreatitis 254: 282
Paracoccus denitrificans 255: 100
paralogous genes 256: 80
paramagnetism 258: 465
Paramecium 251: 605
parasitization 253: 810
parasitoid wasp 252: 299
parotid gland 258: 623
PAS-4 257: 488
patatin 252: 66
patch clamp 253: 606
PC motif 251: 583
PC12 cell 251: 195; 254: 634
PCTAIRE 257: 112
PDMP 258: 233
penicillin biosynthesis 251: 758
penicillin-binding protein 252: 500
Penicillium amagasakiense 252: 90
PENR1 251: 758
pentose-phosphate pathway 252: 360
pepsin 253: 804; 254: 160
pepsin inhibitor 253: 804
PEPT1 255: 698
peptide 251: 480; 251: 659; 253: 236
peptide binding 254: 63
peptide conformation 252: 428
peptide coupling 255: 446
peptide fragmentation 255: 162
peptide library 254: 433; 258: 396
peptide N-glycanase N-glycosidase 252: 118
peptide-N^4-(*N*-acetyl-β-glucosaminyl)asparagine amidase 252: 118
peptides 255: 432; 255: 462
peptidyltransferase 258: 437
perfused rat liver 254: 194
peripheral membrane protein 254: 395
periplasm 255: 746
perlecan 254: 371
permeability transition pore 258: 729
permease 251: 916
peroxidase 257: 121; 257: 547; 258: 559
peroxidase activity 258: 29
peroxisome proliferator 251: 631
peroxisomes 251: 359; 258: 332
peroxynitrite 253: 146
pertussis toxin 254: 313
pH 257: 547
pH titration 251: 133
phage display 252: 36
phage display library 251: 155
Phanerochaete chrysosporium 253: 101
phase variation 253: 507
phaseolin 258: 546
Phaseolus vulgaris L 258: 546
phenol oxidase 254: 50; 257: 615
phenylacetate 251: 907
phenylacetylcarbinol 257: 538
phenylalanine 251: 907
phenylalanine hydroxylase 257: 1
phenylarsine oxide 251: 649
phenylglyoxylate:acceptor oxidoreductase 251: 907
phenylketonuria expression 257: 1
phenylserine 255: 220
pheromone 252: 563
phloem 254: 160
phosphatase-1 257: 351
phosphate 256: 271
phosphatidylcholine 252: 513
phosphatidylethanolamine-rich membrane 252: 608
phosphatidylinositol 258: 846
phosphatidylinositol 4,5-bisphosphate 251: 281; 253: 357
phosphatidylinositol 3-kinase 251: 195
phosphatidylinositol 4-kinase 253: 357
phosphatidylinositol 4-phosphate 253: 357
phosphatidylinositol transfer protein 253: 357
phosphatidylinositol-specific phospholipase C-α 254: 420
phosphodiesterase 255: 391
phospho*enol*pyruvate carboxykinase 253: 91; 255: 439
phosphofructokinase 258: 956
6-phosphofructo-2-kinase 254: 490
6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase 254: 103
phosphoglucose isomerase 257: 500
phosphoglycerate mutase B 254: 497
phosphohistidine 254: 433
phospholamban 258: 744
phospholipase A_2 253: 452; 258: 113
phospholipase C δ3 257: 169
phospholipids 257: 169
phospholipid-transfer protein 258: 402
phosphopeptide 252: 73
phosphoprotein family 254: 14
phosphorylase 251: 343
phosphorylated mannose 253: 560
phosphorylation 251: 201; 251: 281; 252: 542; 253: 545; 255: 544; 256: 60; 256: 201; 256: 535
phosphorylation-specific antibodies 256: 535
phosphorylcholine 255: 296
phosphotransferase 257: 389
phosphotransferase system 252: 51; 254: 433
phosphotyrosine 258: 784
photoaffinity labeling 252: 520; 253: 229; 255: 595; 256: 229
photo-cross-linking 255: 409
photophysical properties 253: 760
photoreceptor 252: 591
photosynthesis 251: 142; 253: 653
photosystem I 255: 309
photosystem II 251: 641; 252: 268; 253: 161; 253: 653; 255: 196; 256: 595; 257: 586
phycobilisome 257: 154

phylogenetic tree 251: 549
phylogeny 253: 357; 255: 527
Physarum polycephalum 251: 405
phytol biosynthesis 251: 413
PI 3-kinase 258: 846
Pichia pastoris 255: 213; 257: 599
pigment proteins of LHC II 257: 586
pineal 258: 44
placental protein 258: 752
planar aggregate 253: 760
planar lipid bilayer 251: 359
plant biology 253: 552
plant genome 252: 347
plant lipid-transfer protein 257: 443
plant sterol methyltransferase 256: 88
plasma kallikrein 254: 692
plasma membrane 251: 496; 253: 552
plasminogen activation 252: 185
plasminogen activator 253: 421; 256: 550
plasminogen activator fibrin 252: 108
plasminogen activator type-2 256: 550
plasminogen mutant 251: 472
plasminogen-activator inhibitor-1 253: 669
plasmodium 257: 263
Plasmodium falciparum 258: 813
plastid 252: 353
plastid prenyllipid 251: 413
Platelet factor 4 258: 879
platelets 251: 227; 257: 169; 258: 976
platinum drug 254: 547
platinum(II) complex 252: 25
pneumococcus 255: 296
^{31}P-NMR 253: 10; 255: 125; 257: 466
Podisus maculiventris 256: 404
point mutation 251: 329
polyamine pool 251: 998
polyamine uptake 251: 998
polydnavirus 252: 299
β-poly(L-malate) 251: 405
polymalatase 251: 405
polyol 255: 206
polyol pathway 256: 310
polyprenyl diphosphate synthase 255: 52
O-polysaccharide 258: 657; 258: 716
polysaccharide 251: 986; 255: 279; 258: 139
polysulfide reduction 253: 263
polyunsaturated fatty acid 252: 513
porcine intestine 257: 142
porcine Leydig cells 257: 506
porcine pancreas 252: 100
porin 258: 729
porin channel 251: 359
porphyrin 253: 760; 257: 121
position effect 251: 9
post-translational processing 255: 432
potassium channel 254: 468
precursor conformation 253: 132
precursor-tRNA^{His} processing 251: 244
pre-α-inhibitor 252: 339
primary structure 257: 409; 257: 570; 258: 29
primate 254: 685; 255: 45
primer tRNA^{Lys3} 251: 487
prion protein 251: 462
prismane 251: 454
procaryotic expression 254: 318
processing 253: 576; 258: 107
processivity 258: 1032
product specificity 253: 598
proenzyme activation 258: 37
progelatinase B activation 253: 67
programmed cell death 252: 1; 253: 583
prohormone convertase 2 257: 41
prokaryotic enhancer 253: 371
prolactin 258: 784
proliferating-cell nuclear antigen 254: 209
proliferation 256: 75; 256: 342
proline 255: 462
prolyl endopeptidase 252: 178
promoter 256: 67; 256: 510; 257: 62; 258: 113; 258: 968
propeptide 252: 530
pro-phenol oxidase 257: 615
proproteinase E 251: 839
prostaglandin 256: 334
prostate cancer 255: 329
prostate-specific antigen 252: 216
protease 252: 178; 252: 537; 253: 576; 254: 90; 255: 527
protease inhibitors 252: 339; 258: 662
proteasome 255: 356
14-3-3 protein 257: 112
protein 257: 622
protein 4.1 258: 567
protein A 258: 890
protein assembly 258: 491
protein biosynthesis 255: 81
protein change 253: 684
protein component of nuclear ribonuclease P 251: 244
protein conformation 252: 583; 253: 684
protein deprivation 254: 428
protein disulfide isomerase 252: 372; 254: 63; 254: 420; 255: 570; 256: 51
protein engineering 253: 354; 255: 654; 258: 184
protein ER58 254: 420
protein expression 251: 443; 256: 427; 258: 768
protein folding 251: 217; 251: 854; 256: 128; 258: 445
protein interaction 256: 411
protein kinase 251: 201; 251: 605; 255: 37; 255: 516; 255: 718; 255: 766; 258: 820
protein kinase A 257: 228
protein kinase B 251: 195
protein kinase C 251: 262; 251: 314; 251: 734; 251: 964; 258: 976
protein kinase CK2 251: 667
protein kinase Cμ 257: 47
protein L 258: 890
protein length 254: 135
protein-lipid interaction 252: 284
protein loops 256: 303
protein–nucleic-acid interaction 251: 899
protein phosphatase 258: 301
protein phosphorylation 255: 363
protein-protein interactions 251: 924; 253: 734; 255: 235; 255: 580
protein purification 255: 87
protein quaternary structure 252: 408
protein S 251: 558
protein secretion 252: 583; 257: 472; 258: 402
protein Ser/Thr kinase 257: 55
protein solubilization 252: 537
protein sorting 252: 16
protein stability 255: 604; 257: 1
protein structure 251: 133; 251: 565; 251: 613; 257: 457; 258: 1014
protein structure determination 258: 521
protein superfamily 252: 79
protein synthesis 251: 201; 253: 27; 255: 409; 257: 255; 258: 437
protein targeting 257: 41
protein translocation 251: 821; 254: 1; 255: 690
protein-tyrosine phosphatase 251: 964
proteoglycan 252: 576; 254: 371
proteoglycan domain 254: 580
proteolysis 255: 107; 258: 291
proteolysis profile 255: 383
proteolytic cleavage 254: 602
proteolytic processing 255: 133
Proteus penneri 253: 730
Proteus vulgaris 256: 488
protochlorophyll 253: 161
protochlorophyllide reductase 253: 161
α-proton exchange 252: 113
proton potential 251: 538; 257: 210
proton translocation 256: 589; 257: 202
pro-transglutaminase 257: 570
PsaD 255: 309
psbA gene expression 251: 641
pseudogenes 257: 62
Pseudomonas 251: 971
Pseudomonas aeruginosa 251: 528; 255: 673; 257: 409
Pseudomonas putida (arvilla) 257: 92
Pseudomonas syringae 257: 449; 258: 657; 258: 716
Pseudomycin A 257: 449
psychrophile 254: 356
pterin 251: 768
P-type ATPase 251: 682
pulmonary surfactant 255: 116
pulse/chase 255: 262
pupal development 257: 599
purification 251: 462; 253: 480; 253: 675; 254: 154; 255: 516; 255: 628; 257: 142; 257: 488; 257: 570; 258: 223; 258: 794
purinoceptor 251: 19; 252: 147
purinogen 254: 75
puromycin reaction 258: 437
putative dicarboxylate carrier protein 257: 395
Pyk2, MAP kinase 257: 403
pyridine nucleotide 253: 743
pyridoxal 5′-phosphate 252: 113; 254: 655; 255: 508; 257: 21; 257: 500
pyridylaminated 256: 163
pyrimidinoceptor 251: 19
Pyrodictium abyssi 252: 486
Pyrodictium occultum 258: 837
pyrophosphatase 256: 589
pyrrole-2-carboxylate 253: 480; 257: 495
pyruvate decarboxylase 257: 538
pyruvate dehydrogenase complex 258: 491

quantitative competitive reverse-transcriptase PCR 257: 607
quantitative structure/activity relationship (QSAR) 257: 92

quinol oxidation 255: 317
quinoline 254: 547
quinone-binding site 255: 317
p-quinone methide 253: 712
quinoprotein 255: 255; 257: 409

rabbit reticulocyte lysate 255: 552
radiation target analysis 258: 923
radical scavengers 258: 485
radioligand binding 256: 427
radioligand-binding assay 252: 391
raffinose transport 254: 679
RafY channel 254: 679
ranalexin 253: 221
rap 252: 290
rapamycin 256: 528
rapid-equilibrium ordered binding 254: 363
ras 252: 290; 258: 271
Ras 253: 107
rat 254: 318; 258: 243
rat hepatocyte 253: 139
rat tissue 251: 314
RBL-2H3 cells 251: 964; 258: 144
reaction center 256: 595
reaction mechanism 251: 98; 253: 659
reactive oligodeoxynucleotide 251: 175
reactive oxygen species 254: 38; 256: 16; 256: 184
rearrangement reaction 255: 24
receptor 251: 622; 253: 552; 255: 67
receptor binding 251: 107
receptor cloning 258: 78
receptor expression 258: 78
receptor tyrosine kinase 253: 382
recognition 252: 45
recognition pattern 251: 252
recombinant 257: 562
recombinant allergen 258: 454
recombinant human myoglobin 257: 547
recombinant production 255: 60
recombinant protein 251: 236; 251: 812; 252: 59; 252: 314; 255: 446; 255: 588; 256: 453; 257: 202; 258: 794
recombinant α_1 257: 236
recombinant superoxide dismutase 253: 49
reconstitution 255: 369; 257: 236
red blood cell 257: 228
red-edge excitation 257: 337
redox potential 251: 673; 255: 100; 255: 185; 258: 1040
redox potentiometry 257: 577
reductase 253: 437
reduction 257: 178
reduction mechanism 257: 299
reductive activation 258: 597
reductive pentose phosphate pathway 252: 237
refolding 251: 462; 255: 178; 257: 562; 258: 61; 258: 411
regiospecificity of steroid hydroxylation 252: 458
relaxation kinetics 254: 144
release 253: 576
release factor 257: 249
reoxygenation 254: 497
O repeat 258: 657
replication factor C 254: 209
resistance 255: 472
resonance Raman 254: 662
resonance Raman scattering 251: 830
respiratory arsenate reductase 255: 647
respiratory chain 252: 194; 254: 389
restriction endonuclease 258: 184
restriction-modification system 251: 899
retina 258: 44
retinaldehyde dehydrogenase 257: 344
retinoic acid receptor 257: 607
retinoic acid synthesis 257: 344
retinoid 251: 480
retinol oxidation 254: 25
retinyl ester hydrolase 251: 863
retrieval signal 251: 304
reverse CO_2 fixation 257: 495
reverse transcriptase 258: 1032
reverse transcriptase p66/p51 and p51/p51 251: 487
reverse transcriptional PCR 256: 427
reverse turn 255: 462
reversed electron transport 257: 210
reverse-transcription PCR 251: 227
RGD peptide 253: 669
rhamnan 258: 696
Rhizobium trifolii 257: 395
rhodamine 123 254: 181; 254: 189
Rhodobacter blasticus 255: 87
Rhodobacter capsulatus 251: 54; 251: 65
Rhodothermus 257: 101
riboflavin 258: 362
riboflavin carrier protein 258: 411
ribonuclease L inhibitor 254: 248
ribonuclease-protection assay 256: 45
ribonucleases 254: 248; 257: 286
ribonucleotide reductase 258: 485
ribosomal bypass 255: 409
ribosomal proteins 255: 563; 256: 136
ribosomal S6 kinase 251: 269
ribosome 257: 255; 258: 986
ribosome-inactivating protein 255: 400; 258: 540
ribosome recycling factor 256: 212
ribozyme 252: 25
ribozyme activity 254: 129
ribulose 1,5-bisphosphate 253: 476
D-ribulose 5-phosphate 3-epimerase 252: 237
ricin 254: 596; 257: 255
Ricinus communis agglutinin 254: 596
Rickettsia prowazekii 252: 353
Rieske protein 255: 100
ring-current effect 257: 479
RNA 252: 553; 255: 727; 258: 758
RNA binding 254: 230
RNA cleavage 252: 25
RNA *N*-glycosidase 258: 540
RNA processing 255: 156
RNA-protein interaction 258: 758
RNA-ribosomal protein L1 interaction 256: 97
RNA secondary structure 251: 175
RNA splicing 254: 685
RNA stability 255: 703
RPD3 251: 9
rRNA 258: 986
rubisco 253: 476

S100A6 253: 57
S14 256: 136
Saccharomyces cerevisiae 251: 812; 252: 16; 252: 162; 252: 391; 253: 20; 253: 804; 254: 520; 255: 156; 255: 271; 256: 112; 256: 212; 256: 419; 256: 427; 258: 430; 258: 702; 258: 736; 258: 941
saccharopine dehydrogenase 253: 720
salivary lipocalin 252: 563
salts 255: 178
saposin 255: 133
α-sarcin 258: 986
sarcoplasmic Ca^{2+}-ATPase 257: 216
sarcoplasmic reticulum 253: 339; 253: 627
sarcosine dehydrogenase 257: 556
scavenger receptor cysteine-rich 257: 131
Schistosoma mansoni 251: 516; 253: 390
schistosome 255: 527
Schizosaccharomyces pombe 256: 112; 257: 630
scorpion toxin 254: 44; 254: 468
SEC14 258: 402
SecA–SecB interaction 257: 472
Sechium edule Swartz 255: 400
sechiumin 255: 400
secondary metabolism 254: 347
secondary structure 254: 610; 256: 560; 258: 214; 258: 533
secretion 252: 16
seed storage protein 252: 79
selectin 251: 991
selectin ligand 253: 499
selenocysteine synthase 254: 655
selenomethionine 258: 831
selenophosphate 254: 655
self-association 255: 580
semen 252: 216; 255: 45
semenogelin 252: 216
seminal vesicle 252: 216
semiquinone stabilisation 255: 317
sepsis 256: 325
sequence variability 257: 309
sequencing 254: 103; 254: 565
serine acetyltransferase 255: 235
serine hydroxymethyltransferase 252: 113
serine phosphorylation 258: 567
serine protease 251: 839; 252: 569; 254: 290; 254: 650; 255: 501; 255: 638; 255: 766
serine protease inhibitor 253: 212; 254: 538
serine proteinases 256: 317
serological cross-reactivity 254: 58
serological specificity 256: 488
serpin 254: 117
Serratia 252: 299
serum amine oxidase 251: 320
serum immunophilin 252: 441
S-ethyltrifluorothioacetate 255: 162
sex-pheromone system 258: 515
Sf9 cell 255: 369
SH-2 domain 258: 784
SH3 domain 256: 201
Shigella flexneri 251: 534
shiva-3 257: 263
ShK toxin 251: 133
short-chain dehydrogenase-reductase 251: 768
short-term action of thyroid hormones 252: 325
shuttle plasmid 254: 404

sialic acids 251: 874; 251: 991; 254: 217; 255: 663; 258: 677
sialoadhesin 255: 663; 258: 677
sialosyl Le^a 253: 309
sialylation 258: 243
sialyltransferase 254: 626
sideroblastic anaemia 258: 132
siglecs 255: 663
sigma receptor 256: 342
signal peptide 252: 16
signal recognition particle (SRP) 252: 16
signal sequence 255: 746
signal transducer and activators of transcription 254: 514; 255: 1; 258: 968
signal transduction 251: 25; 252: 185; 253: 354; 253: 421; 253: 531; 254: 514; 256: 201; 257: 55; 257: 403; 258: 976
signaling 255: 1
silencing 251: 9
simulated annealing 257: 31; 258: 301
simulation 253: 469; 258: 200; 258: 372
single-cell RT-PCR 257: 274
single chain 256: 359
single channel 253: 627
single mutation 253: 413
single-strand annealing 258: 387
single-stranded-DNA-binding protein 252: 207
site-directed mutagenesis 251: 795; 253: 251; 253: 598; 255: 100; 256: 310; 256: 398; 257: 538; 258: 184; 258: 207; 258: 941
site-specific modification 251: 175
site-specific mutagenesis 253: 194; 253: 371
size-exclusion chromatography 251: 885
skeletal muscle 251: 374
skeletal muscle development 257: 607
small heat-shock protein 258: 170; 258: 1014
small helical cytokine 258: 831
small nucleolar RNA 253: 154
small nucleolar RNA processing 253: 154
smooth muscle calponin 251: 262
smooth muscle regulation 254: 571
snake venom 252: 569; 253: 36; 253: 452
snake venom serine proteinase 251: 845
SNF1 252: 162
snowdrop (*Galanthus nivalis*) 252: 59
Solanum tuberosum 252: 66
Solanum tuberosum L 251: 343
solubilization 254: 671
soluble domain 251: 682
soluble guanylyl cyclase 253: 42
soluble mitochondrial adenosinetriphosphatase 255: 303
soluble receptor 256: 24
solution structure 255: 309; 256: 261; 257: 380; 257: 449; 258: 465; 258: 502; 258: 521
solution X-ray scattering 253: 406
solvent-water transition 255: 303
sorting 258: 291
S-oxide or N-oxide reductase 251: 510
soybean 258: 854
Sp1 256: 510
species distribution 251: 227
specificity 251: 899; 255: 501; 258: 184
specificity factor 253: 476
sperm ligand 252: 492
spermatogenesis 258: 460
S-phase checkpoint regulation 254: 209
sphingosine 1-phosphate 257: 403
spin trap 254: 256
spinach (*Spinacia oleracea* L.) 251: 359
spore wall formation 258: 430
sporulation 258: 430
squash 254: 160
SR31747A 256: 342
Src-homology-3 domain 251: 573
Src-type kinase 253: 421
SRYD motif 253: 184
stability 253: 1; 257: 101
stability changes upon mutation 254: 135
standardization 255: 329
Staphylococcus aureus 258: 897
Staphylococcus epidermidis lipase 253: 675
starch 252: 331
starch-branching enzyme 252: 331
starch metabolism 251: 343
starfish 251: 874
STAT factors 258: 784
staurosporine 257: 242
steady-state kinetics 251: 924
stereoselective 254: 480
stereospecificity 252: 113; 254: 333; 255: 271
steroid dehydrogenase 258: 53
steroid 11β-hydroxylase 256: 190
steroid receptor 255: 611
steroidogenesis 256: 60; 257: 506
sterol-isomerase 256: 342
stimulatory proteins 1 and 3 253: 778
stop transfer sequence 251: 821
stopped flow 257: 202
stopped-flow kinetics 254: 413; 254: 662
stopped-flow spectrophotometry 255: 508
Streptococcus dysgalactiae 258: 897
Streptococcus pneumoniae 252: 124; 255: 296
Streptococcus pyogenes 258: 897
streptokinase 251: 472
Streptomyces 254: 347
Streptomyces glaucescens 258: 1059
Streptomyces granaticolor 257: 55
Streptomyces griseus 258: 313
streptomycin 258: 1059
Streptoverticillium mobaraense 257: 570
stress protein 251: 304
stress response 255: 356
stress-responsive element 255: 544
stromelysin-2 253: 67
structural biology 258: 192
structural dynamics 253: 413
structural features 258: 854
structural heterogeneity 258: 716
structure 251: 534; 251: 971; 251: 986; 252: 576; 254: 168; 254: 313; 254: 378; 255: 279; 255: 296; 255: 673; 255: 727; 258: 61; 258: 139
structure calculation 252: 428
structure determination 258: 243
structure/function 255: 227; 255: 663
structure/function analysis 253: 751
structure-function relationship 258: 677
subsite 251: 72
substance P 251: 217
substrate 256: 155
substrate binding 252: 331
substrate oxidation 251: 398
substrate recognition 251: 252
substrate selectivity 253: 675
substrate specificity 251: 236; 256: 317; 257: 592
subtilisin 257: 309
subunit 256: 350
subunit *a* 251: 122
subunit dissociation 257: 427
subunit Va 252: 325
succinate dehydrogenase 251: 164; 253: 292; 257: 210
succinate/quinone oxidoreductase 257: 210
succinyl-CoA ligase 258: 736
sulfated N-glycan 256: 471
sulfated oligosaccharide 258: 775
sulfation 251: 991; 253: 499
sulfide dehydrogenase 253: 263
sulfide oxidation 251: 418
sulfobetaine 252: 537; 256: 128
sulfur metabolism 257: 21
sulfur respiration 252: 486
sulfur transferase 253: 263
sulphation 258: 669
sulphobromophthalein 257: 434
superantigens 256: 325
supercoiled DNA 251: 427
supercoiling 253: 787
superoxide 254: 256
superoxide anion 251: 649
superoxide dismutase 251: 716; 251: 795; 256: 184
suramin 251: 19
surface labeling 252: 222
surface plasmon resonance 251: 659; 255: 611
surfactant protein B 255: 116
surfactant protein C 255: 116
SWI/SNF 251: 9
Swiss 3T3 fibroblasts 251: 314
synapse 252: 305; 253: 382
Synechococcus 251: 641
synergy 251: 885
synovial fluid 252: 339
synthetic lethality 252: 477
synthetic peptide 253: 328; 253: 452
synthetic peptides 251: 262
Syntrophus gentianae 256: 589
a synuclein 258: 157

Tamm-Horsfall glycoprotein 253: 637; 256: 471
Tau 252: 542
tau 253: 591
T-cell epitope 254: 313
technetium hexakis(methoxyisobutylisonitrile) 252: 140
teichoic acid-like polysaccharide 251: 980
telomere 251: 9; 254: 209
telomeric DNA 258: 93
temperature dependence 257: 479
terpenoid 256: 364
2,3,7,8-tetrachlorodibenzo-*p*-dioxin 258: 803
tetrahydro-β-carboline 251: 398
tetrahydrofolate 258: 1009
Tetrahymena 254: 6

tetrain 254: 6
TFIIIA 258: 758
Thauera aromatica 251: 946
thermal hysteresis 258: 445
thermal stability 251: 673; 255: 336; 255: 628
thermal stress 251: 181
thermal unfolding 251: 275
thermodynamic stability 253: 462
thermosome 255: 93; 258: 837
thermostability 251: 382; 255: 81; 258: 502; 258: 1050
Thermotoga maritima 255: 628
Thermus aquaticus 251: 935
Thermus thermophilus 251: 744; 256: 136
thiamin diphosphate 257: 538
thimet peptidase 255: 246
thiol reactivity 252: 447
thiopurine *S*-methyltransferase 256: 510
thioredoxin 255: 185; 255: 570; 257: 299
thioredoxin *h* 252: 314
three-dimensional structure 257: 1; 258: 301
threonine 255: 220
threonine aldolase 255: 220
thrombin 252: 569; 255: 766
thrombin receptor 255: 766
thrombopoietin 258: 976
thylakoids 251: 142; 253: 606
thymidine kinase 255: 472
thymosin 253: 766
thyroglobulin gene 254: 297
thyroid hormone receptor 257: 607
time-averaged restraint 252: 428
time-resolved emission spectroscopy 257: 337
time-resolved fluorescence 254: 662
TIMP 257: 562
tissue distribution 257: 556
tissue-specific gene expression 251: 320
tissue-type plasminogen activator 251: 107; 251: 472; 251: 804; 258: 123
TLE proteins 258: 339
TNFα 256: 550
topaquinone 251: 91
topology 255: 383; 257: 216; 258: 478
TPA 256: 541
transcription 251: 281; 251: 435; 254: 70; 254: 111; 254: 685; 255: 356; 256: 106; 256: 510; 258: 123
transcription factor 251: 25; 254: 514; 258: 113
transcriptional promoter 253: 778
transcriptional regulation 251: 9; 256: 541; 258: 430; 258: 744; 258: 879
transcriptional repression 254: 538
transduction signal 251: 590
transfection 254: 382
transferred NOE 253: 184
transferrin 253: 139; 254: 144
transferrins 258: 1022
transformation 252: 576; 254: 266
transforming growth factor-β 251: 622; 254: 38; 257: 506
transforming-growth-factor-β antagonist 254: 505
transforming-growth-factor-β receptor 254: 505
transgenic mouse 251: 704
transglutaminase 252: 216; 253: 583; 255: 45
transglycosylation 253: 251
transhydrogenase 257: 202
transient kinetics 257: 547
transition metal 251: 91
transition organometallic complex 258: 192
transition proteins 258: 460
transition-state analog 254: 333
transketolase 252: 237
translation 255: 156; 256: 106; 258: 820
translation elongation 257: 78
translation initiation 253: 531
translation termination 256: 36; 257: 249
translational control 253: 27; 255: 552
translational suppression 254: 520
translationally controlled tumor protein 257: 62
translocation 255: 690; 256: 179
transmembrane peptide 255: 116; 257: 216
transmembrane protein 256: 24
transmembrane topology 251: 122
transmitochondrial cell lines 258: 132
trans-*N*-glycosidase 254: 620
transphosphorylation 257: 286
transport 251: 359; 253: 84
transthyretin 256: 287
trehalose 6-phosphate 258: 223
tricarboxylic acid cycle 258: 736
Trichoderma 256: 119
Trichoderma viride 253: 101
trifluoperazine 251: 353; 257: 457
trifluoroethanol 253: 236
triosephosphate isomerase 253: 684
triple-resonance ^{1}H, ^{13}C, ^{15}N-NMR 258: 521
triterpene 256: 238
tRNA 257: 249
tRNA identity 251: 744
tropoelastin 258: 1
troponin C 252: 600
troponin C mutant 252: 600
troponin-I 256: 535
Trypanosoma brucei 256: 245
trypanosome 253: 684
trypsin 255: 508; 256: 317
trypsin digestion 252: 155
trypsin inhibitor 254: 565
trypsin-chymotrypsin inhibitor 258: 662
trypsin-like serine protease 252: 553
tryptic cleavage 257: 592
tryptophan fluorescence 257: 216
tryptophan indole-lyase 255: 508
tryptophan synthase 256: 128
tubulin 255: 363
tumor-necrosis factor α 253: 345; 253: 576; 255: 139
tumor-necrosis factor 251: 295; 254: 70; 254: 439
tumor-necrosis-factor-receptor-related apoptosis-mediating protein 254: 439
tumor-necrosis-factor-related apoptosis-inducing ligand 254: 439
tungsten 255: 755
two-dimensional HPLC 251: 691
two-dimensional PAGE 253: 202
two-hybrid system 252: 290
type I β-turn 257: 31
type II diabetes mellitus 251: 208
type-I allergy 255: 213
type-II protein 254: 650; 254: 671
types and genes of phosphatidylinositol 4-kinases 253: 357
Tyr p 2 251: 443
Tyrophagus putrescentiae 251: 443
tyrosinase 255: 139
tyrosinase-related protein 255: 139
tyrosine phosphorylation 251: 25; 257: 403
tyrosine radical 251: 142
tyrosine substitution 251: 288; 251: 787
tyrosine sulfation 255: 74
tyrosyl radical 258: 485

U14 253: 154
ubiquinone-10 255: 52
ubiquitin 254: 643; 255: 422; 255: 482; 255: 492
ubiquitin-protein ligase 254: 643
ubiquityl–calmodulin synthetase 255: 422; 255: 482; 255: 492
UDG 256: 580
UDP-galactose 4-epimerase 257: 427
UDP-glucuronosyltransferase 258: 948
UDP–*N*-acetylglucosamine 2-epimerase 252: 133
Ugi 256: 580
UGT1A6 258: 948
UGT1A7 258: 948
Ulip 254: 14
ultraviolet A 256: 184
ultraviolet spectroscopy 253: 413
unfolding by SDS 254: 662
unfolding intermediate 255: 439
Ung 256: 580
α,β-unsaturated carbonyl 255: 271
unsaturated fatty acid 252: 608
untemplated base addition 251: 81
3′-untranslated region 251: 704
upstream stimulatory factors 1 and 2 253: 778
urea cycle 254: 428
urea unfolding 255: 439
urea uptake 251: 45
urinary trypsin inhibitor 253: 817
urokinase 253: 669; 256: 411
urokinase receptor 256: 411
urokinase-type plasminogen activator 251: 472; 251: 704; 252: 185; 253: 817
urokinase-type-plasminogen-activator receptor 252: 185; 253: 421
urolithiasis 253: 637
uroporphyrinogen III synthase 257: 149
uteroglobin 258: 521

V3 loop 252: 441
^{51}V-NMR 255: 611
vanillyl-alcohol oxidase 253: 712
variant 254: 596
vascular 253: 36
very-long-chain fatty acid 252: 477
vesicular traffic 253: 357
viability 256: 184
Vibrio 255: 279
Vibrio cholerae 254: 58
Vibrio mimicus 251: 986
Vibrio ordalii 253: 319
vinculin 254: 413

virus infection 254: 248
virus replication 257: 69
vitamin A 251: 863
vitamin B_{12} 254: 341; 254: 620
vitamin D_3 254: 275
vitronectin 253: 669
voltage-dependent anion channel 253: 627
v-src 254: 266

western blotting 252: 391
wheat 252: 314; 255: 739
Wolinella succinogenes 251: 418; 253: 263
w/w^v mice 258: 53

xanthine oxidase 257: 178
Xenopus laevis 251: 81; 255: 563
X-irradiation 257: 309
X-ray crystal structure 251: 795; 251: 839; 255: 12; 255: 710; 257: 309; 258: 350; 258: 362
X-ray crystallography 258: 831
X-ray scattering 252: 73
xylanase 253: 462

yeast 251: 716; 252: 162; 253: 560; 254: 1; 254: 111; 255: 156; 257: 249; 258: 736
yeast plasma membrane 254: 202
yeast stress response 255: 544
yeast transformation 256: 88
yeast two-hybrid 258: 100
YY1 255: 563

Zea mays 255: 718
Zellweger syndrome 258: 332
zinc 253: 766; 258: 207
zinc binding 253: 57
zinc-binding protein 258: 863
zinc cluster 255: 172
zinc finger 256: 136; 258: 758
zinc metallopeptidase 254: 671
zona pellucida 252: 492